



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: Smartphone

Test Model: NOTE 50

Environmental Conditions

| | |
|--------------------|-----------|
| Temperature: | 23.8° C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Taylor Hu |
| Supervised by: | Ling Zhu |





A.1 -20dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 0.958 | N/A | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 0.961 | N/A | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | 0.953 | N/A | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 1.302 | N/A | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 1.285 | N/A | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 1.31 | N/A | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 1.304 | N/A | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 1.316 | N/A | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 1.302 | N/A | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1






-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1





-20dB Bandwidth NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.2 Maximum Conducted Output Power


| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 2.6 | 21 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 1.84 | 21 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | 2.02 | 21 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 2.67 | 21 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 1.97 | 21 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 2.63 | 21 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 2.89 | 21 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 2.24 | 21 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 2.9 | 21 | Pass |






Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1






Power NVNT 3-DH5 2402MHz Ant1




Power NVNT 3-DH5 2441MHz Ant1





Power NVNT 3-DH5 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.3 Carrier Frequencies Separation

| Condition | Mode | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT | 1-DH5 | Ant1 | 2401.838 | 2402.842 | 1.004 | 0.641 | Pass |
| NVNT | 2-DH5 | Ant1 | 2402.022 | 2403.008 | 0.986 | 0.873 | Pass |
| NVNT | 3-DH5 | Ant1 | 2402.028 | 2403.024 | 0.996 | 0.877 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1




CFS NVNT 2-DH5 2402MHz Ant1





CFS NVNT 3-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



A.4 Dwell Time

| Condition | Mode | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 0.499 | 57.884 | 116 | 31600 | 400 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 2.898 | 312.984 | 108 | 31600 | 400 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 2.897 | 347.64 | 120 | 31600 | 400 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

| Condition | Mode | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT | 1-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 2-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 3-DH5 | Ant1 | 79 | 15 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1




Hopping No. NVNT 2-DH5 2402MHz Ant1





Hopping No. NVNT 3-DH5 2402MHz Ant1





A.6 Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | -58.79 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | -58.57 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | -54.73 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | -56.99 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | -51.37 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | -55.81 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | Hopping | -58.58 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | Hopping | -57.93 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | Hopping | -56.16 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | Hopping | -55.87 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | Hopping | -56.63 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | Hopping | -56.32 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | -57.6 | -20 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | -44.9 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | -48.26 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | -55.98 | -20 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | -47.8 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | -45.41 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | -54.9 | -20 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | -55.22 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | -49.76 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Restrict Band

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------|----------|----------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -50.86 | 2.63 | 47.03 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.87 | 2.63 | 40.02 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2373.552 | -47.02 | 2.63 | 50.87 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2338.032 | -57.19 | 2.63 | 40.70 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -49.62 | 2.63 | 48.27 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.45 | 2.63 | 40.44 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -48.76 | 2.63 | 49.13 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -55.17 | 2.63 | 42.72 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2484.184 | -39.6 | 2.63 | 58.29 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -55.17 | 2.63 | 42.72 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -51.01 | 2.63 | 46.88 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.07 | 2.63 | 40.82 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -50.89 | 2.63 | 47.00 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.83 | 2.63 | 40.06 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2355.312 | -47.47 | 2.63 | 50.42 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2389.2 | -57.32 | 2.63 | 40.57 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -51.24 | 2.63 | 46.65 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.62 | 2.63 | 40.27 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -49.79 | 2.63 | 48.10 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -54.4 | 2.63 | 43.49 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2485.456 | -43.01 | 2.63 | 54.88 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -54.4 | 2.63 | 43.49 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -50.4 | 2.63 | 47.49 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.15 | 2.63 | 40.74 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -51.07 | 2.63 | 46.82 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -57.93 | 2.63 | 39.96 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2377.2 | -47.48 | 2.63 | 50.41 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2338.224 | -57.36 | 2.63 | 40.53 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -50.32 | 2.63 | 47.57 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -57.53 | 2.63 | 40.36 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -48.66 | 2.63 | 49.23 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -54.4 | 2.63 | 43.49 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.608 | -37.92 | 2.63 | 59.97 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.512 | -54.4 | 2.63 | 43.49 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -49.44 | 2.63 | 48.45 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.18 | 2.63 | 40.71 | Average | 54 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

