



## Appendix D

### RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: Smartphone

Test Model: NOTE 50

#### Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Taylor Hu
Supervised by:	Ling Zhu





### D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	29.205	---	Pass
NVNT	a	5200	Ant1	27.492	---	Pass
NVNT	a	5240	Ant1	28.523	---	Pass
NVNT	n20	5180	Ant1	28.769	---	Pass
NVNT	n20	5200	Ant1	28.544	---	Pass
NVNT	n20	5240	Ant1	27.164	---	Pass
NVNT	n40	5190	Ant1	59.2	---	Pass
NVNT	n40	5230	Ant1	57.649	---	Pass
NVNT	ac20	5180	Ant1	28.052	---	Pass
NVNT	ac20	5200	Ant1	27.153	---	Pass
NVNT	ac20	5240	Ant1	29.236	---	Pass
NVNT	ac40	5190	Ant1	58.727	---	Pass
NVNT	ac40	5230	Ant1	58.085	---	Pass
NVNT	ac80	5210	Ant1	115.665	---	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1






-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1





-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1






-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1






-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1






-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1








-26dB Bandwidth NVNT ac40 5230MHz Ant1



-26dB Bandwidth NVNT ac80 5210MHz Ant1





### D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.84	2.36	13.2	24	Pass
NVNT	a	5200	Ant1	10.54	3.11	13.65	24	Pass
NVNT	a	5240	Ant1	7.96	2.93	10.89	24	Pass
NVNT	n20	5180	Ant1	10.79	2.36	13.15	24	Pass
NVNT	n20	5200	Ant1	10.75	3.11	13.86	24	Pass
NVNT	n20	5240	Ant1	8.06	2.36	10.42	24	Pass
NVNT	n40	5190	Ant1	9.72	4.13	13.85	24	Pass
NVNT	n40	5230	Ant1	7.63	3.52	11.15	24	Pass
NVNT	ac20	5180	Ant1	10.83	2.59	13.42	24	Pass
NVNT	ac20	5200	Ant1	10.67	2.22	12.89	24	Pass
NVNT	ac20	5240	Ant1	7.88	2.45	10.33	24	Pass
NVNT	ac40	5190	Ant1	9.93	3.01	12.94	24	Pass
NVNT	ac40	5230	Ant1	7.76	3.25	11.01	24	Pass
NVNT	ac80	5210	Ant1	8.26	3.76	12.02	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



### D.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	0.98	2.36	3.34	11	Pass
NVNT	a	5200	Ant1	0.73	3.11	3.84	11	Pass
NVNT	a	5240	Ant1	-1.69	2.93	1.24	11	Pass
NVNT	n20	5180	Ant1	0.8	2.36	3.16	11	Pass
NVNT	n20	5200	Ant1	0.73	3.11	3.84	11	Pass
NVNT	n20	5240	Ant1	-2.04	2.36	0.32	11	Pass
NVNT	n40	5190	Ant1	-3.06	4.13	1.07	11	Pass
NVNT	n40	5230	Ant1	-4.62	3.52	-1.1	11	Pass
NVNT	ac20	5180	Ant1	0.99	2.59	3.58	11	Pass
NVNT	ac20	5200	Ant1	0.75	2.22	2.97	11	Pass
NVNT	ac20	5240	Ant1	-1.82	2.45	0.63	11	Pass
NVNT	ac40	5190	Ant1	-2.62	3.01	0.39	11	Pass
NVNT	ac40	5230	Ant1	-4.67	3.25	-1.42	11	Pass
NVNT	ac80	5210	Ant1	-6.84	3.76	-3.08	11	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1






PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1






PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1






PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1






PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1








PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1





### D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-48.76	2	48.47	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-54.93	2	42.3	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-41.15	2	56.08	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-45.13	2	52.1	Average	54	Pass
NVNT	a	5180	Ant1	5150	-38.88	2	58.35	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-45.72	2	51.51	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.38	2	47.85	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-54.55	2	42.68	Average	54	Pass
NVNT	a	5240	Ant1	5352.96	-46.21	2	51.02	Peak	68.2	Pass
NVNT	a	5240	Ant1	5390.88	-53.66	2	43.57	Average	54	Pass
NVNT	a	5240	Ant1	5460	-48.82	2	48.41	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-55.1	2	42.13	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-49.73	2	47.5	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-54.1	2	43.13	Average	54	Pass
NVNT	n20	5180	Ant1	5149.6	-39.18	2	58.05	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-47.06	2	50.17	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-38.28	2	58.95	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-45.67	2	51.56	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-48.97	2	48.26	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-54.86	2	42.37	Average	54	Pass
NVNT	n20	5240	Ant1	5352.72	-46.47	2	50.76	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5416.8	-53.4	2	43.83	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-48.37	2	48.86	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-54.56	2	42.67	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-48.51	2	48.72	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-53.96	2	43.27	Average	54	Pass
NVNT	n40	5190	Ant1	5149.7	-42.8	2	54.43	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-47.64	2	49.59	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-42.8	2	54.43	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-47.64	2	49.59	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-49.67	2	47.56	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-54.16	2	43.07	Average	54	Pass
NVNT	n40	5230	Ant1	5376.3	-45.94	2	51.29	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5393.58	-52.96	2	44.27	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.94	2	47.29	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-54.1	2	43.13	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-48.57	2	48.66	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-54.83	2	42.4	Average	54	Pass
NVNT	ac20	5180	Ant1	5149.6	-40.44	2	56.79	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5149.6	-46.41	2	50.82	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-39.83	2	57.4	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-46.43	2	50.8	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.17	2	48.06	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-54.62	2	42.61	Average	54	Pass
NVNT	ac20	5240	Ant1	5365.68	-46.77	2	50.46	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5417.28	-53.69	2	43.54	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-48.55	2	48.68	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-55.01	2	42.22	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-48.8	2	48.43	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-54.88	2	42.35	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-40.67	2	56.56	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-48.08	2	49.15	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-40.67	2	56.56	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-48.08	2	49.15	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-48.81	2	48.42	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-53.52	2	43.71	Average	54	Pass
NVNT	ac40	5230	Ant1	5403.3	-45.74	2	51.49	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5370.63	-53.04	2	44.19	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.39	2	47.84	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-54.7	2	42.53	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-48.89	2	48.34	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-53.17	2	44.06	Average	54	Pass
NVNT	ac80	5210	Ant1	5367.27	-45.85	2	51.38	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5363.97	-52.38	2	44.85	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.9	2	48.33	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-53.83	2	43.4	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-48.65	2	48.58	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-53.97	2	43.26	Average	54	Pass
NVNT	ac80	5210	Ant1	5149.38	-39.48	2	57.75	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5145.43	-47.77	2	49.46	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-43.46	2	53.77	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-47.16	2	50.07	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average








Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak




Restrict Band NVNT ac80 5210MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average







### D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant1	5180	0	0	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant1	5190.04	40000	7.71	25	Pass
NVNT	ac40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant1	5210	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.  
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1






Freq. Stability NVNT ac20 5240MHz Ant1




Freq. Stability NVNT ac40 5190MHz Ant1






Freq. Stability NVNT ac40 5230MHz Ant1



Freq. Stability NVNT ac80 5210MHz Ant1





### D.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	58.03	2.36	8.93
NVNT	a	5200	Ant1	48.91	3.11	8.93
NVNT	a	5240	Ant1	50.91	2.93	8.93
NVNT	n20	5180	Ant1	58.03	2.36	8.93
NVNT	n20	5200	Ant1	48.91	3.11	8.93
NVNT	n20	5240	Ant1	58.03	2.36	8.93
NVNT	n40	5190	Ant1	38.62	4.13	13.7
NVNT	n40	5230	Ant1	44.44	3.52	13.89
NVNT	ac20	5180	Ant1	55.12	2.59	8.3
NVNT	ac20	5200	Ant1	60	2.22	8.33
NVNT	ac20	5240	Ant1	56.94	2.45	8.4
NVNT	ac40	5190	Ant1	50	3.01	12.5
NVNT	ac40	5230	Ant1	47.34	3.25	12.5
NVNT	ac80	5210	Ant1	42.03	3.76	17.24






Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1








Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1





Duty Cycle NVNT ac40 5230MHz Ant1



Duty Cycle NVNT ac80 5210MHz Ant1

