



06 June 2016

To:

Nemko Canada Inc.
303 River Road
Ottawa, Ontario, Canada
K1V 1H2

Subj.: StreetNode 6250 PTP radio product variants
(FCC id : 2AHZC-SN6250CF02TA)

Dear Sir,

INTRACOM S.A. TELECOM SOLUTIONS, with the trading name "**INTRACOM TELECOM**", Original Equipment Manufacturer of Wireless Access and Transport Systems with registered offices at 19.7km Peania-Markopoulo Avenue, 19002 Peania, Greece, hereby confirms the following regarding its StreetNode 6250 PTP V-Band radio product line with FCC id 2AHZC-SN6250CF02TA.

The StreetNode 6250 PTP product Part Numbers of the products submitted for FCC certification conform to the following code:

SN62-XYUZVV, where the placeholders X, Y, U, Z, VV have the following meaning:

X - Band / Duplex Spacing: F (57-64 GHz /3.5 GHz) or R (58.25-63.25 GHz / 2.5 GHz)
or G (59-63 GHz / 2 GHz)

Y - Sub-band: 1 or 2 or 3

U – Transmitter Duplex Designation: L (Low) or H (High)

Z – Color: G (Grey Color) or C (Charcoal Gray Color)

VV - Unit Power module working with Supply voltage: AC or DC



The following product variants have been put forward for FCC certification:

Mfr. Part Number	Name Variant	Mfr. PN Description
SN62-F2HCAC	SN6250-F-2-H-C-AC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx High, Color : Charcoal Grey, Power Module : AC
SN62-F2HCDC	SN6250-F-2-H-C-DC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx High, Color : Charcoal Grey, Power Module : DC
SN62-F2HGAC	SN6250-F-2-H-G-AC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx High, Color : Grey, Power Module : AC
SN62-F2HGDC	SN6250-F-2-H-G-DC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx High, Color : Grey, Power Module : DC
SN62-F2LCAC	SN6250-F-2-L-C-AC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx Low, Color : Charcoal Grey, Power Module : AC
SN62-F2LCDC	SN6250-F-2-L-C-DC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx Low, Color : Charcoal Grey, Power Module : DC
SN62-F2LGAC	SN6250-F-2-L-G-AC	Product: StreetNode 6250 PTP



		Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx Low, Color : Grey, Power Module : AC
SN62-F2LGDC	SN6250-F-2-L-G-DC	Product: StreetNode 6250 PTP Frequency of operation : Band F, Sub-band : 2, Transmitter Duplex Designation : Tx Low, Color : Grey, Power Module : DC

More specifically: Sub-band 2 of the F-Band refers to the following radio specifications:

BAND "F" 57000-64000 MHz							
Sub-Band	High /Low	Duplex spacing (MHz)	Centre frequencies supported (MHz)			Channel Bandwidth (MHz)	No of channels supported
2	60lo	3500	58275	-	59275	250	5
2	60Hi	3500	61775	-	62775	250	5

Yours Sincerely,


INTRACOM S.A. TELECOM SOLUTIONS
 19,7 Km MARKOPOULOU AVE
 190 02 PEANIA, ATHENS, GREECE
 Tel: (+30210) 66 71 000, Fax: (+30210) 66 71 001
 TAX VAT - CODE No EL094157119

Aristeidis Zinelis
Bidding & Contracting Manager

Ioannis Tenidis
Manager
Wireless Network Systems Division