



LTE FDD Band 4-3MHz Channel Bandwidth
Low Channel


QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



3GHz ~9GHz

3GHz ~9GHz




9GHz ~15GHz

9GHz ~15GHz



LTE FDD Band 4-3MHz Channel Bandwidth
Middle Channel

QPSK 16QAM





9GHz ~15GHz

9GHz ~15GHz





15GHz ~20GHz
1RB#0

15GHz ~20GHz
1RB#0

LTE FDD Band 4-3MHz Channel Bandwidth
High Channel


QPSK


16QAM




10MHz~3GHz

10MHz~3GHz










15GHz ~ 20GHz
1RB#0

15GHz ~ 20GHz
1RB#0

LTE FDD Band 4-5MHz Channel Bandwidth
High Channel


QPSK

16QAM



10MHz ~ 3GHz



10MHz ~ 3GHz



LTE FDD Band 4-10MHz Channel Bandwidth
Low Channel

QPSK

16QAM



10MHz~3GHz

10MHz~3GHz




3GHz~9GHz

3GHz~9GHz



9GHz~15GHz

9GHz~15GHz





9GHz ~15GHz

9GHz ~15GHz



15GHz ~20GHz

15GHz ~20GHz


1RB#0

1RB#0

LTE FDD Band 4-10MHz Channel Bandwidth
High Channel

QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



3GHz ~9GHz

3GHz ~9GHz



9GHz ~15GHz

9GHz ~15GHz



15GHz ~20GHz

15GHz ~20GHz



1RB#0

1RB#0

LTE FDD Band 4-15MHz Channel Bandwidth
Low Channel



QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



3GHz ~9GHz

3GHz ~9GHz



9GHz ~15GHz


9GHz ~15GHz



LTE FDD Band 4-15MHz Channel Bandwidth
Middle Channel

QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



3GHz ~9GHz

3GHz ~9GHz



9GHz ~15GHz

9GHz ~15GHz



15GHz ~20GHz

15GHz ~20GHz


1RB#0

1RB#0

LTE FDD Band 4-15MHz Channel Bandwidth
High Channel

QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



3GHz ~9GHz

3GHz ~9GHz



9GHz ~15GHz



9GHz ~15GHz



15GHz ~20GHz

1RB#0





15GHz ~20GHz

1RB#0

LTE FDD Band 4-20MHz Channel Bandwidth
Low Channel


QPSK

16QAM



10MHz~3GHz

10MHz~3GHz




3GHz~9GHz

3GHz~9GHz




9GHz~15GHz

9GHz~15GHz



LTE FDD Band 4-20MHz Channel Bandwidth
Middle Channel





9GHz ~15GHz

9GHz ~15GHz



15GHz ~20GHz

15GHz ~20GHz


1RB#0

1RB#0

LTE FDD Band 4-20MHz Channel Bandwidth
High Channel


QPSK

16QAM



10MHz~3GHz

10MHz~3GHz



Radiated Measurement:*Remark:*

1. We were tested all RB Configuration refer 3GPP TS136 521 for each Channel Bandwidth of LTE FDD Band 4; recorded worst case for each Channel Bandwidth of LTE FDD Band 4.
2. $EIRP = P_{Mea}(dBm) - P_{cl}(dB) + G_a(dBi)$
3. We were not recorded other points as values lower than limits.
4. $Margin = Limit - EIRP$

LTE FDD Band 4_Channel Bandwidth 1.4MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3421.4	-44.43	4.02	3.00	12.50	-35.95	-13	22.95	H
5132.1	-47.67	5.11	3.00	13.38	-39.40	-13	26.40	H
3421.4	-48.65	4.02	3.00	12.50	-40.17	-13	27.17	V
5132.1	-52.68	5.11	3.00	13.38	-44.41	-13	31.41	V

LTE FDD Band 4_Channel Bandwidth 1.4MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-42.13	4.02	3.00	12.45	-33.70	-13	20.70	H
5197.5	-47.89	5.11	3.00	13.38	-39.62	-13	26.62	H
3465.0	-51.52	4.02	3.00	12.45	-43.09	-13	30.09	V
5197.5	-53.63	5.11	3.00	13.38	-45.36	-13	32.36	V

LTE FDD Band 4_Channel Bandwidth 1.4MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-41.91	4.02	3.00	12.21	-33.72	-13	20.72	H
5262.9	-45.66	5.11	3.00	13.26	-37.51	-13	24.51	H
3508.6	-47.94	4.02	3.00	12.21	-39.75	-13	26.75	V
5262.9	-51.21	5.11	3.00	13.26	-43.06	-13	30.06	V

LTE FDD Band 4_Channel Bandwidth 3MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3423.0	-44.48	4.02	3.00	12.50	-36.00	-13	23.00	H
5134.5	-46.63	5.11	3.00	13.38	-38.36	-13	25.36	H
3423.0	-50.91	4.02	3.00	12.50	-42.43	-13	29.43	V
5134.5	-51.22	5.11	3.00	13.38	-42.95	-13	29.95	V

LTE FDD Band 4_Channel Bandwidth 3MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-42.78	4.02	3.00	12.45	-34.35	-13	21.35	H
5197.5	-47.42	5.11	3.00	13.38	-39.15	-13	26.15	H
3465.0	-52.25	4.02	3.00	12.45	-43.82	-13	30.82	V
5197.5	-53.74	5.11	3.00	13.38	-45.47	-13	32.47	V

LTE FDD Band 4_Channel Bandwidth 3MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-42.43	4.02	3.00	12.21	-34.24	-13	21.24	H
5260.5	-46.41	5.11	3.00	13.26	-38.26	-13	25.26	H
3507.0	-50.78	4.02	3.00	12.21	-42.59	-13	29.59	V
5260.5	-53.91	5.11	3.00	13.26	-45.76	-13	32.76	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3425.0	-43.71	4.02	3.00	12.50	-35.23	-13	22.23	H
5137.5	-45.86	5.11	3.00	13.38	-37.59	-13	24.59	H
3425.0	-47.96	4.02	3.00	12.50	-39.48	-13	26.48	V
5137.5	-53.03	5.11	3.00	13.38	-44.76	-13	31.76	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-40.12	4.02	3.00	12.45	-31.69	-13	18.69	H
5197.5	-43.22	5.11	3.00	13.38	-34.95	-13	21.95	H
3465.0	-48.82	4.02	3.00	12.45	-40.39	-13	27.39	V
5197.5	-52.19	5.11	3.00	13.38	-43.92	-13	30.92	V

LTE FDD Band 4_Channel Bandwidth 5MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-42.98	4.02	3.00	12.21	-34.79	-13	21.79	H
5257.5	-45.68	5.11	3.00	13.26	-37.53	-13	24.53	H
3505.0	-50.17	4.02	3.00	12.21	-41.98	-13	28.98	V
5257.5	-52.24	5.11	3.00	13.26	-44.09	-13	31.09	V

LTE FDD Band 4_Channel Bandwidth 10MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3430.0	-44.73	4.02	3.00	12.50	-36.25	-13	23.25	H
5145.0	-49.09	5.11	3.00	13.38	-40.82	-13	27.82	H
3430.0	-52.33	4.02	3.00	12.50	-43.85	-13	30.85	V
5145.0	-53.48	5.11	3.00	13.38	-45.21	-13	32.21	V

LTE FDD Band 4_Channel Bandwidth 10MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.43	4.02	3.00	12.45	-36.00	-13	23.00	H
5197.5	-47.97	5.11	3.00	13.38	-39.70	-13	26.70	H
3465.0	-49.68	4.02	3.00	12.45	-41.25	-13	28.25	V
5197.5	-53.69	5.11	3.00	13.38	-45.42	-13	32.42	V

LTE FDD Band 4_Channel Bandwidth 10MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-44.27	4.02	3.00	12.50	-35.79	-13	22.79	H
5250.0	-45.87	5.11	3.00	13.38	-37.60	-13	24.60	H
3500.0	-48.81	4.02	3.00	12.50	-40.33	-13	27.33	V
5250.0	-51.54	5.11	3.00	13.38	-43.27	-13	30.27	V

LTE FDD Band 4_Channel Bandwidth 15MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3435.0	-46.89	4.02	3.00	12.50	-38.41	-13	25.41	H
5152.5	-46.87	5.11	3.00	13.38	-38.60	-13	25.60	H
3435.0	-49.74	4.02	3.00	12.50	-41.26	-13	28.26	V
5152.5	-53.75	5.11	3.00	13.38	-45.48	-13	32.48	V

LTE FDD Band 4_Channel Bandwidth 15MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.75	4.02	3.00	12.45	-36.32	-13	23.32	H
5197.5	-47.75	5.11	3.00	13.38	-39.48	-13	26.48	H
3465.0	-48.85	4.02	3.00	12.45	-40.42	-13	27.42	V
5197.5	-52.16	5.11	3.00	13.38	-43.89	-13	30.89	V

LTE FDD Band 4_Channel Bandwidth 15MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-46.76	4.02	3.00	12.50	-38.28	-13	25.28	H
5242.5	-47.66	5.11	3.00	13.38	-39.39	-13	26.39	H
3495.0	-50.08	4.02	3.00	12.50	-41.60	-13	28.60	V
5242.5	-55.16	5.11	3.00	13.38	-46.89	-13	33.89	V

LTE FDD Band 4_Channel Bandwidth 20MHz_QPSK_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3440.0	-47.95	4.02	3.00	12.50	-39.47	-13	26.47	H
5160.0	-50.65	5.11	3.00	13.38	-42.38	-13	29.38	H
3440.0	-52.02	4.02	3.00	12.50	-43.54	-13	30.54	V
5160.0	-53.96	5.11	3.00	13.38	-45.69	-13	32.69	V

LTE FDD Band 4_Channel Bandwidth 20MHz_QPSK_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-43.95	4.02	3.00	12.45	-35.52	-13	22.52	H
5197.5	-48.54	5.11	3.00	13.38	-40.27	-13	27.27	H
3465.0	-49.43	4.02	3.00	12.45	-41.00	-13	28.00	V
5197.5	-53.06	5.11	3.00	13.38	-44.79	-13	31.79	V

LTE FDD Band 4_Channel Bandwidth 20MHz_QPSK_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-46.78	4.02	3.00	12.50	-38.30	-13	25.30	H
5235.0	-48.78	5.11	3.00	13.38	-40.51	-13	27.51	H
3490.0	-50.84	4.02	3.00	12.50	-42.36	-13	29.36	V
5235.0	-53.63	5.11	3.00	13.38	-45.36	-13	32.36	V

LTE FDD Band 4_Channel Bandwidth 1.4MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3421.4	-43.45	4.02	3.00	12.50	-34.97	-13	21.97	H
5132.1	-47.48	5.11	3.00	13.38	-39.21	-13	26.21	H
3421.4	-50.24	4.02	3.00	12.50	-41.76	-13	28.76	V
5132.1	-53.36	5.11	3.00	13.38	-45.09	-13	32.09	V

LTE FDD Band 4_Channel Bandwidth 1.4MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-44.39	4.02	3.00	12.45	-35.96	-13	22.96	H
5197.5	-47.96	5.11	3.00	13.38	-39.69	-13	26.69	H
3465.0	-51.35	4.02	3.00	12.45	-42.92	-13	29.92	V
5197.5	-53.38	5.11	3.00	13.38	-45.11	-13	32.11	V

LTE FDD Band 4 Channel Bandwidth 1.4MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3508.6	-43.64	4.02	3.00	12.21	-35.45	-13	22.45	H
5262.9	-47.37	5.11	3.00	13.26	-39.22	-13	26.22	H
3508.6	-49.42	4.02	3.00	12.21	-41.23	-13	28.23	V
5262.9	-52.71	5.11	3.00	13.26	-44.56	-13	31.56	V

LTE FDD Band 4 Channel Bandwidth 3MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3423.0	-46.12	4.02	3.00	12.50	-37.64	-13	24.64	H
5134.5	-48.53	5.11	3.00	13.38	-40.26	-13	27.26	H
3423.0	-52.35	4.02	3.00	12.50	-43.87	-13	30.87	V
5134.5	-54.63	5.11	3.00	13.38	-46.36	-13	33.36	V

LTE FDD Band 4 Channel Bandwidth 3MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-43.18	4.02	3.00	12.45	-34.75	-13	21.75	H
5197.5	-47.49	5.11	3.00	13.38	-39.22	-13	26.22	H
3465.0	-52.34	4.02	3.00	12.45	-43.91	-13	30.91	V
5197.5	-53.77	5.11	3.00	13.38	-45.50	-13	32.50	V

LTE FDD Band 4 Channel Bandwidth 3MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3507.0	-44.28	4.02	3.00	12.21	-36.09	-13	23.09	H
5260.5	-47.09	5.11	3.00	13.26	-38.94	-13	25.94	H
3507.0	-50.75	4.02	3.00	12.21	-42.56	-13	29.56	V
5260.5	-53.71	5.11	3.00	13.26	-45.56	-13	32.56	V

LTE FDD Band 4 Channel Bandwidth 5MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3425.0	-45.68	4.02	3.00	12.50	-37.20	-13	24.20	H
5137.5	-45.24	5.11	3.00	13.38	-36.97	-13	23.97	H
3425.0	-49.85	4.02	3.00	12.50	-41.37	-13	28.37	V
5137.5	-51.96	5.11	3.00	13.38	-43.69	-13	30.69	V

LTE FDD Band 4 Channel Bandwidth 5MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-42.02	4.02	3.00	12.45	-33.59	-13	20.59	H
5197.5	-45.09	5.11	3.00	13.38	-36.82	-13	23.82	H
3465.0	-48.53	4.02	3.00	12.45	-40.10	-13	27.10	V
5197.5	-51.77	5.11	3.00	13.38	-43.50	-13	30.50	V

LTE FDD Band 4 Channel Bandwidth 5MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3505.0	-43.34	4.02	3.00	12.21	-35.15	-13	22.15	H
5257.5	-47.39	5.11	3.00	13.26	-39.24	-13	26.24	H
3505.0	-50.43	4.02	3.00	12.21	-42.24	-13	29.24	V
5257.5	-52.37	5.11	3.00	13.26	-44.22	-13	31.22	V

LTE FDD Band 4_Channel Bandwidth 10MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3430.0	-45.35	4.02	3.00	12.50	-36.87	-13	23.87	H
5145.0	-48.15	5.11	3.00	13.38	-39.88	-13	26.88	H
3430.0	-51.25	4.02	3.00	12.50	-42.77	-13	29.77	V
5145.0	-52.39	5.11	3.00	13.38	-44.12	-13	31.12	V

LTE FDD Band 4_Channel Bandwidth 10MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-43.64	4.02	3.00	12.45	-35.21	-13	22.21	H
5197.5	-47.58	5.11	3.00	13.38	-39.31	-13	26.31	H
3465.0	-50.69	4.02	3.00	12.45	-42.26	-13	29.26	V
5197.5	-54.33	5.11	3.00	13.38	-46.06	-13	33.06	V

LTE FDD Band 4_Channel Bandwidth 10MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.0	-46.38	4.02	3.00	12.50	-37.90	-13	24.90	H
5250.0	-47.53	5.11	3.00	13.38	-39.26	-13	26.26	H
3500.0	-51.23	4.02	3.00	12.50	-42.75	-13	29.75	V
5250.0	-53.21	5.11	3.00	13.38	-44.94	-13	31.94	V

LTE FDD Band 4_Channel Bandwidth 15MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3435.0	-47.99	4.02	3.00	12.50	-39.51	-13	26.51	H
5152.5	-48.93	5.11	3.00	13.38	-40.66	-13	27.66	H
3435.0	-49.82	4.02	3.00	12.50	-41.34	-13	28.34	V
5152.5	-54.34	5.11	3.00	13.38	-46.07	-13	33.07	V

LTE FDD Band 4_Channel Bandwidth 15MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-43.73	4.02	3.00	12.45	-35.30	-13	22.30	H
5197.5	-48.29	5.11	3.00	13.38	-40.02	-13	27.02	H
3465.0	-51.44	4.02	3.00	12.45	-43.01	-13	30.01	V
5197.5	-54.12	5.11	3.00	13.38	-45.85	-13	32.85	V

LTE FDD Band 4_Channel Bandwidth 15MHz_16QAM_High Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3495.0	-46.75	4.02	3.00	12.50	-38.27	-13	25.27	H
5242.5	-49.39	5.11	3.00	13.38	-41.12	-13	28.12	H
3495.0	-51.49	4.02	3.00	12.50	-43.01	-13	30.01	V
5242.5	-55.79	5.11	3.00	13.38	-47.52	-13	34.52	V

LTE FDD Band 4_Channel Bandwidth 20MHz_16QAM_Low Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3440.0	-49.03	4.02	3.00	12.50	-40.55	-13	27.55	H
5160.0	-51.91	5.11	3.00	13.38	-43.64	-13	30.64	H
3440.0	-52.45	4.02	3.00	12.50	-43.97	-13	30.97	V
5160.0	-55.14	5.11	3.00	13.38	-46.87	-13	33.87	V

LTE FDD Band 4 Channel Bandwidth 20MHz_16QAM_Middle Channel

Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3465.0	-45.26	4.02	3.00	12.45	-36.83	-13	23.83	H
5197.5	-47.45	5.11	3.00	13.38	-39.18	-13	26.18	H
3465.0	-48.53	4.02	3.00	12.45	-40.10	-13	27.10	V
5197.5	-54.05	5.11	3.00	13.38	-45.78	-13	32.78	V

LTE FDD Band 4 Channel Bandwidth 20MHz_16QAM_High Channel


Frequency (MHz)	PMea (dBm)	Pcl (dB)	Diatance	Ga Antenna Gain(dB)	EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3490.0	-45.79	4.02	3.00	12.50	-37.31	-13	24.31	H
5235.0	-48.26	5.11	3.00	13.38	-39.99	-13	26.99	H
3490.0	-50.55	4.02	3.00	12.50	-42.07	-13	29.07	V
5235.0	-54.05	5.11	3.00	13.38	-45.78	-13	32.78	V

3.7 Frequency Stability under Temperature & Voltage Variations

LIMIT

According to §27.54, §2.1055 requirement, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation and should not exceed 2.5ppm.

TEST CONFIGURATION



TEST PROCEDURE

The EUT was setup according to EIA/TIA 603D

Frequency Stability Under Temperature Variations:

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of R&S CMW500 DIGITAL RADIO COMMUNICATION TESTER.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on middle channel for LTE band 4, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

Frequency Stability Under Voltage Variations:

Set chamber temperature to 20°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation ($\pm 15\%$) and endpoint, record the maximum frequency change.

TEST RESULTS

Remark:

1. We tested all RB Configuration refer 3GPP TS136 521 for each Channel Bandwidth of LTE FDD Band 4; recorded worst case.

LTE Band 4, 1.4MHz bandwidth , QPSK (worst case of all bandwidths)

LTE FDD Band 4					
DC Power	Temperature (°C)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict
36.0	20	34	0.0196	+/-2.50	PASS
32.4	20	25	0.0144	+/-2.50	PASS
39.6	20	24	0.0138	+/-2.50	PASS
36.0	-30	25	0.0144	+/-2.50	PASS
36.0	-20	21	0.0121	+/-2.50	PASS
36.0	-10	24	0.0138	+/-2.50	PASS
36.0	0	28	0.0162	+/-2.50	PASS
36.0	10	26	0.0150	+/-2.50	PASS
36.0	20	27	0.0156	+/-2.50	PASS
36.0	30	22	0.0127	+/-2.50	PASS
36.0	40	31	0.0179	+/-2.50	PASS
36.0	50	28	0.0162	+/-2.50	PASS

LTE Band 4, 1.4MHz bandwidth , 16QAM (worst case of all bandwidths)

LTE FDD Band 4					
DC Power	Temperature (°C)	Frequency error(Hz)	Frequency error(ppm)	Limit (ppm)	Verdict
36.0	20	33	0.0190	+/-2.50	PASS
32.4	20	39	0.0225	+/-2.50	PASS
39.6	20	41	0.0237	+/-2.50	PASS
36.0	-30	50	0.0289	+/-2.50	PASS
36.0	-20	42	0.0242	+/-2.50	PASS
36.0	-10	41	0.0237	+/-2.50	PASS
36.0	0	22	0.0127	+/-2.50	PASS
36.0	10	26	0.0150	+/-2.50	PASS
36.0	20	27	0.0156	+/-2.50	PASS
36.0	30	31	0.0179	+/-2.50	PASS
36.0	40	28	0.0162	+/-2.50	PASS
36.0	50	25	0.0144	+/-2.50	PASS

4 Test Setup Photos of the EUT

Reference to the annex of Test Photos.

5 External and Internal Photos of the EUT

Reference to the annex of External Photos and Internal Photos.

*******End of Report*******