




Maximum location: X=-12.00, Y=15.00

SAR Peak: 1.43 W/kg

SAR 10g (W/Kg)	0.456007
SAR 1g (W/Kg)	0.846127

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.4234	0.9022	0.4952	0.2717	0.1548



3D screen shot	Hot spot position
	

MEASUREMENT 151

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA850_RMC
Channels	Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	836.600000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	2.341234
Ambient Temperature	21.1
Liquid Temperature	21.3





Maximum location: X=9.00, Y=-56.00

SAR Peak: 0.34 W/kg

SAR 10g (W/Kg)	0.204224
SAR 1g (W/Kg)	0.271458

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.3443	0.2805	0.2177	0.1706	0.1351



MEASUREMENT 267

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WCDMA1700_RMC
Channels	LowHigh
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	1752.600000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	2.341221
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=-8.00, Y=15.00

SAR Peak: 1.77 W/kg

SAR 10g (W/Kg)	0.596965
SAR 1g (W/Kg)	1.077925

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.7577	1.1464	0.6555	0.3746	0.2198



<p>3D screen shot</p>	<p>Hot spot position</p>
	

MEASUREMENT 281

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 2_RMC
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.327810
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=-2.00, Y=-14.00

SAR Peak: 1.68 W/kg

SAR 10g (W/Kg)	0.499230
SAR 1g (W/Kg)	0.970006

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.6808	1.0406	0.5513	0.2912	0.1606



3D screen shot	Hot spot position
	

MEASUREMENT 293

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.06; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 4_RMC
Channels	QPSK, 20MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	1720.000000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.858383
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-2.00, Y=-15.00

SAR Peak: 1.19 W/kg

SAR 10g (W/Kg)	0.363448
SAR 1g (W/Kg)	0.697865

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.1909	0.7510	0.4097	0.2242	0.1282



3D screen shot	Hot spot position
	

MEASUREMENT 299

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 5_RMC
Channels	QPSK, 10MHz, 1RB, Low
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	829.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.037332
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=6.00, Y=1.00

SAR Peak: 0.05 W/kg

SAR 10g (W/Kg)	0.018509
SAR 1g (W/Kg)	0.031856

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0500	0.0340	0.0209	0.0133	0.0091



3D screen shot	Hot spot position
	

MEASUREMENT 311

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.58; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 7_RMC
Channels	QPSK, 20MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	2535.000000
Relative Permittivity (real part)	52.241202
Conductivity (S/m)	2.120943
Power Variation (%)	3.672346
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-19.00, Y=-3.00

SAR Peak: 1.81 W/kg

SAR 10g (W/Kg)	0.528666
SAR 1g (W/Kg)	1.031768

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.7786	1.0953	0.5739	0.2973	0.1588



3D screen shot	Hot spot position
	

MEASUREMENT 322

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 12_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	707.500000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.931048
Power Variation (%)	3.672346
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-8.00, Y=-11.00

SAR Peak: 0.06 W/kg

SAR 10g (W/Kg)	0.027034
SAR 1g (W/Kg)	0.041262

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.1837	0.0424	0.0173	0.0235	0.0073



3D screen shot	Hot spot position
	

MEASUREMENT 332

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 13_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	782.000000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.931048
Power Variation (%)	3.017812
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=7.00, Y=-1.00

SAR Peak: 0.05 W/kg

SAR 10g (W/Kg)	0.018618
SAR 1g (W/Kg)	0.031764

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0504	0.0338	0.0205	0.0129	0.0089



3D screen shot	Hot spot position
	

MEASUREMENT 342

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.28; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 17_RMC
Channels	QPSK, 5MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	713.500000
Relative Permittivity (real part)	54.964739
Conductivity (S/m)	0.931048
Power Variation (%)	3.108329
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-6.00, Y=-9.00

SAR Peak: 0.05 W/kg

SAR 10g (W/Kg)	0.022687
SAR 1g (W/Kg)	0.035270

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0967	0.0342	0.0175	0.0159	0.0076



3D screen shot	Hot spot position
	

MEASUREMENT 358

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.55; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 25_RMC
Channels	QPSK, 20MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	1910.000000
Relative Permittivity (real part)	52.420415
Conductivity (S/m)	1.501966
Power Variation (%)	1.305272
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=-1.00, Y=-8.00

SAR Peak: 1.67 W/kg

SAR 10g (W/Kg)	0.498301
SAR 1g (W/Kg)	0.965953

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.6715	1.0399	0.5545	0.2944	0.1625



3D screen shot	Hot spot position
	

MEASUREMENT 365

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 7.13; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 26_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	831.000000
Relative Permittivity (real part)	54.851214
Conductivity (S/m)	0.951454
Power Variation (%)	1.210493
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=5.00, Y=0.00

SAR Peak: 0.08 W/kg

SAR 10g (W/Kg)	0.030360
SAR 1g (W/Kg)	0.052330

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0826	0.0562	0.0346	0.0221	0.0150



3D screen shot	Hot spot position
	

MEASUREMENT 375

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.58; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 30_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	2310.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	3.672346
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-14.00, Y=0.00

SAR Peak: 0.64 W/kg

SAR 10g (W/Kg)	0.171659
SAR 1g (W/Kg)	0.348383

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.6439	0.3725	0.1771	0.0823	0.0402



3D screen shot	Hot spot position
	

MEASUREMENT 385

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	2310.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	2.492743
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-7.00, Y=-1.00

SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.058976
SAR 1g (W/Kg)	0.117250

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.2135	0.1241	0.0601	0.0294	0.0160



3D screen shot	Hot spot position
	

MEASUREMENT 395

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	LTE Band 40_RMC
Channels	QPSK, 10MHz, 1RB, Middle
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	2355.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	2.098922
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-6.00, Y=0.00

SAR Peak: 0.22 W/kg

SAR 10g (W/Kg)	0.066693
SAR 1g (W/Kg)	0.125358

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.2130	0.1334	0.0723	0.0395	0.0228



3D screen shot	Hot spot position
	

MEASUREMENT 411

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.58; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Bottom
Band	LTE Band 66_RMC
Channels	QPSK, 5MHz, 1RB, High
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	1777.500000
Relative Permittivity (real part)	51.224510
Conductivity (S/m)	1.461261
Power Variation (%)	0.672346
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-1.00, Y=-13.00

SAR Peak: 1.43 W/kg

SAR 10g (W/Kg)	0.431814
SAR 1g (W/Kg)	0.830941

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	1.4278	0.8951	0.4837	0.2616	0.1478



3D screen shot	Hot spot position
	

MEASUREMENT 418

Type: Phone measurement (Complete)

Date of measurement: 09/18/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 5.80; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	WiFi_802.11b
Channels	High
Signal	Duty Cycle 1:1

B. SAR Measurement Results

Frequency (MHz)	2462.000000
Relative Permittivity (real part)	52.010212
Conductivity (S/m)	1.910255
Power Variation (%)	2.492743
Ambient Temperature	21.1
Liquid Temperature	21.2






Maximum location: X=-6.00, Y=9.00

SAR Peak: 0.28 W/kg

SAR 10g (W/Kg)	0.078047
SAR 1g (W/Kg)	0.153160

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.2814	0.1600	0.0740	0.0335	0.0162



3D screen shot	Hot spot position
	

MEASUREMENT 424

Type: Phone measurement (Complete)

Date of measurement: 09/19/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE2 - SN 45/15 EPGO280; ConvF: 2.39; Calibrated: 2019/07/08

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Right
Band	WiFi(5.2G)_802.11a
Channels	High
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	5240.000000
Relative Permittivity (real part)	48.501241
Conductivity (S/m)	5.160213
Power Variation (%)	0.542660
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=0.00, Y=-1.00

SAR 10g (W/Kg)	0.057726
SAR 1g (W/Kg)	0.131378

Z (mm)	0.00	2.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00
SAR (W/Kg)	0.4575	0.2091	0.0596	0.0385	0.0176	0.0076	0.0117	0.0072	0.0115	0.0115



MEASUREMENT 426

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE2 - SN 45/15 EPGO280; ConvF: 2.28; Calibrated: 2019/07/08

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=4mm dy=4mm dz=2mm
Phantom	Flat Plane
Device Position	Back
Band	WiFi(5.3G)_802.11n_40
Channels	Low
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	5270.000000
Relative Permittivity (real part)	48.502911
Conductivity (S/m)	5.261483
Power Variation (%)	0.848378
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=-2.00, Y=0.00

SAR 10g (W/Kg)	0.100295
SAR 1g (W/Kg)	0.189003

Z (mm)	0.00	2.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00
SAR (W/Kg)	0.4691	0.2779	0.1515	0.1051	0.0673	0.0525	0.0461	0.0442	0.0489	0.0489



MEASUREMENT 430

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE2 - SN 45/15 EPGO280; ConvF: 2.28; Calibrated: 2019/07/08

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=4mm dy=4mm dz=2mm
Phantom	Flat Plane
Device Position	Back
Band	WiFi(5.6G)_802.11a
Channels	Low
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	5500.000000
Relative Permittivity (real part)	48.302143
Conductivity (S/m)	5.521688
Power Variation (%)	1.083921
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=1.00, Y=0.00

SAR 10g (W/Kg)	0.085125
SAR 1g (W/Kg)	0.197068

Z (mm)	0.00	2.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00
SAR (W/Kg)	0.5678	0.3134	0.1591	0.0782	0.0418	0.0277	0.0248	0.0292	0.0396	0.0396



MEASUREMENT 436

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE2 - SN 45/15 EPGO280; ConvF: 2.28; Calibrated: 2019/07/08

A. Experimental conditions

Area Scan	dx=8mm dy=8mm
Zoom Scan	dx=4mm dy=4mm dz=2mm
Phantom	Flat Plane
Device Position	Left
Band	WiFi(5.8G)_802.11n_40
Channels	High
Signal	Duty Cycle: 1:1

B. SAR Measurement Results



Frequency (MHz)	5825.000000
Relative Permittivity (real part)	48.101939
Conductivity (S/m)	5.761487
Power Variation (%)	1.155771
Ambient Temperature	21.1
Liquid Temperature	21.2



Maximum location: X=0.00, Y=0.00

SAR 10g (W/Kg)	0.114742
SAR 1g (W/Kg)	0.253810

Z (mm)	0.00	2.00	4.00	6.00	8.00	10.00	12.00	14.00	16.00	18.00
SAR (W/Kg)	0.7276	0.4127	0.2186	0.1126	0.0619	0.0400	0.0329	0.0344	0.0418	0.0418



MEASUREMENT 438

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	GPRS850_4TX
Channels	Low
Signal	Duty Cycle: 1:2

B. SAR Measurement Results

Frequency (MHz)	824.200000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.502922
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=-7.00, Y=0.00

SAR Peak: 1.98 W/kg

SAR 10g (W/Kg)	0.526743
SAR 1g (W/Kg)	1.050974

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	3.1425	1.1057	0.3788	0.2661	0.1002



3D screen shot	Hot spot position
	

MEASUREMENT 441

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Back
Band	GPRS1900_2TX
Channels	Middle
Signal	Duty Cycle: 1:4

B. SAR Measurement Results

Frequency (MHz)	1880.000000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.503921
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=1.00, Y=1.00

SAR Peak: 12.63 W/kg

SAR 10g (W/Kg)	2.780280
SAR 1g (W/Kg)	6.428819

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	12.6346	7.1174	3.2392	1.4319	0.6734



<p>3D screen shot</p>	<p>Hot spot position</p>
	

MEASUREMENT 442

Type: Phone measurement (Complete)

Date of measurement: 09/16/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.93; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	GPRS850_4TX
Channels	Low
Signal	Duty Cycle: 1:2

B. SAR Measurement Results

Frequency (MHz)	824.200000
Relative Permittivity (real part)	41.110245
Conductivity (S/m)	0.871245
Power Variation (%)	1.502922
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=5.00, Y=23.00

SAR Peak: 0.01 W/kg

SAR 10g (W/Kg)	0.004138
SAR 1g (W/Kg)	0.005555

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.0073	0.0057	0.0043	0.0034	0.0028



3D screen shot	Hot spot position
	

MEASUREMENT 443

Type: Phone measurement (Complete)

Date of measurement: 09/17/2019

Measurement duration: 12 minutes 3 seconds


E-field Probe: SSE5 - SN 09/13 EP168; ConvF: 6.35; Calibrated: 05/22/2019

A. Experimental conditions

Area Scan	sam_direct_droit2_surf8mm.txt
Phantom	Flat Plane
Device Position	Front
Band	GPRS1900_2TX
Channels	High
Signal	Duty Cycle: 1:4

B. SAR Measurement Results

Frequency (MHz)	1909.800000
Relative Permittivity (real part)	38.560124
Conductivity (S/m)	1.380369
Power Variation (%)	1.503921
Ambient Temperature	21.1
Liquid Temperature	21.3






Maximum location: X=-7.00, Y=15.00

SAR Peak: 0.20 W/kg

SAR 10g (W/Kg)	0.070111
SAR 1g (W/Kg)	0.121831

Z (mm)	0.00	4.00	9.00	14.00	19.00
SAR (W/Kg)	0.1964	0.1279	0.0730	0.0416	0.0244



<p>3D screen shot</p>	<p>Hot spot position</p>
	

Annex C. EUT Photos


EUT View Front



EUT View Back



Antenna View




Annex D. Test Setup Photos

Head Exposure Conditions


Cheek



Tilt



Cheek



Tilt



Body-worn & Hotspot mode Exposure Conditions


Body Front



Body Back




Body Right




Body Left



Body Top




Body Bottom



Front-of the face mode Exposure Conditions

Front



Extremity SAR mode Exposure Conditions

Back



Annex E. Calibration Certificate

Please refer to the exhibit for the calibration certificate

***** END OF REPORT *****