



802.11be-EHT40 26dB & 99% Bandwidth

Channel 123 (6565MHz)




Channel 147 (6685MHz)




Channel 179 (6845MHz)




Channel 187 (6885MHz)




Channel 195 (6925MHz)



Channel 211 (7005MHz)




Channel 227 (7085MHz)




802.11be-EHT80 26dB & 99% Bandwidth


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)




Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)




802.11be-EHT80 26dB & 99% Bandwidth


Channel 151 (6705MHz)




Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11be-EHT160 26dB & 99% Bandwidth


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)




Channel 111 (6505MHz)




Channel 143 (6665MHz)



Channel 175 (6825MHz)




Channel 207 (6985MHz)




802.11be-EHT320 26dB & 99% Bandwidth


Channel 31 (6105MHz)




Channel 63 (6265MHz)




Channel 95 (6425MHz)




Channel 127 (6585MHz)



Channel 159 (6745MHz)



Channel 191 (6905MHz)



A.3 Output Power Test Result

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-06-21 ~ 2024-06-24		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11ax-HE20	MCS0	1	5955	8.43	7.83	11.15	3.21	14.36	≤ 30.00
802.11ax-HE20	MCS0	49	6195	7.88	7.68	10.79	3.21	14.00	≤ 30.00
802.11ax-HE20	MCS0	93	6415	7.99	8.17	11.09	3.21	14.30	≤ 30.00
802.11ax-HE20	MCS0	97	6435	7.58	8.06	10.84	4.24	15.08	≤ 30.00
802.11ax-HE20	MCS0	105	6475	7.63	7.82	10.74	4.24	14.98	≤ 30.00
802.11ax-HE20	MCS0	113	6515	7.51	7.25	10.39	4.24	14.63	≤ 30.00
802.11ax-HE20	MCS0	117	6535	7.72	7.75	10.75	4.24	14.99	≤ 30.00
802.11ax-HE20	MCS0	149	6695	7.99	7.95	10.98	4.24	15.22	≤ 30.00
802.11ax-HE20	MCS0	181	6855	7.49	7.35	10.43	4.24	14.67	≤ 30.00
802.11ax-HE20	MCS0	185	6875	7.43	7.51	10.48	4.24	14.72	≤ 30.00
802.11ax-HE20	MCS0	189	6895	7.61	7.58	10.61	3.95	14.56	≤ 30.00
802.11ax-HE20	MCS0	209	6995	7.31	7.56	10.45	3.95	14.40	≤ 30.00
802.11ax-HE20	MCS0	229	7095	7.24	6.83	10.05	3.95	14.00	≤ 30.00
802.11ax-HE40	MCS0	3	5965	10.92	10.14	13.56	3.21	16.77	≤ 30.00
802.11ax-HE40	MCS0	51	6205	10.79	10.70	13.76	3.21	16.97	≤ 30.00
802.11ax-HE40	MCS0	91	6405	11.07	11.03	14.06	3.21	17.27	≤ 30.00
802.11ax-HE40	MCS0	99	6445	10.77	11.03	13.91	4.24	18.15	≤ 30.00
802.11ax-HE40	MCS0	107	6485	10.73	10.93	13.84	4.24	18.08	≤ 30.00
802.11ax-HE40	MCS0	115	6525	10.49	10.54	13.53	4.24	17.77	≤ 30.00
802.11ax-HE40	MCS0	123	6565	11.01	10.87	13.95	4.24	18.19	≤ 30.00
802.11ax-HE40	MCS0	147	6685	10.73	10.79	13.77	4.24	18.01	≤ 30.00
802.11ax-HE40	MCS0	179	6845	10.33	10.66	13.51	4.24	17.75	≤ 30.00
802.11ax-HE40	MCS0	187	6885	10.34	10.88	13.63	4.24	17.87	≤ 30.00
802.11ax-HE40	MCS0	195	6925	10.20	10.85	13.55	3.95	17.50	≤ 30.00
802.11ax-HE40	MCS0	211	7005	10.47	10.53	13.51	3.95	17.46	≤ 30.00
802.11ax-HE40	MCS0	227	7085	10.66	10.80	13.74	3.95	17.69	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11ax-HE80	MCS0	7	5985	13.55	13.00	16.29	3.21	19.50	≤ 30.00
802.11ax-HE80	MCS0	55	6225	14.09	14.19	17.15	3.21	20.36	≤ 30.00
802.11ax-HE80	MCS0	87	6385	14.17	14.39	17.29	3.21	20.50	≤ 30.00
802.11ax-HE80	MCS0	103	6465	13.56	13.98	16.79	4.24	21.03	≤ 30.00
802.11ax-HE80	MCS0	119	6545	13.77	13.97	16.88	4.24	21.12	≤ 30.00
802.11ax-HE80	MCS0	135	6625	13.73	13.94	16.85	4.24	21.09	≤ 30.00
802.11ax-HE80	MCS0	151	6705	13.62	13.64	16.64	4.24	20.88	≤ 30.00
802.11ax-HE80	MCS0	167	6785	13.36	13.47	16.43	4.24	20.67	≤ 30.00
802.11ax-HE80	MCS0	183	6865	13.15	13.67	16.43	4.24	20.67	≤ 30.00
802.11ax-HE80	MCS0	199	6945	13.07	13.61	16.36	3.95	20.31	≤ 30.00
802.11ax-HE80	MCS0	215	7025	13.09	13.62	16.37	3.95	20.32	≤ 30.00
802.11ax-HE160	MCS0	15	6025	16.83	16.85	19.85	3.21	23.06	≤ 30.00
802.11ax-HE160	MCS0	47	6185	16.74	16.90	19.83	3.21	23.04	≤ 30.00
802.11ax-HE160	MCS0	79	6345	16.85	16.95	19.91	3.21	23.12	≤ 30.00
802.11ax-HE160	MCS0	111	6505	16.03	16.53	19.30	4.24	23.54	≤ 30.00
802.11ax-HE160	MCS0	143	6665	16.44	16.57	19.52	4.24	23.76	≤ 30.00
802.11ax-HE160	MCS0	175	6825	16.12	16.48	19.31	4.24	23.55	≤ 30.00
802.11ax-HE160	MCS0	207	6985	15.83	16.36	19.11	3.95	23.06	≤ 30.00
802.11be-EHT20	MCS0	1	5955	8.35	7.99	11.18	3.21	14.39	≤ 30.00
802.11be-EHT20	MCS0	49	6195	8.10	8.12	11.12	3.21	14.33	≤ 30.00
802.11be-EHT20	MCS0	93	6415	7.94	8.25	11.11	3.21	14.32	≤ 30.00
802.11be-EHT20	MCS0	97	6435	7.57	8.05	10.83	4.24	15.07	≤ 30.00
802.11be-EHT20	MCS0	105	6475	7.46	7.90	10.70	4.24	14.94	≤ 30.00
802.11be-EHT20	MCS0	113	6515	7.34	7.48	10.42	4.24	14.66	≤ 30.00
802.11be-EHT20	MCS0	117	6535	7.68	7.92	10.81	4.24	15.05	≤ 30.00
802.11be-EHT20	MCS0	149	6695	7.79	7.90	10.86	4.24	15.10	≤ 30.00
802.11be-EHT20	MCS0	181	6855	7.41	7.60	10.52	4.24	14.76	≤ 30.00
802.11be-EHT20	MCS0	185	6875	7.40	7.61	10.52	4.24	14.76	≤ 30.00
802.11be-EHT20	MCS0	189	6895	7.42	7.64	10.54	3.95	14.49	≤ 30.00
802.11be-EHT20	MCS0	209	6995	7.36	7.54	10.46	3.95	14.41	≤ 30.00
802.11be-EHT20	MCS0	229	7095	7.63	7.56	10.61	3.95	14.56	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11be-EHT40	MCS0	3	5965	11.32	10.62	13.99	3.21	17.20	≤ 30.00
802.11be-EHT40	MCS0	51	6205	11.19	11.12	14.17	3.21	17.38	≤ 30.00
802.11be-EHT40	MCS0	91	6405	11.44	11.67	14.57	3.21	17.78	≤ 30.00
802.11be-EHT40	MCS0	99	6445	10.70	11.09	13.91	4.24	18.15	≤ 30.00
802.11be-EHT40	MCS0	107	6485	10.55	10.82	13.70	4.24	17.94	≤ 30.00
802.11be-EHT40	MCS0	115	6525	10.89	10.91	13.91	4.24	18.15	≤ 30.00
802.11be-EHT40	MCS0	123	6565	10.85	10.74	13.81	4.24	18.05	≤ 30.00
802.11be-EHT40	MCS0	147	6685	10.59	10.71	13.66	4.24	17.90	≤ 30.00
802.11be-EHT40	MCS0	179	6845	10.67	11.18	13.94	4.24	18.18	≤ 30.00
802.11be-EHT40	MCS0	187	6885	10.15	10.82	13.51	4.24	17.75	≤ 30.00
802.11be-EHT40	MCS0	195	6925	10.01	10.62	13.34	3.95	17.29	≤ 30.00
802.11be-EHT40	MCS0	211	7005	10.23	10.39	13.32	3.95	17.27	≤ 30.00
802.11be-EHT40	MCS0	227	7085	10.50	10.61	13.57	3.95	17.52	≤ 30.00
802.11be-EHT80	MCS0	7	5985	13.64	12.90	16.30	3.21	19.51	≤ 30.00
802.11be-EHT80	MCS0	55	6225	14.12	14.16	17.15	3.21	20.36	≤ 30.00
802.11be-EHT80	MCS0	87	6385	14.16	14.33	17.26	3.21	20.47	≤ 30.00
802.11be-EHT80	MCS0	103	6465	13.55	14.05	16.82	4.24	21.06	≤ 30.00
802.11be-EHT80	MCS0	119	6545	13.80	13.95	16.89	4.24	21.13	≤ 30.00
802.11be-EHT80	MCS0	135	6625	13.74	13.96	16.86	4.24	21.10	≤ 30.00
802.11be-EHT80	MCS0	151	6705	13.63	13.73	16.69	4.24	20.93	≤ 30.00
802.11be-EHT80	MCS0	167	6785	13.25	13.64	16.46	4.24	20.70	≤ 30.00
802.11be-EHT80	MCS0	183	6865	13.12	13.65	16.40	4.24	20.64	≤ 30.00
802.11be-EHT80	MCS0	199	6945	13.10	13.62	16.38	3.95	20.33	≤ 30.00
802.11be-EHT80	MCS0	215	7025	13.13	13.60	16.38	3.95	20.33	≤ 30.00
802.11be-EHT160	MCS0	15	6025	16.78	16.91	19.86	3.21	23.07	≤ 30.00
802.11be-EHT160	MCS0	47	6185	16.75	16.90	19.84	3.21	23.05	≤ 30.00
802.11be-EHT160	MCS0	79	6345	16.81	17.03	19.93	3.21	23.14	≤ 30.00
802.11be-EHT160	MCS0	111	6505	16.15	16.40	19.29	4.24	23.53	≤ 30.00
802.11be-EHT160	MCS0	143	6665	16.34	16.63	19.50	4.24	23.74	≤ 30.00
802.11be-EHT160	MCS0	175	6825	16.64	16.92	19.79	4.24	24.03	≤ 30.00
802.11be-EHT160	MCS0	207	6985	15.82	16.40	19.13	3.95	23.08	≤ 30.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 Average Power (dBm)	Ant 1 Average Power (dBm)	Total Average Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)
802.11be-EHT320-1	MCS0	31	6105	19.28	19.44	22.37	3.21	25.58	≤ 30.00
802.11be-EHT320-1	MCS0	95	6425	18.67	19.10	21.90	4.24	26.14	≤ 30.00
802.11be-EHT320-1	MCS0	159	6745	19.17	19.14	22.17	4.24	26.41	≤ 30.00
802.11be-EHT320-2	MCS0	63	6265	19.95	19.67	22.82	3.21	26.03	≤ 30.00
802.11be-EHT320-2	MCS0	127	6585	19.31	18.87	22.11	4.24	26.35	≤ 30.00
802.11be-EHT320-2	MCS0	191	6905	18.50	19.07	21.80	4.24	26.04	≤ 30.00

Note 1: Total Average Power (dBm) = $10 \cdot \log \{10^{(\text{Ant 0 Average Power} / 10)} + 10^{(\text{Ant 1 Average Power} / 10)}\}$.

Note 2: EIRP (dBm) = Total Average Power (dBm) + Antenna Gain (dBi).

A.4 Power Spectral Density Test Result

Test Site	WZ-SR5	Test Engineer	Luis Yang
Test Date	2024-06-20~2024-06-24		

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE20	MCS0	1	5955	-4.109	-4.865	99.67	6.22	4.76	≤ 5.00
802.11ax-HE20	MCS0	49	6195	-4.384	-4.465	99.67	6.22	4.81	≤ 5.00
802.11ax-HE20	MCS0	93	6415	-4.953	-4.596	99.67	6.22	4.46	≤ 5.00
802.11ax-HE20	MCS0	97	6435	-5.322	-4.723	99.67	6.88	4.88	≤ 5.00
802.11ax-HE20	MCS0	105	6475	-5.406	-4.956	99.67	6.88	4.72	≤ 5.00
802.11ax-HE20	MCS0	113	6515	-5.500	-5.075	99.67	6.88	4.61	≤ 5.00
802.11ax-HE20	MCS0	117	6535	-5.161	-4.879	99.67	6.88	4.87	≤ 5.00
802.11ax-HE20	MCS0	149	6695	-5.028	-5.163	99.67	6.88	4.80	≤ 5.00
802.11ax-HE20	MCS0	181	6855	-5.478	-5.198	99.67	6.88	4.55	≤ 5.00
802.11ax-HE20	MCS0	185	6875	-5.442	-5.212	99.67	6.88	4.56	≤ 5.00
802.11ax-HE20	MCS0	189	6895	-5.321	-5.132	99.67	6.87	4.65	≤ 5.00
802.11ax-HE20	MCS0	209	6995	-5.368	-5.194	99.67	6.87	4.60	≤ 5.00
802.11ax-HE20	MCS0	229	7095	-5.223	-5.571	99.67	6.87	4.49	≤ 5.00
802.11ax-HE40	MCS0	3	5965	-3.699	-5.063	99.67	6.22	4.90	≤ 5.00
802.11ax-HE40	MCS0	51	6205	-4.222	-4.906	99.67	6.22	4.68	≤ 5.00
802.11ax-HE40	MCS0	91	6405	-4.647	-5.028	99.67	6.22	4.40	≤ 5.00
802.11ax-HE40	MCS0	99	6445	-5.036	-4.958	99.67	6.88	4.89	≤ 5.00
802.11ax-HE40	MCS0	107	6485	-5.203	-4.913	99.67	6.88	4.83	≤ 5.00
802.11ax-HE40	MCS0	115	6525	-5.247	-5.419	99.67	6.88	4.56	≤ 5.00
802.11ax-HE40	MCS0	123	6565	-4.898	-5.272	99.67	6.88	4.81	≤ 5.00
802.11ax-HE40	MCS0	147	6685	-5.109	-5.076	99.67	6.88	4.80	≤ 5.00
802.11ax-HE40	MCS0	179	6845	-5.432	-5.303	99.67	6.88	4.52	≤ 5.00
802.11ax-HE40	MCS0	187	6885	-5.396	-5.020	99.67	6.88	4.69	≤ 5.00
802.11ax-HE40	MCS0	195	6925	-5.560	-4.929	99.67	6.87	4.65	≤ 5.00
802.11ax-HE40	MCS0	211	7005	-5.294	-5.282	99.67	6.87	4.59	≤ 5.00
802.11ax-HE40	MCS0	227	7085	-4.960	-5.217	99.67	6.87	4.79	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11ax-HE80	MCS0	7	5985	-3.943	-5.390	99.69	6.22	4.62	≤ 5.00
802.11ax-HE80	MCS0	55	6225	-4.658	-4.956	99.69	6.22	4.43	≤ 5.00
802.11ax-HE80	MCS0	87	6385	-4.747	-4.682	99.69	6.22	4.52	≤ 5.00
802.11ax-HE80	MCS0	103	6465	-5.327	-4.984	99.69	6.88	4.74	≤ 5.00
802.11ax-HE80	MCS0	119	6545	-5.057	-5.053	99.69	6.88	4.84	≤ 5.00
802.11ax-HE80	MCS0	135	6625	-5.390	-5.218	99.69	6.88	4.59	≤ 5.00
802.11ax-HE80	MCS0	151	6705	-5.132	-5.187	99.69	6.88	4.73	≤ 5.00
802.11ax-HE80	MCS0	167	6785	-5.651	-5.061	99.69	6.88	4.54	≤ 5.00
802.11ax-HE80	MCS0	183	6865	-5.578	-5.128	99.69	6.88	4.54	≤ 5.00
802.11ax-HE80	MCS0	199	6945	-5.517	-4.984	99.69	6.87	4.64	≤ 5.00
802.11ax-HE80	MCS0	215	7025	-5.558	-5.119	99.69	6.87	4.55	≤ 5.00
802.11ax-HE160	MCS0	15	6025	-4.200	-4.586	99.71	6.22	4.84	≤ 5.00
802.11ax-HE160	MCS0	47	6185	-4.657	-4.627	99.71	6.22	4.59	≤ 5.00
802.11ax-HE160	MCS0	79	6345	-4.852	-4.618	99.71	6.22	4.50	≤ 5.00
802.11ax-HE160	MCS0	111	6505	-5.470	-4.984	99.71	6.88	4.67	≤ 5.00
802.11ax-HE160	MCS0	143	6665	-5.530	-4.993	99.71	6.88	4.64	≤ 5.00
802.11ax-HE160	MCS0	175	6825	-5.428	-5.305	99.71	6.88	4.52	≤ 5.00
802.11ax-HE160	MCS0	207	6985	-5.184	-5.230	99.71	6.87	4.67	≤ 5.00
802.11be-EHT20	MCS0	1	5955	-4.454	-4.796	99.69	6.22	4.61	≤ 5.00
802.11be-EHT20	MCS0	49	6195	-4.542	-4.508	99.69	6.22	4.71	≤ 5.00
802.11be-EHT20	MCS0	93	6415	-5.136	-4.450	99.69	6.22	4.45	≤ 5.00
802.11be-EHT20	MCS0	97	6435	-5.367	-4.880	99.69	6.88	4.77	≤ 5.00
802.11be-EHT20	MCS0	105	6475	-5.734	-4.902	99.69	6.88	4.59	≤ 5.00
802.11be-EHT20	MCS0	113	6515	-5.558	-5.325	99.69	6.88	4.45	≤ 5.00
802.11be-EHT20	MCS0	117	6535	-4.892	-5.304	99.69	6.88	4.80	≤ 5.00
802.11be-EHT20	MCS0	149	6695	-5.360	-5.727	99.69	6.88	4.35	≤ 5.00
802.11be-EHT20	MCS0	181	6855	-5.517	-5.251	99.69	6.88	4.51	≤ 5.00
802.11be-EHT20	MCS0	185	6875	-5.271	-5.334	99.69	6.88	4.59	≤ 5.00
802.11be-EHT20	MCS0	189	6895	-5.478	-5.058	99.69	6.87	4.62	≤ 5.00
802.11be-EHT20	MCS0	209	6995	-5.568	-5.203	99.69	6.87	4.50	≤ 5.00
802.11be-EHT20	MCS0	229	7095	-5.226	-5.407	99.69	6.87	4.56	≤ 5.00

Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT40	MCS0	3	5965	-3.791	-5.137	99.65	6.22	4.82	≤ 5.00
802.11be-EHT40	MCS0	51	6205	-4.693	-4.681	99.65	6.22	4.54	≤ 5.00
802.11be-EHT40	MCS0	91	6405	-4.751	-4.605	99.65	6.22	4.55	≤ 5.00
802.11be-EHT40	MCS0	99	6445	-5.378	-5.232	99.65	6.88	4.59	≤ 5.00
802.11be-EHT40	MCS0	107	6485	-5.558	-4.979	99.65	6.88	4.63	≤ 5.00
802.11be-EHT40	MCS0	115	6525	-5.108	-5.152	99.65	6.88	4.76	≤ 5.00
802.11be-EHT40	MCS0	123	6565	-5.152	-5.072	99.65	6.88	4.78	≤ 5.00
802.11be-EHT40	MCS0	147	6685	-5.141	-5.462	99.65	6.88	4.59	≤ 5.00
802.11be-EHT40	MCS0	179	6845	-5.099	-5.112	99.65	6.88	4.78	≤ 5.00
802.11be-EHT40	MCS0	187	6885	-5.638	-5.132	99.65	6.88	4.51	≤ 5.00
802.11be-EHT40	MCS0	195	6925	-5.338	-5.315	99.65	6.87	4.55	≤ 5.00
802.11be-EHT40	MCS0	211	7005	-5.517	-5.264	99.65	6.87	4.49	≤ 5.00
802.11be-EHT40	MCS0	227	7085	-5.239	-5.278	99.65	6.87	4.62	≤ 5.00
802.11be-EHT80	MCS0	7	5985	-3.930	-5.500	99.71	6.22	4.59	≤ 5.00
802.11be-EHT80	MCS0	55	6225	-4.685	-4.796	99.71	6.22	4.49	≤ 5.00
802.11be-EHT80	MCS0	87	6385	-4.839	-4.621	99.71	6.22	4.50	≤ 5.00
802.11be-EHT80	MCS0	103	6465	-5.425	-4.920	99.71	6.88	4.73	≤ 5.00
802.11be-EHT80	MCS0	119	6545	-5.170	-4.935	99.71	6.88	4.84	≤ 5.00
802.11be-EHT80	MCS0	135	6625	-5.232	-5.314	99.71	6.88	4.62	≤ 5.00
802.11be-EHT80	MCS0	151	6705	-5.272	-5.196	99.71	6.88	4.66	≤ 5.00
802.11be-EHT80	MCS0	167	6785	-5.411	-5.500	99.71	6.88	4.44	≤ 5.00
802.11be-EHT80	MCS0	183	6865	-5.711	-5.127	99.71	6.88	4.48	≤ 5.00
802.11be-EHT80	MCS0	199	6945	-5.626	-5.265	99.71	6.87	4.44	≤ 5.00
802.11be-EHT80	MCS0	215	7025	-5.495	-5.305	99.71	6.87	4.48	≤ 5.00
802.11be-EHT160	MCS0	15	6025	-4.361	-4.546	99.74	6.22	4.78	≤ 5.00
802.11be-EHT160	MCS0	47	6185	-4.675	-4.500	99.74	6.22	4.64	≤ 5.00
802.11be-EHT160	MCS0	79	6345	-4.811	-4.702	99.74	6.22	4.47	≤ 5.00
802.11be-EHT160	MCS0	111	6505	-5.493	-4.957	99.74	6.88	4.67	≤ 5.00
802.11be-EHT160	MCS0	143	6665	-5.472	-5.078	99.74	6.88	4.62	≤ 5.00
802.11be-EHT160	MCS0	175	6825	-5.342	-5.248	99.74	6.88	4.60	≤ 5.00
802.11be-EHT160	MCS0	207	6985	-5.297	-5.347	99.74	6.87	4.56	≤ 5.00


Test Mode	Data Rate/MCS	Channel No.	Freq. (MHz)	Ant 0 PSD (dBm/MHz)	Ant 1 PSD (dBm/MHz)	Duty Cycle (%)	Antenna Gain (dBi)	EIRP PSD (dBm/MHz)	Limit (dBm/MHz)
802.11be-EHT320-1	MCS0	31	6105	-4.617	-4.356	99.71	6.22	4.75	≤ 5.00
802.11be-EHT320-1	MCS0	95	6425	-5.647	-5.297	99.71	6.88	4.42	≤ 5.00
802.11be-EHT320-1	MCS0	159	6745	-5.160	-5.204	99.71	6.88	4.71	≤ 5.00
802.11be-EHT320-2	MCS0	63	6265	-4.235	-4.496	99.71	6.22	4.87	≤ 5.00
802.11be-EHT320-2	MCS0	127	6585	-4.787	-5.335	99.71	6.88	4.84	≤ 5.00
802.11be-EHT320-2	MCS0	191	6905	-5.294	-5.093	99.71	6.88	4.70	≤ 5.00

Note:


When EUT duty cycle ≥ 98%, EIRP PSD (dBm/MHz) = $10 \cdot \log \{10^{(\text{Ant 0 PSD}/10)} + 10^{(\text{Ant 1 PSD}/10)}\}$ (dBm/MHz) + Antenna Gain (dBi).

802.11ax-HE20 Power Spectral Density- Ant 0


Channel 1 (5955MHz)




Channel 49 (6195MHz)




Channel 93 (6415MHz)




Channel 97 (6435MHz)



Channel 105 (6475MHz)




Channel 113 (6515MHz)




802.11ax-HE20 Power Spectral Density- Ant 0


Channel 117 (6535MHz)




Channel 149 (6695MHz)




Channel 181 (6855MHz)




Channel 185 (6875MHz)




Channel 189 (6895MHz)




Channel 209 (6995MHz)






802.11ax-HE40 Power Spectral Density- Ant 0


Channel 3 (5965MHz)




Channel 51 (6205MHz)




Channel 91 (6405MHz)



Channel 99 (6445MHz)



Channel 107 (6485MHz)



Channel 115 (6525MHz)



802.11ax-HE40 Power Spectral Density- Ant 0


Channel 123 (6565MHz)




Channel 147 (6685MHz)




Channel 179 (6845MHz)



Channel 187 (6885MHz)




Channel 195 (6925MHz)




Channel 211 (7005MHz)





802.11ax-HE80 Power Spectral Density- Ant 0


Channel 7 (5985MHz)




Channel 55 (6225MHz)




Channel 87 (6385MHz)



Channel 103 (6465MHz)



Channel 119 (6545MHz)




Channel 135 (6625MHz)



802.11ax-HE80 Power Spectral Density- Ant 0


Channel 151 (6705MHz)



Channel 167 (6785MHz)




Channel 183 (6865MHz)



Channel 199 (6945MHz)




Channel 215 (7025MHz)




802.11ax-HE160 Power Spectral Density- Ant 0


Channel 15 (6025MHz)




Channel 47 (6185MHz)




Channel 79 (6345MHz)



Channel 111 (6505MHz)



Channel 143 (6665MHz)



Channel 175 (6825MHz)

