


Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB	dB	cm	degree	
1		0.0333	53.64	21.16	74.80	117.16	-42.36	AVG		
2		0.0892	45.24	21.34	66.58	108.60	-42.02	AVG		
3	*	0.1274	44.04	21.30	65.34	105.50	-40.16	QP		

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB	dB	cm	degree	
1		0.7084	22.57	21.13	43.70	70.60	-26.90	QP		
2	*	1.7620	28.62	21.13	49.75	69.54	-19.79	QP		
3		2.1500	25.86	21.11	46.97	69.54	-22.57	QP		

Test Mode : TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB	dB	cm	degree	
1		0.0171	59.92	20.75	80.67	122.94	-42.27	AVG		
2		0.0578	48.88	21.27	70.15	112.37	-42.22	AVG		
3	*	0.1028	43.85	21.34	65.19	107.37	-42.18	QP		

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dB	dB	cm	degree	
1		0.3888	34.57	21.05	55.62	95.81	-40.19	AVG		
2	*	1.4336	20.25	21.16	41.41	64.48	-23.07	QP		
3		1.8216	23.29	21.13	44.42	69.54	-25.12	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode : PCS1900_TX CH661_GSM


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		35.335	34.18	-12.26	21.92	82.30	-60.38	peak	
2		167.255	34.79	-11.14	23.65	82.30	-58.65	peak	
3		541.675	33.93	-5.16	28.77	82.30	-53.53	peak	
4		622.185	35.90	-3.26	32.64	82.30	-49.66	peak	
5		763.320	36.02	-1.11	34.91	82.30	-47.39	peak	
6 *		911.730	35.09	0.36	35.45	82.30	-46.85	peak	

Test Mode : PCS1900_TX CH661_GSM


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		162.405	33.42	-10.94	22.48	82.30	-59.82	peak	
2		285.595	34.65	-10.87	23.78	82.30	-58.52	peak	
3		499.480	35.33	-6.03	29.30	82.30	-53.00	peak	
4		632.370	36.92	-3.10	33.82	82.30	-48.48	peak	
5		713.850	35.81	-1.95	33.86	82.30	-48.44	peak	
6 *		870.990	36.02	-0.09	35.93	82.30	-46.37	peak	

Test Mode : WCDMA Band II_TX CH9400

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		35.335	36.04	-12.26	23.78	82.30	-58.52	peak	
2		172.105	35.47	-11.46	24.01	82.30	-58.29	peak	
3		465.530	34.74	-6.54	28.20	82.30	-54.10	peak	
4		553.315	35.34	-4.89	30.45	82.30	-51.85	peak	
5		782.720	36.21	-1.19	35.02	82.30	-47.28	peak	
6 *		950.045	35.08	0.54	35.62	82.30	-46.68	peak	

Test Mode : WCDMA Band II_TX CH9400


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		49.400	33.10	-11.27	21.83	82.30	-60.47	peak	
2		162.405	35.07	-10.94	24.13	82.30	-58.17	peak	
3		545.070	34.47	-5.09	29.38	82.30	-52.92	peak	
4		617.335	35.67	-3.33	32.34	82.30	-49.96	peak	
5		779.325	35.53	-1.17	34.36	82.30	-47.94	peak	
6 *		915.125	34.74	0.37	35.11	82.30	-47.19	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		36.790	34.25	-12.12	22.13	82.30	-60.17	peak	
2		158.040	35.12	-10.91	24.21	82.30	-58.09	peak	
3		367.560	34.29	-9.07	25.22	82.30	-57.08	peak	
4		477.655	33.91	-6.35	27.56	82.30	-54.74	peak	
5		713.365	35.83	-1.97	33.86	82.30	-48.44	peak	
6 *		892.330	35.04	0.20	35.24	82.30	-47.06	peak	

Test Mode : LTE Band 2_TX CH18900_1.4MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		49.885	33.94	-11.27	22.67	82.30	-59.63	peak	
2		165.800	34.03	-11.08	22.95	82.30	-59.35	peak	
3		463.105	34.07	-6.57	27.50	82.30	-54.80	peak	
4		633.825	36.56	-3.08	33.48	82.30	-48.82	peak	
5 *		793.875	37.23	-1.24	35.99	82.30	-46.31	peak	
6		870.990	34.95	-0.09	34.86	82.30	-47.44	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39.700	33.91	-11.78	22.13	82.30	-60.17	peak	
2		159.980	33.56	-10.84	22.72	82.30	-59.58	peak	
3		238.065	37.62	-12.89	24.73	82.30	-57.57	peak	
4		523.245	34.00	-5.54	28.46	82.30	-53.84	peak	
5		638.675	36.26	-3.00	33.26	82.30	-49.04	peak	
6 *		915.125	35.48	0.37	35.85	82.30	-46.45	peak	

Test Mode : LTE Band 2_TX CH18900_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		46.975	33.72	-11.30	22.42	82.30	-59.88	peak	
2		168.225	33.83	-11.18	22.65	82.30	-59.65	peak	
3		386.475	33.66	-8.37	25.29	82.30	-57.01	peak	
4		450.010	34.49	-6.78	27.71	82.30	-54.59	peak	
5		670.685	35.83	-2.61	33.22	82.30	-49.08	peak	
6 *		899.605	35.38	0.30	35.68	82.30	-46.62	peak	

Test Mode : LTE Band 2_TX CH18900_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		42.610	34.32	-11.51	22.81	82.30	-59.49	peak	
2		164.345	34.67	-11.01	23.66	82.30	-58.64	peak	
3		497.540	34.65	-6.05	28.60	82.30	-53.70	peak	
4		640.130	36.07	-2.98	33.09	82.30	-49.21	peak	
5		767.200	36.01	-1.12	34.89	82.30	-47.41	peak	
6 *		931.615	34.79	0.45	35.24	82.30	-47.06	peak	

Test Mode : LTE Band 2_TX CH18900_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		49.400	33.15	-11.27	21.88	82.30	-60.42	peak	
2		178.895	35.37	-12.15	23.22	82.30	-59.08	peak	
3		451.465	33.99	-6.76	27.23	82.30	-55.07	peak	
4		642.070	34.74	-2.95	31.79	82.30	-50.51	peak	
5		780.295	35.23	-1.18	34.05	82.30	-48.25	peak	
6 *		926.280	34.68	0.43	35.11	82.30	-47.19	peak	

Test Mode : LTE Band 25_TX CH26365_1.4MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		35.820	34.15	-12.21	21.94	82.30	-60.36	peak	
2		157.070	34.08	-10.94	23.14	82.30	-59.16	peak	
3		455.830	34.58	-6.69	27.89	82.30	-54.41	peak	
4		716.760	35.26	-1.88	33.38	82.30	-48.92	peak	
5		850.135	35.07	-0.38	34.69	82.30	-47.61	peak	
6 *		920.460	36.13	0.40	36.53	82.30	-45.77	peak	

Test Mode : LTE Band 25_TX CH26365_1.4MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		51.825	32.84	-11.31	21.53	82.30	-60.77	peak	
2		165.800	34.97	-11.08	23.89	82.30	-58.41	peak	
3		447.585	35.59	-6.83	28.76	82.30	-53.54	peak	
4		633.340	34.88	-3.08	31.80	82.30	-50.50	peak	
5		791.935	34.67	-1.22	33.45	82.30	-48.85	peak	
6 *		881.660	34.97	0.05	35.02	82.30	-47.28	peak	

Test Mode : LTE Band 25_TX CH26365_5MHz


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		162.405	33.75	-10.94	22.81	82.30	-59.49	peak	
2		339.915	33.15	-9.53	23.62	82.30	-58.68	peak	
3		481.535	35.55	-6.30	29.25	82.30	-53.05	peak	
4		624.610	35.54	-3.23	32.31	82.30	-49.99	peak	
5		745.860	34.62	-1.15	33.47	82.30	-48.83	peak	
6 *		893.300	34.91	0.21	35.12	82.30	-47.18	peak	

Test Mode : LTE Band 25_TX CH26365_5MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		50.370	33.37	-11.28	22.09	82.30	-60.21	peak	
2		159.010	34.04	-10.87	23.17	82.30	-59.13	peak	
3		399.085	34.82	-8.06	26.76	82.30	-55.54	peak	
4		620.730	34.51	-3.28	31.23	82.30	-51.07	peak	
5		788.540	35.79	-1.21	34.58	82.30	-47.72	peak	
6 *		916.095	35.76	0.37	36.13	82.30	-46.17	peak	

Test Mode : LTE Band 25_TX CH26365_20MHz


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		35.335	34.81	-12.26	22.55	82.30	-59.75	peak	
2		164.830	34.18	-11.04	23.14	82.30	-59.16	peak	
3		516.940	34.93	-5.68	29.25	82.30	-53.05	peak	
4		633.825	35.22	-3.08	32.14	82.30	-50.16	peak	
5		771.080	35.12	-1.14	33.98	82.30	-48.32	peak	
6 *		895.725	35.25	0.24	35.49	82.30	-46.81	peak	

Test Mode : LTE Band 25_TX CH26365_20MHz


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		50.855	33.25	-11.30	21.95	82.30	-60.35	peak	
2		162.890	34.19	-10.97	23.22	82.30	-59.08	peak	
3		349.130	34.07	-9.45	24.62	82.30	-57.68	peak	
4		582.415	34.31	-4.09	30.22	82.30	-52.08	peak	
5		752.165	35.09	-1.07	34.02	82.30	-48.28	peak	
6 *		892.330	35.39	0.20	35.59	82.30	-46.71	peak	

Test Mode : 5G NR n2_TX Mid CH_5MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		36.790	33.11	-12.12	20.99	82.30	-61.31	peak	
2		158.525	34.65	-10.89	23.76	82.30	-58.54	peak	
3		385.505	34.56	-8.41	26.15	82.30	-56.15	peak	
4		537.795	34.30	-5.24	29.06	82.30	-53.24	peak	
5		729.855	35.63	-1.56	34.07	82.30	-48.23	peak	
6 *		907.850	35.19	0.33	35.52	82.30	-46.78	peak	

Test Mode : 5G NR n2_TX Mid CH_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		39.700	33.94	-11.78	22.16	82.30	-60.14	peak	
2		176.955	35.11	-11.96	23.15	82.30	-59.15	peak	
3		487.840	34.73	-6.20	28.53	82.30	-53.77	peak	
4		635.280	35.55	-3.06	32.49	82.30	-49.81	peak	
5		766.715	35.34	-1.12	34.22	82.30	-48.08	peak	
6 *		916.095	35.07	0.37	35.44	82.30	-46.86	peak	

Test Mode : 5G NR n2_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		46.005	34.27	-11.31	22.96	82.30	-59.34	peak	
2		173.560	34.84	-11.61	23.23	82.30	-59.07	peak	
3		405.390	33.54	-7.90	25.64	82.30	-56.66	peak	
4		642.555	35.43	-2.94	32.49	82.30	-49.81	peak	
5		756.530	34.58	-1.08	33.50	82.30	-48.80	peak	
6 *		889.905	35.46	0.16	35.62	82.30	-46.68	peak	

Test Mode : 5G NR n2_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		43.580	33.35	-11.44	21.91	82.30	-60.39	peak	
2		159.010	33.37	-10.87	22.50	82.30	-59.80	peak	
3		448.070	34.61	-6.82	27.79	82.30	-54.51	peak	
4		717.245	35.70	-1.87	33.83	82.30	-48.47	peak	
5		804.060	35.84	-1.18	34.66	82.30	-47.64	peak	
6 *		975.265	34.26	0.77	35.03	82.30	-47.27	peak	

Test Mode : 5G NR n25_TX Mid CH_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	60.070	34.19	-11.95	22.24	82.30	-60.06	peak	
2	165.800	34.78	-11.08	23.70	82.30	-58.60	peak	
3	496.570	35.04	-6.08	28.96	82.30	-53.34	peak	
4	628.975	35.90	-3.15	32.75	82.30	-49.55	peak	
5	759.925	35.10	-1.09	34.01	82.30	-48.29	peak	
6 *	908.335	34.96	0.33	35.29	82.30	-47.01	peak	

Test Mode : 5G NR n25_TX Mid CH_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	45.035	34.19	-11.36	22.83	82.30	-59.47	peak	
2	175.985	34.63	-11.86	22.77	82.30	-59.53	peak	
3	358.345	34.20	-9.39	24.81	82.30	-57.49	peak	
4	609.090	35.70	-3.45	32.25	82.30	-50.05	peak	
5	776.415	35.26	-1.17	34.09	82.30	-48.21	peak	
6 *	944.225	36.75	0.52	37.27	82.30	-45.03	peak	

Test Mode : 5G NR n25_TX Mid CH_30MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	55.220	34.43	-11.48	22.95	82.30	-59.35	peak	
2	153.190	33.93	-11.06	22.87	82.30	-59.43	peak	
3	392.780	34.24	-8.18	26.06	82.30	-56.24	peak	
4	625.095	36.57	-3.21	33.36	82.30	-48.94	peak	
5	814.730	36.15	-1.00	35.15	82.30	-47.15	peak	
6 *	915.125	35.03	0.37	35.40	82.30	-46.90	peak	

Test Mode : 5G NR n25_TX Mid CH_30MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	58.615	33.72	-11.79	21.93	82.30	-60.37	peak	
2	159.495	33.77	-10.85	22.92	82.30	-59.38	peak	
3	426.730	35.17	-7.36	27.81	82.30	-54.49	peak	
4	559.620	34.92	-4.72	30.20	82.30	-52.10	peak	
5	687.175	34.48	-2.45	32.03	82.30	-50.27	peak	
6 *	788.055	35.88	-1.21	34.67	82.30	-47.63	peak	


Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Vertical



Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Horizontal



Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Vertical



Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Horizontal



APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)


Test Mode : PCS1900_TX CH661_GSM

Vertical




Test Mode : PCS1900_TX CH661_GSM

Horizontal




Test Mode : PCS1900_TX CH661_GSM

Vertical




Test Mode : PCS1900_TX CH661_GSM

Horizontal



Test Mode : WCDMA Band II_TX CH9400


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	1850.000	45.15	-3.88	41.27	82.30	-41.03	peak	

Test Mode : WCDMA Band II_TX CH9400


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	1850.000	53.89	-3.88	50.01	82.30	-32.29	peak	

Test Mode : WCDMA Band II_TX CH9400


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	24808.500	50.84	2.29	53.13	82.30	-29.17	peak	

Test Mode : WCDMA Band II_TX CH9400

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	24383.500	50.95	2.07	53.02	82.30	-29.28	peak	


Test Mode : LTE Band 2_TX CH18900_1.4MHz

Vertical




Test Mode : LTE Band 2_TX CH18900_1.4MHz

Horizontal




Test Mode : LTE Band 2_TX CH18900_1.4MHz

Vertical



Test Mode : LTE Band 2_TX CH18900_1.4MHz

Horizontal



Test Mode : LTE Band 2_TX CH18900_5MHz

Vertical




Test Mode : LTE Band 2_TX CH18900_5MHz

Horizontal




Test Mode : LTE Band 2_TX CH18900_5MHz

Vertical



Test Mode : LTE Band 2_TX CH18900_5MHz

Horizontal



Test Mode : LTE Band 2_TX CH18900_20MHz

Vertical




Test Mode : LTE Band 2_TX CH18900_20MHz

Horizontal




Test Mode : LTE Band 2_TX CH18900_20MHz

Vertical




Test Mode : LTE Band 2_TX CH18900_20MHz

Horizontal




Test Mode : LTE Band 25_TX CH26365_1.4MHz

Vertical




Test Mode : LTE Band 25_TX CH26365_1.4MHz

Horizontal




Test Mode : LTE Band 25_TX CH26365_1.4MHz

Vertical




Test Mode : LTE Band 25_TX CH26365_1.4MHz

Horizontal



Test Mode : LTE Band 25_TX CH26365_5MHz

Vertical



Test Mode : LTE Band 25_TX CH26365_5MHz

Horizontal




Test Mode : LTE Band 25_TX CH26365_5MHz

Vertical




Test Mode : LTE Band 25_TX CH26365_5MHz

Horizontal



Test Mode : LTE Band 25_TX CH26365_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1884.000	53.94	-3.66	50.28	82.30	-32.02	peak	

Test Mode : LTE Band 25_TX CH26365_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1892.500	53.02	-3.61	49.41	82.30	-32.89	peak	

Test Mode : LTE Band 25_TX CH26365_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	21149.250	53.81	-0.05	53.76	82.30	-28.54	peak	

Test Mode : LTE Band 25_TX CH26365_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24659.750	50.85	2.20	53.05	82.30	-29.25	peak	


Test Mode : 5G NR n2_TX Mid CH_5MHz

Vertical




Test Mode : 5G NR n2_TX Mid CH_5MHz

Horizontal




Test Mode : 5G NR n2_TX Mid CH_5MHz

Vertical




Test Mode : 5G NR n2_TX Mid CH_5MHz

Horizontal



Test Mode : 5G NR n2_TX Mid CH_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13818.000	41.00	11.61	52.61	82.30	-29.69	peak	

Test Mode : 5G NR n2_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	14234.500	40.94	11.62	52.56	82.30	-29.74	peak	

Test Mode : 5G NR n2_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	25675.500	51.71	2.31	54.02	82.30	-28.28	peak	

Test Mode : 5G NR n2_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	24324.000	52.53	2.06	54.59	82.30	-27.71	peak	

Test Mode : 5G NR n25_TX Mid CH_5MHz

Vertical



Test Mode : 5G NR n25_TX Mid CH_5MHz

Horizontal



Test Mode : 5G NR n25_TX Mid CH_5MHz

Vertical



Test Mode : 5G NR n25_TX Mid CH_5MHz

Horizontal




Test Mode : 5G NR n25_TX Mid CH_30MHz

Vertical




Test Mode : 5G NR n25_TX Mid CH_30MHz

Horizontal



Test Mode : 5G NR n25_TX Mid CH_30MHz

Vertical




Test Mode : 5G NR n25_TX Mid CH_30MHz

Horizontal



Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Vertical




Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Horizontal




Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Vertical



Test Mode : DC_30A_n2A_TX Mid CH_5MHz

Horizontal



Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Vertical




Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Horizontal



Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Vertical




Test Mode : DC_30A_n2A_TX Mid CH_20MHz

Horizontal





APPENDIX G - BAND EDGE

PCS1900_GSM Spectrum Plot



EDGE





LTE Band 2_1.4MHz Spectrum Plot

1RB#0



1RB#5

Channel

18607

Channel

19193





6RB#0

Channel

18607

Channel

19193



LTE Band 2_3MHz Spectrum Plot

1RB#0



1RB#14

Channel

18615

Channel

19185





15RB#0

Channel

18615

Channel

19185



LTE Band 2_5MHz Spectrum Plot

1RB#0



1RB#24

Channel

18625

Channel

19175



25RB#0

Channel

18625

Channel

19175

