

















APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		0.0223	54.79	20.91	75.70	120.64	-44.94	AVG		
2	*	0.0793	47.58	21.34	68.92	109.62	-40.70	AVG		
3		0.1107	44.08	21.32	65.40	106.72	-41.32	QP		

Test Mode : TX Mode


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		0.6474	23.73	21.11	44.84	71.38	-26.54	QP		
2	*	1.7620	29.15	21.13	50.28	69.54	-19.26	QP		
3		2.1500	27.11	21.11	48.22	69.54	-21.32	QP		

Test Mode : TX Mode


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		0.0423	51.92	21.20	73.12	115.08	-41.96	AVG		
2		0.0815	48.51	21.34	69.85	109.38	-39.53	AVG		
3	*	0.1146	45.84	21.32	67.16	106.42	-39.26	QP		

Test Mode : TX Mode

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		0.7171	23.00	21.13	44.13	70.49	-26.36	QP		
2	*	1.7321	24.41	21.14	45.55	69.54	-23.99	QP		
3		2.2096	21.44	21.11	42.55	69.54	-26.99	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)

Test Mode : GSM850_TX CH190_GSM


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.335	33.66	-2.26	31.40	82.30	-50.90	peak	
2	169.680	34.29	-1.23	33.06	82.30	-49.24	peak	
3	409.270	33.76	2.20	35.96	82.30	-46.34	peak	
4	523.730	34.44	4.47	38.91	82.30	-43.39	peak	
5	639.160	35.96	7.01	42.97	82.30	-39.33	peak	
6 *	750.710	35.44	8.94	44.38	82.30	-37.92	peak	

Test Mode : GSM850_TX CH190_GSM


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	163.860	34.93	-0.99	33.94	82.30	-48.36	peak	
2	299.175	34.79	-0.60	34.19	82.30	-48.11	peak	
3	489.780	34.47	3.83	38.30	82.30	-44.00	peak	
4	639.645	35.98	7.02	43.00	82.30	-39.30	peak	
5 *	875.840	50.20	9.98	60.18	82.30	-22.12	peak	
6	882.145	49.14	10.05	59.19	82.30	-23.11	peak	

Test Mode : WCDMA Band V_TX CH4182


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	60.555	33.88	-2.02	31.86	82.30	-50.44	peak	
2	174.530	34.50	-1.71	32.79	82.30	-49.51	peak	
3	485.900	34.86	3.77	38.63	82.30	-43.67	peak	
4	656.620	36.10	7.24	43.34	82.30	-38.96	peak	
5	738.585	36.23	8.06	44.89	82.30	-37.41	peak	
6 *	880.690	41.30	10.03	51.33	82.30	-30.97	peak	

Test Mode : WCDMA Band V_TX CH4182


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.820	34.48	-2.21	32.27	82.30	-50.03	peak	
2	158.040	33.71	-0.91	32.80	82.30	-49.50	peak	
3	325.365	35.18	0.19	35.37	82.30	-46.93	peak	
4	564.470	34.40	5.41	39.81	82.30	-42.49	peak	
5	712.880	35.87	8.02	43.89	82.30	-38.41	peak	
6 *	880.205	62.56	10.03	72.59	82.30	-9.71	peak	

Test Mode : LTE Band 5_TX CH20525_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	41.640	33.25	-1.60	31.65	82.30	-50.65	peak	
2	172.590	34.95	-1.50	33.45	82.30	-48.85	peak	
3	448.555	33.90	3.20	37.10	82.30	-45.20	peak	
4	639.160	34.53	7.01	41.54	82.30	-40.76	peak	
5	778.355	35.80	8.83	44.63	82.30	-37.67	peak	
6 *	881.175	41.24	10.04	51.28	82.30	-31.02	peak	

Test Mode : LTE Band 5_TX CH20525_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	167.740	33.88	-1.15	32.73	82.30	-49.57	peak	
2	294.810	34.71	-0.67	34.04	82.30	-48.26	peak	
3	466.500	34.80	3.47	38.27	82.30	-44.03	peak	
4	669.715	35.05	7.38	42.43	82.30	-39.87	peak	
5	762.835	36.34	8.89	45.23	82.30	-37.07	peak	
6 *	881.660	60.20	10.05	70.25	82.30	-12.05	peak	

Test Mode : LTE Band 5_TX CH20525_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	44.065	33.55	-1.41	32.14	82.30	-50.16	peak	
2	166.770	33.94	-1.12	32.82	82.30	-49.48	peak	
3	483.475	33.85	3.74	37.59	82.30	-44.71	peak	
4	614.425	35.73	6.63	42.36	82.30	-39.94	peak	
5	763.320	34.96	8.89	43.85	82.30	-38.45	peak	
6 *	883.115	41.24	10.06	51.30	82.30	-31.00	peak	

Test Mode : LTE Band 5_TX CH20525_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	161.920	34.30	-0.92	33.38	82.30	-48.92	peak	
2	387.930	33.70	1.69	35.39	82.30	-46.91	peak	
3	528.580	35.31	4.57	39.88	82.30	-42.42	peak	
4	628.065	35.35	6.80	42.15	82.30	-40.15	peak	
5	771.080	35.17	8.86	44.03	82.30	-38.27	peak	
6 *	880.205	61.05	10.03	71.08	82.30	-11.22	peak	

Test Mode : LTE Band 5_TX CH20525_10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	44.550	33.20	-1.38	31.82	82.30	-50.48	peak	
2	156.585	34.45	-0.95	33.50	82.30	-48.80	peak	
3	504.330	34.44	4.07	38.51	82.30	-43.79	peak	
4	634.795	35.29	6.94	42.23	82.30	-40.07	peak	
5	773.020	35.63	8.85	44.48	82.30	-37.82	peak	
6 *	878.265	41.51	10.00	51.51	82.30	-30.79	peak	

Test Mode : LTE Band 5_TX CH20525_10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	41.640	33.61	-1.60	32.01	82.30	-50.29	peak	
2	159.010	34.40	-0.87	33.53	82.30	-48.77	peak	
3	460.680	37.43	3.39	40.82	82.30	-41.48	peak	
4	626.550	35.35	6.81	42.16	82.30	-40.14	peak	
5	773.020	36.28	8.85	45.13	82.30	-37.17	peak	
6 *	879.720	59.02	10.02	69.02	82.30	-13.28	peak	

Test Mode : LTE Band 26_TX CH26915_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	173.560	35.12	-1.61	33.51	82.30	-48.79	peak	
2	307.420	34.41	-0.39	34.02	82.30	-48.28	peak	
3	463.590	34.22	3.43	37.65	82.30	-44.65	peak	
4	608.605	35.81	6.54	42.35	82.30	-39.95	peak	
5	718.700	35.40	8.16	43.56	82.30	-38.74	peak	
6 *	869.050	46.72	9.87	56.59	82.30	-25.71	peak	

Test Mode : LTE Band 26_TX CH26915_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	56.190	34.22	-1.56	32.66	82.30	-49.64	peak	
2	164.830	34.73	-1.04	33.69	82.30	-48.61	peak	
3	546.040	35.93	4.93	40.86	82.30	-41.44	peak	
4	618.305	35.62	6.69	42.31	82.30	-39.99	peak	
5	719.670	36.02	8.19	44.21	82.30	-38.09	peak	
6 *	869.050	56.88	9.87	66.75	82.30	-15.55	peak	

Test Mode : LTE Band 26_TX CH26915_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.820	34.54	-2.21	32.33	82.30	-49.97	peak	
2	157.555	33.86	-0.93	32.93	82.30	-49.37	peak	
3	306.450	34.47	-0.42	34.05	82.30	-48.25	peak	
4	472.320	34.98	3.55	38.53	82.30	-43.77	peak	
5	644.010	35.73	7.08	42.81	82.30	-39.49	peak	
6 *	867.595	48.28	9.85	58.13	82.30	-26.17	peak	

Test Mode : LTE Band 26_TX CH26915_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	61.525	33.11	-2.16	30.95	82.30	-51.35	peak	
2	162.890	33.81	-0.97	32.84	82.30	-49.46	peak	
3	292.870	34.62	-0.69	33.93	82.30	-48.37	peak	
4	528.095	34.85	4.56	39.41	82.30	-42.89	peak	
5	609.575	36.87	6.55	43.42	82.30	-38.88	peak	
6 *	870.505	57.98	9.90	67.88	82.30	-14.42	peak	

Test Mode : LTE Band 26_TX CH26915_15MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	165.315	33.99	-1.06	32.93	82.30	-49.37	peak	
2	282.200	34.74	-0.98	33.76	82.30	-48.54	peak	
3	518.395	33.76	4.36	38.12	82.30	-44.18	peak	
4	658.075	34.98	7.26	42.24	82.30	-40.06	peak	
5	755.560	34.90	8.92	43.82	82.30	-38.48	peak	
6 *	864.685	46.51	9.82	56.33	82.30	-25.97	peak	

Test Mode : LTE Band 26_TX CH26915_15MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	60.555	33.60	-2.02	31.58	82.30	-50.72	peak	
2	169.195	33.79	-1.21	32.58	82.30	-49.72	peak	
3	397.630	35.04	1.91	36.95	82.30	-45.35	peak	
4	637.220	34.62	6.98	41.60	82.30	-40.70	peak	
5	717.245	36.68	8.13	44.81	82.30	-37.49	peak	
6 *	875.355	56.45	9.97	66.42	82.30	-15.88	peak	

Test Mode : 5G NR n5_TX Mid CH_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure- ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1		49.885	32.87	-1.27	31.60	82.30	-50.70	peak	
2		159.980	33.35	-0.84	32.51	82.30	-49.79	peak	
3		304.995	35.22	-0.46	34.76	82.30	-47.54	peak	
4		480.080	34.67	3.68	38.35	82.30	-43.95	peak	
5		634.795	34.97	6.94	41.91	82.30	-40.39	peak	
6 *		883.115	44.08	10.06	54.14	82.30	-28.16	peak	

Test Mode : 5G NR n5_TX Mid CH_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure- ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1		38.245	33.91	-1.94	31.97	82.30	-50.33	peak	
2		164.345	34.82	-1.01	33.81	82.30	-48.49	peak	
3		322.940	34.26	0.12	34.38	82.30	-47.92	peak	
4		581.930	34.11	5.90	40.01	82.30	-42.29	peak	
5		738.100	35.52	8.65	44.17	82.30	-38.13	peak	
6 *		883.115	52.45	10.06	62.51	82.30	-19.79	peak	

Test Mode : 5G NR n5_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure- ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1		35.820	34.83	-2.21	32.62	82.30	-49.68	peak	
2		158.040	34.26	-0.91	33.35	82.30	-48.95	peak	
3		390.840	33.47	1.78	35.25	82.30	-47.05	peak	
4		481.050	34.02	3.69	37.71	82.30	-44.59	peak	
5		654.195	35.91	7.22	43.13	82.30	-39.17	peak	
6 *		872.930	45.09	9.93	55.02	82.30	-27.28	peak	

Test Mode : 5G NR n5_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measure- ment dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1		45.035	33.42	-1.36	32.06	82.30	-50.24	peak	
2		159.010	33.20	-0.87	32.33	82.30	-49.97	peak	
3		340.400	33.69	0.47	34.16	82.30	-48.14	peak	
4		506.270	35.13	4.12	39.25	82.30	-43.05	peak	
5		655.650	34.90	7.23	42.13	82.30	-40.17	peak	
6 *		872.930	53.18	9.93	63.11	82.30	-19.19	peak	

Test Mode : 5G NR n26_TX Mid CH_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		50.855	33.33	-1.30	32.03	82.30	-50.27	peak	
2		162.405	34.08	-0.94	33.14	82.30	-49.16	peak	
3		440.795	34.41	2.99	37.40	82.30	-44.90	peak	
4		504.330	33.98	4.07	38.05	82.30	-44.25	peak	
5		653.710	36.10	7.21	43.31	82.30	-38.99	peak	
6 *		875.355	47.62	9.97	57.59	82.30	-24.71	peak	

Test Mode : 5G NR n26_TX Mid CH_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		61.525	34.72	-2.16	32.56	82.30	-49.74	peak	
2		160.465	33.73	-0.86	32.87	82.30	-49.43	peak	
3		424.305	34.68	2.57	37.25	82.30	-45.05	peak	
4		564.470	33.78	5.41	39.19	82.30	-43.11	peak	
5		663.410	36.37	7.31	43.68	82.30	-38.62	peak	
6 *		875.355	52.61	9.97	62.58	82.30	-19.72	peak	

Test Mode : 5G NR n26_TX Mid CH_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		46.975	32.92	-1.30	31.62	82.30	-50.68	peak	
2		160.950	34.78	-0.88	33.90	82.30	-48.40	peak	
3		288.505	35.17	-0.77	34.40	82.30	-47.90	peak	
4		371.925	35.31	1.08	36.39	82.30	-45.91	peak	
5		654.680	35.74	7.22	42.96	82.30	-39.34	peak	
6 *		862.260	47.33	9.78	57.11	82.30	-25.19	peak	

Test Mode : 5G NR n26_TX Mid CH_20MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		46.975	32.52	-1.30	31.22	82.30	-51.08	peak	
2		164.830	34.10	-1.04	33.06	82.30	-49.24	peak	
3		460.680	33.99	3.39	37.38	82.30	-44.92	peak	
4		543.130	34.65	4.86	39.51	82.30	-42.79	peak	
5		705.605	36.48	7.85	44.33	82.30	-37.97	peak	
6 *		863.230	52.67	9.79	62.46	82.30	-19.84	peak	

Test Mode : DC_30A_n5A_TX Mid CH_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		30.000	39.56	-13.15	26.41	55.30	-28.89	peak	
2		156.585	37.73	-11.05	26.68	55.30	-28.62	peak	
3		343.310	38.40	-9.41	28.99	55.30	-26.31	peak	
4		513.545	38.52	-5.57	32.95	55.30	-22.35	peak	
5		657.590	38.54	-2.55	35.99	55.30	-19.31	peak	
6 *		748.770	38.23	-0.86	37.37	55.30	-17.93	peak	

Test Mode : DC_30A_n5A_TX Mid CH_5MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		45.520	36.94	-11.40	25.54	55.30	-29.76	peak	
2		157.070	37.80	-11.05	26.75	55.30	-28.55	peak	
3		335.065	38.29	-9.47	28.82	55.30	-26.48	peak	
4		488.325	39.76	-6.01	33.75	55.30	-21.55	peak	
5		669.230	39.09	-2.55	36.54	55.30	-18.76	peak	
6 *		798.725	39.37	-0.87	38.50	55.30	-16.80	peak	

Test Mode : DC_30A_n5A_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		43.580	37.54	-11.52	26.02	55.30	-29.28	peak	
2		145.915	38.31	-11.33	26.98	55.30	-28.32	peak	
3		319.060	37.75	-9.90	27.85	55.30	-27.45	peak	
4		511.120	39.01	-5.62	33.39	55.30	-21.91	peak	
5		744.890	39.24	-1.00	38.24	55.30	-17.06	peak	
6 *		885.540	39.39	0.22	39.61	55.30	-15.69	peak	

Test Mode : DC_30A_n5A_TX Mid CH_20MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		55.705	37.20	-11.49	25.71	55.30	-29.59	peak	
2		160.465	37.17	-11.04	26.13	55.30	-29.17	peak	
3		369.985	38.70	-8.80	29.90	55.30	-25.40	peak	
4		569.805	38.80	-4.41	34.39	55.30	-20.91	peak	
5		641.585	38.41	-2.76	35.65	55.30	-19.65	peak	
6 *		734.705	39.56	-1.36	38.20	55.30	-17.10	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)

Test Mode : GSM850_TX CH190_GSM


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	9622.000	38.89	8.74	47.63	82.30	-34.67	peak	

Test Mode : GSM850_TX CH190_GSM


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2512.000	52.09	-2.35	49.74	82.30	-32.56	peak	

Test Mode : WCDMA Band V_TX CH4182


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	1643.500	43.87	-5.17	38.70	82.30	-43.60	peak	

Test Mode : WCDMA Band V_TX CH4182


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	9703.000	39.04	8.73	47.77	82.30	-34.53	peak	

Test Mode : LTE Band 5_TX CH20525_1.4MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2507.500	45.58	-2.36	43.22	82.30	-39.08	peak	

Test Mode : LTE Band 5_TX CH20525_1.4MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	2507.500	51.02	-2.36	48.66	82.30	-33.64	peak	

Test Mode : LTE Band 5_TX CH20525_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	9874.000	40.50	8.69	49.19	82.30	-33.11	peak	

Test Mode : LTE Band 5_TX CH20525_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	9073.000	40.69	8.78	49.47	82.30	-32.83	peak	


Test Mode : LTE Band 5_TX CH20525_10MHz

Vertical



Test Mode : LTE Band 5_TX CH20525_10MHz

Horizontal



Test Mode : LTE Band 26_TX CH26915_1.4MHz

Vertical




Test Mode : LTE Band 26_TX CH26915_1.4MHz

Horizontal




Test Mode : LTE Band 26_TX CH26915_5MHz

Vertical




Test Mode : LTE Band 26_TX CH26915_5MHz

Horizontal




Test Mode : LTE Band 26_TX CH26915_15MHz

Vertical




Test Mode : LTE Band 26_TX CH26915_15MHz

Horizontal



Test Mode : 5G NR n5_TX Mid CH_5MHz

Vertical




Test Mode : 5G NR n5_TX Mid CH_5MHz

Horizontal




Test Mode : 5G NR n5_TX Mid CH_20MHz

Vertical




Test Mode : 5G NR n5_TX Mid CH_20MHz

Horizontal



Test Mode : 5G NR n26_TX Mid CH_5MHz

Vertical



Test Mode : 5G NR n26_TX Mid CH_5MHz

Horizontal




Test Mode : 5G NR n26_TX Mid CH_20MHz

Vertical




Test Mode : 5G NR n26_TX Mid CH_20MHz

Horizontal




Test Mode : DC_30A_n5A_TX Mid CH_5MHz

Vertical



Test Mode : DC_30A_n5A_TX Mid CH_5MHz

Horizontal




Test Mode : DC_30A_n5A_TX Mid CH_5MHz

Vertical




Test Mode : DC_30A_n5A_TX Mid CH_5MHz

Horizontal




Test Mode : DC_30A_n5A_TX Mid CH_20MHz

Vertical




Test Mode : DC_30A_n5A_TX Mid CH_20MHz

Horizontal




Test Mode : DC_30A_n5A_TX Mid CH_20MHz

Vertical



Test Mode : DC_30A_n5A_TX Mid CH_20MHz

Horizontal



APPENDIX G - BAND EDGE