




LTE Band 4_CH20175 Spectrum Plot









LTE Band 7_CH21100 Spectrum Plot






LTE Band 12_CH23095 Spectrum Plot










APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode


Ant 90°



APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	38.245	36.48	-11.94	24.54	82.30	-57.76	peak	
2	162.405	33.88	-10.94	22.94	82.30	-59.36	peak	
3	337.975	35.11	-9.56	25.55	82.30	-56.75	peak	
4	434.490	34.92	-7.17	27.75	82.30	-54.55	peak	
5	629.460	36.99	-3.15	33.84	82.30	-48.46	peak	
6 *	883.600	35.79	0.07	35.86	82.30	-46.44	peak	

Test Mode : WCDMA Band IV_TX CH1413


Horizontal



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	47.460	34.28	-11.29	22.99	82.30	-59.31	peak	
2	161.920	33.99	-10.92	23.07	82.30	-59.23	peak	
3	524.215	34.86	-5.52	29.34	82.30	-52.96	peak	
4	640.130	36.12	-2.98	33.14	82.30	-49.16	peak	
5	740.040	35.90	-1.30	34.60	82.30	-47.70	peak	
6 *	887.480	34.77	0.13	34.90	82.30	-47.40	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	48.430	33.22	-11.27	21.95	82.30	-60.35	peak	
2	176.470	35.15	-11.91	23.24	82.30	-59.06	peak	
3	285.595	35.16	-10.87	24.29	82.30	-58.01	peak	
4	479.110	33.66	-6.33	27.33	82.30	-54.97	peak	
5	679.900	35.26	-2.51	32.75	82.30	-49.55	peak	
6 *	887.965	35.06	0.13	35.19	82.30	-47.11	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	46.490	33.88	-11.30	22.58	82.30	-59.72	peak	
2	158.525	33.78	-10.89	22.89	82.30	-59.41	peak	
3	479.110	34.53	-6.33	28.20	82.30	-54.10	peak	
4	653.225	35.39	-2.79	32.60	82.30	-49.70	peak	
5	788.055	34.94	-1.21	33.73	82.30	-48.57	peak	
6 *	922.885	35.06	0.41	35.47	82.30	-46.83	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	47.945	34.42	-11.27	23.15	82.30	-59.15	peak	
2	162.405	33.97	-10.94	23.03	82.30	-59.27	peak	
3	441.280	34.56	-7.00	27.56	82.30	-54.74	peak	
4	616.850	35.42	-3.33	32.09	82.30	-50.21	peak	
5	760.410	34.93	-1.09	33.84	82.30	-48.46	peak	
6 *	848.195	35.61	-0.41	35.20	82.30	-47.10	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	51.825	33.38	-11.31	22.07	82.30	-60.23	peak	
2	161.435	34.25	-10.90	23.35	82.30	-58.95	peak	
3	422.850	33.44	-7.46	25.98	82.30	-56.32	peak	
4	616.850	36.19	-3.33	32.86	82.30	-49.44	peak	
5	740.040	35.55	-1.30	34.25	82.30	-48.05	peak	
6 *	927.250	35.64	0.43	36.07	82.30	-46.23	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	58.130	34.94	-11.74	23.20	82.30	-59.10	peak	
2	156.585	34.55	-10.95	23.60	82.30	-58.70	peak	
3	523.730	33.83	-5.53	28.30	82.30	-54.00	peak	
4	637.220	35.54	-3.02	32.52	82.30	-49.78	peak	
5 *	758.955	35.95	-1.10	34.85	82.30	-47.45	peak	
6	895.725	34.47	0.24	34.71	82.30	-47.59	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	46.490	33.66	-11.30	22.36	82.30	-59.94	peak	
2	160.950	33.97	-10.88	23.09	82.30	-59.21	peak	
3	481.050	34.74	-6.31	28.43	82.30	-53.87	peak	
4	626.550	35.16	-3.19	31.97	82.30	-50.33	peak	
5	822.005	35.41	-0.87	34.54	82.30	-47.76	peak	
6 *	897.180	35.55	0.26	35.81	82.30	-46.49	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	44.550	34.10	-11.38	22.72	70.30	-47.58	peak	
2	170.165	34.79	-11.27	23.52	70.30	-46.78	peak	
3	229.820	42.91	-13.61	29.30	70.30	-41.00	peak	
4	568.835	34.40	-4.47	29.93	70.30	-40.37	peak	
5	709.970	36.29	-2.06	34.23	70.30	-36.07	peak	
6 *	839.465	36.07	-0.56	35.51	70.30	-34.79	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	45.035	33.02	-11.36	21.66	70.30	-48.64	peak	
2	143.490	34.10	-11.50	22.60	70.30	-47.70	peak	
3	484.930	33.97	-6.24	27.73	70.30	-42.57	peak	
4	621.215	35.35	-3.27	32.08	70.30	-38.22	peak	
5	767.200	34.83	-1.12	33.71	70.30	-36.59	peak	
6 *	886.510	36.28	0.12	36.40	70.30	-33.90	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	45.035	34.75	-11.36	23.39	70.30	-46.91	peak	
2	163.375	37.96	-10.98	26.98	70.30	-43.32	peak	
3	461.165	34.78	-6.61	28.17	70.30	-42.13	peak	
4	630.430	36.37	-3.13	33.24	70.30	-37.06	peak	
5	758.470	35.23	-1.09	34.14	70.30	-36.16	peak	
6 *	890.875	35.48	0.17	35.65	70.30	-34.65	peak	

Test Mode : LTE Band 7_TX CH21100_20MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	48.915	34.45	-11.27	23.18	70.30	-47.12	peak	
2	171.135	34.15	-11.37	22.78	70.30	-47.52	peak	
3	509.665	34.61	-5.81	28.80	70.30	-41.50	peak	
4	615.880	36.18	-3.35	32.83	70.30	-37.47	peak	
5	797.270	35.59	-1.25	34.34	70.30	-35.96	peak	
6 *	908.335	35.62	0.33	35.95	70.30	-34.35	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	46.490	33.57	-1.30	32.27	82.30	-50.03	peak	
2	178.410	34.72	-2.10	32.62	82.30	-49.68	peak	
3	450.010	34.41	3.22	37.63	82.30	-44.67	peak	
4	599.390	35.35	6.38	41.73	82.30	-40.57	peak	
5 *	737.615	47.43	8.64	56.07	82.30	-26.23	peak	
6	868.565	35.61	9.87	45.48	82.30	-36.82	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	51.825	33.04	-1.31	31.73	82.30	-50.57	peak	
2	164.345	35.49	-1.01	34.48	82.30	-47.82	peak	
3	277.350	34.33	-1.17	33.16	82.30	-49.14	peak	
4	463.590	34.10	3.43	37.53	82.30	-44.77	peak	
5	602.785	35.43	6.45	41.88	82.30	-40.42	peak	
6 *	737.130	50.32	8.62	58.94	82.30	-23.36	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	46.490	34.38	-1.30	33.08	82.30	-49.22	peak	
2	156.040	35.00	-0.91	34.09	82.30	-48.21	peak	
3	339.430	34.00	0.45	34.45	82.30	-47.85	peak	
4	523.245	35.07	4.46	39.53	82.30	-42.77	peak	
5	668.260	34.89	7.36	42.25	82.30	-40.05	peak	
6 *	737.615	46.35	8.64	54.99	82.30	-27.31	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBμV	Correct Factor dB	Measurement dBμV/m	Limit dBμV/m	Margin dB	Detector	Comment
1	160.950	33.60	-0.88	32.72	82.30	-49.58	peak	
2	263.285	35.27	-1.89	33.38	82.30	-48.92	peak	
3	382.595	33.70	1.46	35.16	82.30	-47.14	peak	
4	488.325	35.66	3.81	39.47	82.30	-42.83	peak	
5	603.270	35.03	6.46	41.49	82.30	-40.81	peak	
6 *	738.100	51.95	8.65	60.60	82.30	-21.70	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1		50.855	33.56	-1.30	32.26	82.30	-50.04	peak	
2		174.045	36.16	-1.66	34.50	82.30	-47.80	peak	
3		437.885	35.35	2.92	38.27	82.30	-44.03	peak	
4		536.340	34.68	4.72	39.40	82.30	-42.90	peak	
5		630.915	35.72	6.88	42.60	82.30	-39.70	peak	
6 *		736.160	48.08	8.60	56.68	82.30	-25.62	peak	

Test Mode : LTE Band 12_TX CH23095_10MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1		50.855	33.56	-1.30	32.26	82.30	-50.04	peak	
2		144.460	34.02	-1.46	32.56	82.30	-49.74	peak	
3		372.410	35.01	1.09	36.10	82.30	-46.20	peak	
4		499.965	34.95	3.98	38.93	82.30	-43.37	peak	
5		636.250	35.72	6.97	42.69	82.30	-39.61	peak	
6 *		740.040	51.83	8.70	60.53	82.30	-21.77	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1		54.250	32.96	-1.42	31.54	82.30	-50.76	peak	
2		158.525	34.07	-0.89	33.18	82.30	-49.12	peak	
3		377.260	34.97	1.27	36.24	82.30	-46.06	peak	
4		582.415	35.47	5.91	41.38	82.30	-40.92	peak	
5 *		752.650	46.16	8.93	55.09	82.30	-27.21	peak	
6		927.250	34.22	10.43	44.65	82.30	-37.65	peak	

Test Mode : LTE Band 13_TX CH23230_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB		
1		40.670	34.71	-1.69	33.02	82.30	-49.28	peak	
2		163.375	34.54	-0.98	33.56	82.30	-48.74	peak	
3		333.610	34.52	0.38	34.90	82.30	-47.40	peak	
4		629.945	36.16	6.86	43.02	82.30	-39.28	peak	
5 *		752.650	51.64	8.93	60.57	82.30	-21.73	peak	
6		899.605	35.29	10.30	45.59	82.30	-36.71	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	46.005	33.07	-1.31	31.76	82.30	-50.54	peak	
2	170.650	35.72	-1.32	34.40	82.30	-47.90	peak	
3	394.235	35.16	1.85	37.01	82.30	-45.29	peak	
4	576.110	33.72	5.73	39.45	82.30	-42.85	peak	
5 *	754.105	47.22	8.93	56.15	82.30	-26.15	peak	
6	900.575	35.15	10.30	45.45	82.30	-36.85	peak	

Test Mode : LTE Band 13_TX CH23230_10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	38.245	34.63	-1.94	32.69	82.30	-49.61	peak	
2	160.465	34.78	-0.86	33.92	82.30	-48.38	peak	
3	498.510	34.22	3.96	38.18	82.30	-44.12	peak	
4	630.430	36.82	6.87	43.69	82.30	-38.61	peak	
5 *	751.680	51.85	8.93	60.78	82.30	-21.52	peak	
6	955.865	35.08	10.60	45.68	82.30	-36.62	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	53.280	33.03	-1.36	31.67	82.30	-50.63	peak	
2	160.950	34.84	-0.88	33.96	82.30	-48.34	peak	
3	481.050	34.58	3.69	38.27	82.30	-44.03	peak	
4	656.135	34.99	7.24	42.23	82.30	-40.07	peak	
5 *	738.100	48.23	8.65	56.88	82.30	-25.42	peak	
6	861.775	35.52	9.77	45.29	82.30	-37.01	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	56.675	33.49	-1.61	31.88	82.30	-50.42	peak	
2	179.380	35.23	-2.20	33.03	82.30	-49.27	peak	
3	420.425	34.49	2.48	36.97	82.30	-45.33	peak	
4	634.310	35.55	6.93	42.48	82.30	-39.82	peak	
5 *	740.525	49.89	8.71	58.60	82.30	-23.70	peak	
6	908.335	35.35	10.33	45.68	82.30	-36.62	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Vertical



No. Mks	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	56.190	33.64	-1.56	32.08	82.30	-50.22	peak	
2	159.495	33.87	-0.85	33.02	82.30	-49.28	peak	
3	425.760	34.39	2.62	37.01	82.30	-45.29	peak	
4	485.900	35.11	3.77	38.88	82.30	-43.42	peak	
5	608.605	36.00	6.54	42.54	82.30	-39.76	peak	
6 *	741.010	49.17	8.72	57.89	82.30	-24.41	peak	

Test Mode : LTE Band 17_TX CH23790_10MHz


Horizontal



No. Mks	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	50.855	33.08	-1.30	31.78	82.30	-50.52	peak	
2	159.495	34.43	-0.85	33.58	82.30	-48.72	peak	
3	426.730	33.00	2.64	36.54	82.30	-45.76	peak	
4	481.050	34.39	3.69	38.08	82.30	-44.22	peak	
5	654.195	34.51	7.22	41.73	82.30	-40.57	peak	
6 *	738.100	50.26	8.65	58.91	82.30	-23.39	peak	

Test Mode : LTE Band 30_TX CH27710_5MHz


Vertical



No. Mks	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.335	33.99	-12.26	21.73	55.30	-33.57	peak	
2	157.070	34.48	-10.94	23.54	55.30	-31.76	peak	
3	456.800	33.57	-6.68	26.89	55.30	-28.41	peak	
4	616.850	36.74	-3.33	33.41	55.30	-21.89	peak	
5	710.940	35.64	-2.04	33.60	55.30	-21.70	peak	
6 *	977.205	34.64	0.78	35.42	55.30	-19.88	peak	

Test Mode : LTE Band 30_TX CH27710_5MHz


Horizontal



No. Mks	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	55.220	33.24	-11.48	21.76	55.30	-33.54	peak	
2	166.770	34.31	-11.12	23.19	55.30	-32.11	peak	
3	472.320	33.50	-6.45	27.05	55.30	-28.25	peak	
4	680.870	36.23	-2.50	33.73	55.30	-21.57	peak	
5	844.315	35.76	-0.48	35.28	55.30	-20.02	peak	
6 *	941.315	34.99	0.51	35.50	55.30	-19.80	peak	

Test Mode : LTE Band 30_TX CH27710_10MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		35.335	34.44	-12.26	22.18	55.30	-33.12	peak	
2		164.345	33.64	-11.01	22.63	55.30	-32.67	peak	
3		454.860	35.55	-6.70	28.85	55.30	-26.45	peak	
4		623.640	34.92	-3.24	31.68	55.30	-23.62	peak	
5		737.615	35.00	-1.36	33.64	55.30	-21.66	peak	
6	*	895.240	35.73	0.23	35.96	55.30	-19.34	peak	

Test Mode : LTE Band 30_TX CH27710_10MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		163.375	34.09	-10.98	23.11	55.30	-32.19	peak	
2		282.685	35.27	-10.95	24.32	55.30	-30.98	peak	
3		445.645	34.77	-6.88	27.89	55.30	-27.41	peak	
4		610.275	36.21	-3.30	32.91	55.30	-22.39	peak	
5		741.980	34.68	-1.25	33.43	55.30	-21.87	peak	
6	*	953.440	34.95	0.57	35.52	55.30	-19.78	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		35.335	34.79	-12.26	22.53	70.30	-47.77	peak	
2		373.380	34.67	-8.87	25.80	70.30	-44.50	peak	
3		423.335	35.55	-7.45	28.10	70.30	-42.20	peak	
4		591.630	34.86	-3.82	31.04	70.30	-39.26	peak	
5		773.020	34.76	-1.15	33.61	70.30	-36.69	peak	
6	*	872.930	35.79	-0.07	35.72	70.30	-34.58	peak	

Test Mode : LTE Band 38_TX CH38000_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		37.760	34.14	-12.01	22.13	70.30	-48.17	peak	
2		159.495	34.35	-10.85	23.50	70.30	-46.80	peak	
3		452.920	34.47	-6.73	27.74	70.30	-42.56	peak	
4		576.110	34.41	-4.27	30.14	70.30	-40.16	peak	
5		732.765	35.92	-1.49	34.43	70.30	-35.87	peak	
6	*	924.340	34.48	0.41	34.89	70.30	-35.41	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		36.305	35.95	-12.17	23.78	70.30	-46.52	peak	
2		161.920	34.96	-10.92	24.04	70.30	-46.26	peak	
3		287.050	35.89	-10.83	25.06	70.30	-45.24	peak	
4		509.180	34.41	-5.83	28.58	70.30	-41.72	peak	
5		651.770	35.34	-2.81	32.53	70.30	-37.77	peak	
6 *		859.835	35.52	-0.25	35.27	70.30	-35.03	peak	

Test Mode : LTE Band 38_TX CH38000_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		46.975	33.03	-11.30	21.73	70.30	-48.57	peak	
2		161.920	33.74	-10.92	22.82	70.30	-47.48	peak	
3		435.945	33.93	-7.14	26.79	70.30	-43.51	peak	
4		595.995	34.70	-3.71	30.99	70.30	-39.31	peak	
5		748.285	35.50	-1.09	34.41	70.30	-35.89	peak	
6 *		903.000	36.00	0.30	36.30	70.30	-34.00	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		35.820	35.33	-12.21	23.12	55.30	-32.18	peak	
2		167.255	33.93	-11.14	22.79	55.30	-32.51	peak	
3		488.810	33.93	-6.18	27.75	55.30	-27.55	peak	
4		638.190	35.65	-3.01	32.64	55.30	-22.66	peak	
5		786.600	35.74	-1.20	34.54	55.30	-20.76	peak	
6 *		923.370	35.69	0.41	36.10	55.30	-19.20	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		46.005	33.50	-11.31	22.19	55.30	-33.11	peak	
2		163.375	33.73	-10.98	22.75	55.30	-32.55	peak	
3		421.880	34.07	-7.48	26.59	55.30	-28.71	peak	
4		596.965	33.96	-3.67	30.29	55.30	-25.01	peak	
5 *		756.530	36.08	-1.08	35.00	55.30	-20.30	peak	
6		924.340	34.31	0.41	34.72	55.30	-20.58	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm		dBm/Hz	dBm/Hz	dB	Detector	Comment
1		71.710	36.26	-13.79	22.47	55.30	-32.83	peak	
2		225.455	41.72	-13.94	27.78	55.30	-27.52	peak	
3		449.040	36.38	-6.79	29.59	55.30	-25.71	peak	
4		654.195	35.52	-2.78	32.74	55.30	-22.56	peak	
5		755.075	36.34	-1.08	35.26	55.30	-20.04	peak	
6 *		929.675	34.88	0.44	35.32	55.30	-19.98	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm		dBm/Hz	dBm/Hz	dB	Detector	Comment
1		40.185	33.32	-11.73	21.59	55.30	-33.71	peak	
2		165.800	34.26	-11.08	23.18	55.30	-32.12	peak	
3		460.195	34.69	-6.62	28.07	55.30	-27.23	peak	
4		644.010	36.17	-2.92	33.25	55.30	-22.05	peak	
5 *		753.135	36.94	-1.07	35.87	55.30	-19.43	peak	
6		947.135	35.17	0.53	35.70	55.30	-19.60	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm		dBm/Hz	dBm/Hz	dB	Detector	Comment
1		44.550	39.59	-11.38	28.21	55.30	-27.09	peak	
2		293.840	34.68	-10.68	24.00	55.30	-31.30	peak	
3		466.500	34.31	-6.53	27.78	55.30	-27.52	peak	
4		577.080	33.62	-4.24	29.38	55.30	-25.92	peak	
5		796.300	35.91	-1.25	34.66	55.30	-20.64	peak	
6 *		997.090	34.85	0.97	35.82	55.30	-19.48	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm		dBm/Hz	dBm/Hz	dB	Detector	Comment
1		51.340	33.90	-11.30	22.60	55.30	-32.70	peak	
2		161.920	35.49	-10.92	24.57	55.30	-30.73	peak	
3		400.540	34.77	-8.03	26.74	55.30	-28.56	peak	
4		529.550	34.29	-5.41	28.88	55.30	-26.42	peak	
5		680.385	35.12	-2.51	32.61	55.30	-22.69	peak	
6 *		907.365	34.82	0.33	35.15	55.30	-20.15	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.335	34.58	-12.26	22.32	55.30	-32.98	peak	
2	202.175	37.26	-14.42	22.84	55.30	-32.46	peak	
3	437.885	33.73	-7.08	26.65	55.30	-28.65	peak	
4	520.335	34.09	-5.61	28.48	55.30	-26.82	peak	
5	618.790	35.63	-3.31	32.32	55.30	-22.98	peak	
6 *	931.130	34.67	0.44	35.11	55.30	-20.19	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	172.590	34.66	-11.50	23.16	55.30	-32.14	peak	
2	353.495	33.96	-9.42	24.54	55.30	-30.76	peak	
3	488.325	34.24	-6.19	28.05	55.30	-27.25	peak	
4	644.010	35.34	-2.92	32.42	55.30	-22.88	peak	
5	783.690	35.74	-1.20	34.54	55.30	-20.76	peak	
6 *	900.090	34.42	0.30	34.72	55.30	-20.58	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	166.285	34.29	-11.10	23.19	70.30	-47.11	peak	
2	225.455	42.54	-13.94	28.60	70.30	-41.70	peak	
3	521.790	35.10	-5.57	29.53	70.30	-40.77	peak	
4	608.120	36.09	-3.48	32.61	70.30	-37.69	peak	
5	788.055	36.13	-1.21	34.92	70.30	-35.38	peak	
6 *	858.380	35.58	-0.26	35.32	70.30	-34.98	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	53.765	34.27	-11.39	22.88	70.30	-47.42	peak	
2	158.525	33.96	-10.89	23.07	70.30	-47.23	peak	
3	519.850	34.55	-5.61	28.94	70.30	-41.36	peak	
4	688.745	35.78	-2.63	33.15	70.30	-37.15	peak	
5	751.195	35.69	-1.07	34.62	70.30	-35.68	peak	
6 *	901.060	36.52	0.30	36.82	70.30	-33.48	peak	

Test Mode : LTE Band 41_TX CH40620_20M


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.335	34.76	-12.26	22.50	70.30	-47.80	peak	
2	158.525	39.11	-10.89	28.22	70.30	-42.08	peak	
3	472.805	35.75	-6.43	29.32	70.30	-40.98	peak	
4	660.985	34.52	-2.71	31.81	70.30	-38.49	peak	
5	744.405	34.68	-1.20	33.48	70.30	-36.82	peak	
6 *	965.565	35.06	0.69	35.75	70.30	-34.55	peak	

Test Mode : LTE Band 41_TX CH40620_20MHz


Horizontal



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	160.950	33.69	-10.88	22.81	70.30	-47.49	peak	
2	365.135	35.01	-9.16	25.85	70.30	-44.45	peak	
3	519.365	34.62	-5.62	29.00	70.30	-41.30	peak	
4	623.155	35.22	-3.25	31.97	70.30	-38.33	peak	
5	771.565	35.74	-1.14	34.60	70.30	-35.70	peak	
6 *	894.270	34.95	0.22	35.17	70.30	-35.13	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Vertical



No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	35.335	35.07	-12.26	22.81	82.30	-59.49	peak	
2	226.910	37.48	-13.84	23.64	82.30	-58.66	peak	
3	537.795	34.37	-5.24	29.13	82.30	-53.17	peak	
4	712.880	35.56	-1.98	33.58	82.30	-48.72	peak	
5	850.135	35.17	-0.38	34.79	82.30	-47.51	peak	
6 *	930.160	35.76	0.44	36.20	82.30	-46.10	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz

Horizontal




No. Msk	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	53.765	33.00	-11.39	21.61	82.30	-60.69	peak	
2	156.585	33.55	-10.95	22.60	82.30	-59.70	peak	
3	509.180	35.55	-5.83	29.72	82.30	-52.58	peak	
4	614.910	35.65	-3.36	32.29	82.30	-50.01	peak	
5	661.470	35.02	-2.71	32.31	82.30	-49.99	peak	
6 *	924.340	35.14	0.41	35.55	82.30	-46.75	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz

Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No. M.k.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	37.275	34.98	-12.06	22.92	82.30	-59.38	peak	
2	157.555	34.56	-10.93	23.63	82.30	-58.67	peak	
3	337.490	33.40	-9.57	23.83	82.30	-58.47	peak	
4	466.985	34.55	-6.52	28.03	82.30	-54.27	peak	
5	622.670	36.17	-3.25	32.92	82.30	-49.38	peak	
6 *	869.050	35.04	-0.13	34.91	82.30	-47.39	peak	

Horizontal




No. M.k.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	50.855	33.49	-11.30	22.19	82.30	-60.11	peak	
2	162.890	34.31	-10.97	23.34	82.30	-58.96	peak	
3	509.180	34.36	-5.83	28.53	82.30	-53.77	peak	
4	673.595	34.92	-2.58	32.34	82.30	-49.96	peak	
5	780.780	35.35	-1.18	34.17	82.30	-48.13	peak	
6 *	889.905	35.11	0.16	35.27	82.30	-47.03	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz


Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No. M.k.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	40.670	39.78	-11.69	28.09	82.30	-54.21	peak	
2	127.000	35.47	-12.64	22.83	82.30	-59.47	peak	
3	294.325	35.98	-10.67	25.31	82.30	-56.99	peak	
4	502.875	34.82	-5.96	28.86	82.30	-53.44	peak	
5	615.395	35.71	-3.35	32.36	82.30	-49.94	peak	
6 *	863.230	35.52	-0.21	35.31	82.30	-46.99	peak	


Horizontal



No. M.k.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
MHz	dBuV	dB	dBuV/m	dBuV/m	dB			
1	49.400	34.00	-11.27	22.73	82.30	-59.57	peak	
2	160.950	34.77	-10.88	23.89	82.30	-58.41	peak	
3	513.060	34.67	-5.76	28.91	82.30	-53.39	peak	
4	634.795	35.73	-3.06	32.67	82.30	-49.63	peak	
5	769.140	35.76	-1.13	34.63	82.30	-47.67	peak	
6 *	898.635	36.08	0.28	36.36	82.30	-45.94	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1		35.335	34.70	-12.26	22.44	82.30	-59.86	peak	
2		160.465	34.03	-10.86	23.17	82.30	-59.13	peak	
3		409.270	34.23	-7.80	26.43	82.30	-55.87	peak	
4		521.790	34.99	-5.57	29.42	82.30	-52.88	peak	
5		654.195	35.38	-2.78	32.60	82.30	-49.70	peak	
6 *		903.000	35.19	0.30	35.49	82.30	-46.81	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1		39.700	33.84	-11.78	22.06	82.30	-60.24	peak	
2		163.860	34.01	-10.99	23.02	82.30	-59.28	peak	
3		443.705	35.06	-6.93	28.13	82.30	-54.17	peak	
4		569.805	34.48	-4.44	30.04	82.30	-52.26	peak	
5		712.395	35.40	-2.00	33.40	82.30	-48.90	peak	
6 *		852.075	36.40	-0.35	36.05	82.30	-46.25	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1		57.160	34.01	-11.65	22.36	82.30	-59.94	peak	
2		163.375	34.18	-10.98	23.20	82.30	-59.10	peak	
3		485.415	35.63	-6.24	29.39	82.30	-52.91	peak	
4		581.445	33.81	-4.12	29.69	82.30	-52.61	peak	
5 *		723.065	38.01	-1.72	36.29	82.30	-46.01	peak	
6		894.755	35.15	0.23	35.38	82.30	-46.92	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1		35.335	39.52	-12.26	27.26	82.30	-55.04	peak	
2		159.010	34.45	-10.87	23.58	82.30	-58.72	peak	
3		345.735	34.19	-9.48	24.71	82.30	-57.59	peak	
4		577.565	34.32	-4.23	30.09	82.30	-52.21	peak	
5		776.415	36.77	-1.17	35.60	82.30	-46.70	peak	
6 *		967.990	35.07	0.70	35.77	82.30	-46.53	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Vertical



No. Msk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	42.125	33.84	-1.56	32.28	82.30	-50.02	peak	
2	159.010	33.47	-0.87	32.60	82.30	-49.70	peak	
3	282.685	36.20	-0.95	35.25	82.30	-47.05	peak	
4	468.440	33.08	3.51	36.59	82.30	-45.71	peak	
5	579.020	34.76	5.82	40.58	82.30	-41.72	peak	
6 *	634.310	44.76	6.93	51.69	82.30	-30.61	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz


Horizontal



No. Msk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	50.370	33.19	-1.28	31.91	82.30	-50.39	peak	
2	178.895	35.12	-2.15	32.97	82.30	-49.33	peak	
3	406.845	32.24	2.13	34.37	82.30	-47.93	peak	
4	535.370	34.01	4.70	38.71	82.30	-43.59	peak	
5 *	632.855	46.16	6.91	53.07	82.30	-29.23	peak	
6	909.790	34.28	10.34	44.62	82.30	-37.68	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz


Vertical



No. Msk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	46.005	34.33	-1.31	33.02	82.30	-49.28	peak	
2	162.890	34.03	-0.97	33.06	82.30	-49.24	peak	
3	299.175	34.39	-0.60	33.79	82.30	-48.51	peak	
4	526.640	34.18	4.53	38.71	82.30	-43.59	peak	
5 *	642.070	43.75	7.05	50.80	82.30	-31.50	peak	
6	839.950	36.03	9.44	45.47	82.30	-36.83	peak	

Test Mode : LTE Band 71_TX CH133322_20MHz

Horizontal




No. Msk	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	42.610	33.33	-1.51	31.82	82.30	-50.48	peak	
2	158.525	33.52	-0.89	32.63	82.30	-49.67	peak	
3	293.840	34.13	-0.68	33.45	82.30	-48.85	peak	
4	450.010	34.13	3.22	37.35	82.30	-44.95	peak	
5	536.340	34.17	4.72	38.89	82.30	-43.41	peak	
6 *	643.040	47.10	7.06	54.16	82.30	-28.14	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode : WCDMA Band IV_TX CH1413


Test Mode : WCDMA Band IV_TX CH1413

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1714.000	46.52	-4.72	41.80	82.30	-40.50	peak	
2 *	2113.500	65.34	-2.82	62.52	82.30	-19.78	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1714.000	57.38	-4.72	52.66	82.30	-29.64	peak	
2 *	2113.500	64.52	-2.82	61.70	82.30	-20.60	peak	

Test Mode : LTE Band 4_TX CH20175_1.4MHz


Test Mode : LTE Band 4_TX CH20175_1.4MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1731.000	52.44	-4.62	47.82	82.30	-34.48	peak	
2 *	2130.500	55.01	-2.79	52.22	82.30	-30.08	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	1731.000	60.98	-4.62	56.36	82.30	-25.94	peak	
2	2130.500	55.96	-2.79	53.17	82.30	-29.13	peak	

Test Mode : LTE Band 4_TX CH20175_5MHz


Test Mode : LTE Band 4_TX CH20175_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1	1731.000	50.44	-4.62	45.82	82.30	-36.48	peak	
2 *	2130.500	58.09	-2.79	55.30	82.30	-27.00	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1	1731.000	55.81	-4.62	51.19	82.30	-31.11	peak	
2 *	2130.500	58.49	-2.79	55.70	82.30	-26.60	peak	

Test Mode : LTE Band 4_TX CH20175_20MHz

Test Mode : LTE Band 4_TX CH20175_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	1739.500	72.96	-4.56	68.40	82.30	-13.90	peak	
2	2139.000	61.81	-2.79	59.02	82.30	-23.28	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm/Hz	dBm/Hz	dB	Detector	Comment
1 *	1722.500	70.41	-4.68	65.73	82.30	-16.57	peak	
2	2139.000	59.88	-2.79	57.09	82.30	-25.21	peak	

Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



Test Mode : LTE Band 7_TX CH21100_5MHz

Horizontal




Test Mode : LTE Band 7_TX CH21100_5MHz

Vertical



Test Mode : LTE Band 7_TX CH21100_5MHz


Horizontal



Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



Horizontal



Test Mode : LTE Band 7_TX CH21100_20MHz

Test Mode : LTE Band 7_TX CH21100_20MHz

Vertical



Horizontal

