


Test Mode : LTE Band 12_TX CH23095_1.4MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2120.500	46.81	-2.81	44.00	82.30	-38.30	peak	

Test Mode : LTE Band 12_TX CH23095_1.4MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	1414.000	45.59	-6.45	39.14	82.30	-43.16	peak	
2 *	2120.500	45.31	-2.81	42.50	82.30	-39.80	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	9145.000	40.84	8.78	49.62	82.30	-32.68	peak	

Test Mode : LTE Band 12_TX CH23095_5MHz

Horizontal




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	8596.000	40.74	8.52	49.26	82.30	-33.04	peak	


Test Mode : LTE Band 12_TX CH23095_10MHz

Test Mode : LTE Band 12_TX CH23095_10MHz

Vertical



Horizontal




Test Mode : LTE Band 13_TX CH23230_5MHz

Test Mode : LTE Band 13_TX CH23230_5MHz

Vertical




Horizontal



Test Mode : LTE Band 13_TX CH23230_10MHz


Test Mode : LTE Band 13_TX CH23230_10MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9757.000	41.16	8.72	49.88	82.30	-32.42	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1553.500	45.96	-5.73	40.23	82.30	-42.07	peak	
2 *	2332.000	43.58	-2.58	41.00	82.30	-41.30	peak	

Test Mode : LTE Band 17_TX CH23790_5MHz


Test Mode : LTE Band 17_TX CH23790_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9424.000	40.30	8.77	49.07	82.30	-33.23	peak	


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	9653.500	40.51	8.73	49.24	82.30	-33.06	peak	


Test Mode : LTE Band 17_TX CH23790_10MHz

Vertical



Test Mode : LTE Band 17_TX CH23790_10MHz

Horizontal




Test Mode : LTE Band 30_TX CH27710_5MHz

Vertical



Test Mode : LTE Band 30_TX CH27710_5MHz


Horizontal




Test Mode : LTE Band 30_TX CH27710_5MHz

Test Mode : LTE Band 30_TX CH27710_5MHz

Vertical




Horizontal




Test Mode : LTE Band 30_TX CH27710_10MHz

Test Mode : LTE Band 30_TX CH27710_10MHz

Vertical




Horizontal



Test Mode : LTE Band 30_TX CH27710_10MHz

Test Mode : LTE Band 30_TX CH27710_10MHz

Vertical



Horizontal



Test Mode : LTE Band 38_TX CH38000_5MHz

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical




Horizontal




Test Mode : LTE Band 38_TX CH38000_5MHz

Test Mode : LTE Band 38_TX CH38000_5MHz

Vertical



Horizontal



Test Mode : LTE Band 38_TX CH38000_20MHz

Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical




Horizontal




Test Mode : LTE Band 38_TX CH38000_20MHz

Test Mode : LTE Band 38_TX CH38000_20MHz

Vertical



Horizontal



Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz

Test Mode : LTE Band 40(2305-2315MHz)_TX CH38750_5MHz

Vertical




Horizontal



Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	21017.500	43.54	-0.02	43.52	55.30	-11.78	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_5MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20520.250	43.87	-0.45	43.42	55.30	-11.88	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	6907.500	28.43	7.91	36.34	55.30	-18.96	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17660.000	32.22	12.81	45.03	55.30	-10.27	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20992.000	43.49	-0.03	43.46	55.30	-11.84	peak	

Test Mode : LTE Band 40(2305-2315MHz)_TX
CH38750_10MHz

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20996.250	43.66	-0.03	43.63	55.30	-11.67	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17813.000	32.47	12.75	45.22	55.30	-10.08	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17821.500	32.32	12.76	45.08	55.30	-10.22	peak	


Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_5MHz

Vertical




Horizontal




Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz

Vertical




Horizontal



Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	*	21004.750	43.51	-0.03	43.48	55.30	-11.82	peak	

Test Mode : LTE Band 40(2350-2360MHz)_TX
CH39200_10MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	*	20996.250	43.51	-0.03	43.48	55.30	-11.82	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	*	17830.000	41.41	12.75	54.16	70.30	-16.14	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	*	17813.000	41.65	12.75	54.40	70.30	-15.90	peak	

Test Mode : LTE Band 41_TX CH40620_5MHz

Test Mode : LTE Band 41_TX CH40620_5MHz

Vertical




Horizontal



Test Mode : LTE Band 41_TX CH40620_20M

Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical




Horizontal



Test Mode : LTE Band 41_TX CH40620_20M


Test Mode : LTE Band 41_TX CH40620_20MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	25373.750	51.72	2.45	54.17	70.30	-16.13	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	25722.250	52.59	2.28	54.87	70.30	-15.43	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz

Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	6992.500	41.04	10.16	51.20	82.30	-31.10	peak	
2 *	10494.500	40.52	10.84	51.36	82.30	-30.94	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	10494.500	37.94	10.84	48.78	82.30	-33.52	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	38735.000	52.22	10.53	62.75	82.30	-19.55	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	39142.000	52.09	11.22	63.31	82.30	-18.99	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	6984.000	39.42	10.13	49.55	82.30	-32.75	peak	
2 *	10477.500	39.64	10.82	50.46	82.30	-31.84	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	10469.000	40.82	10.81	51.63	82.30	-30.67	peak	

Test Mode : LTE Band 42_TX CH42590_5MHz


Test Mode : LTE Band 42_TX CH42590_5MHz

Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	39769.000	52.02	10.89	62.91	82.30	-19.39	peak	

Horizontal




No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	39670.000	52.47	10.87	63.34	82.30	-18.96	peak	

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Test Mode : LTE Band 66_TX CH132322_1.4MHz

Vertical



No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	1748.000	80.10	-4.51	75.59	82.30	-6.71	peak	
2	2147.500	63.27	-2.78	60.49	82.30	-21.81	peak	

Horizontal




No. Msk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	1748.000	81.61	-4.51	77.10	82.30	-5.20	peak	
2	2147.500	57.73	-2.78	54.95	82.30	-27.35	peak	

Test Mode : LTE Band 66_TX CH132322_5MHz


Test Mode : LTE Band 66_TX CH132322_5MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1739.500	73.93	-4.56	69.37	82.30	-12.93	peak	
2		2147.500	64.60	-2.78	61.82	82.30	-20.48	peak	

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1739.500	77.52	-4.56	72.96	82.30	-9.34	peak	
2		2147.500	62.08	-2.78	59.30	82.30	-23.00	peak	

Test Mode : LTE Band 66_TX CH132322_20MHz


Test Mode : LTE Band 66_TX CH132322_20MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1739.500	73.47	-4.56	68.91	82.30	-13.39	peak	
2		2147.500	65.29	-2.78	62.51	82.30	-19.79	peak	

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	1748.000	73.97	-4.51	69.46	82.30	-12.84	peak	
2		2139.000	61.45	-2.79	58.66	82.30	-23.64	peak	

Test Mode : LTE Band 71_TX CH133297_5MHz

Test Mode : LTE Band 71_TX CH133297_5MHz

Vertical




Horizontal




Test Mode : LTE Band 71_TX CH133322_20MHz

Test Mode : LTE Band 71_TX CH133322_20MHz

Vertical



Horizontal



APPENDIX G - BAND EDGE

