


Test Mode : 5G NR n71_TX Mid CH_20MHz


Test Mode : 5G NR n71_TX Mid CH_20MHz

Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	1328.500	51.60	-6.84	44.76	82.30	-37.54	peak	
2	1990.000	45.84	-3.00	42.84	82.30	-39.46	peak	


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	1990.000	44.26	-3.00	41.26	82.30	-41.04	peak	
2 *	3317.500	43.38	0.03	43.41	82.30	-38.89	peak	


Test Mode : DC_66A_n30A_TX Mid CH_10MHz

Vertical



Test Mode : DC_66A_n30A_TX Mid CH_10MHz

Horizontal



Test Mode : DC_66A_n30A_TX Mid CH_10MHz

Vertical




Test Mode : DC_66A_n30A_TX Mid CH_10MHz

Horizontal



Test Mode : DC_2A_n41A_TX Mid CH_20MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	7120.000	36.35	10.23	46.58	70.30	-23.72	peak	

Test Mode : DC_2A_n41A_TX Mid CH_20MHz


Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	6601.500	37.37	8.90	46.27	70.30	-24.03	peak	
2 *	8701.000	37.81	10.59	48.40	70.30	-21.90	peak	

Test Mode : DC_2A_n41A_TX Mid CH_20MHz


Vertical



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20745.500	53.49	-0.25	53.24	70.30	-17.06	peak	

Test Mode : DC_2A_n41A_TX Mid CH_20MHz

Horizontal



No. Mks	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	20307.750	54.61	-0.63	53.98	70.30	-16.32	peak	

Test Mode : DC_2A_n41A_TX Mid CH_100MHz

Vertical



Test Mode : DC_2A_n41A_TX Mid CH_100MHz

Horizontal




Test Mode : DC_2A_n41A_TX Mid CH_100MHz

Vertical



Test Mode : DC_2A_n41A_TX Mid CH_100MHz

Horizontal



Test Mode : DC_30A_n66A_TX Mid CH_5MHz

Test Mode : DC_30A_n66A_TX Mid CH_5MHz

Vertical




Horizontal




Test Mode : DC_30A_n66A_TX Mid CH_5MHz

Test Mode : DC_30A_n66A_TX Mid CH_5MHz

Vertical




Horizontal



Test Mode : DC_30A_n66A_TX Mid CH_30MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	5190.500	42.39	5.40	47.79	55.30	-7.51	peak	

Test Mode : DC_30A_n66A_TX Mid CH_30MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	17549.500	39.60	14.49	54.09	55.30	-1.21	peak	

Test Mode : DC_30A_n66A_TX Mid CH_30MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	19751.000	54.87	-1.00	53.87	55.30	-1.43	peak	

Test Mode : DC_30A_n66A_TX Mid CH_30MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	22704.750	52.48	0.70	53.18	55.30	-2.12	peak	

Test Mode : DC_66A_n71A_TX Mid CH_5MHz

Test Mode : DC_66A_n71A_TX Mid CH_5MHz

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	7009.500	36.82	10.19	47.01	82.30	-35.29	peak	

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	10562.500	37.23	10.85	48.08	82.30	-34.22	peak	

Test Mode : DC_66A_n71A_TX Mid CH_20MHz


Test Mode : DC_66A_n71A_TX Mid CH_20MHz

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1 *	7069.000	38.13	10.21	48.34	82.30	-33.96	peak	

Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBμV	dB	dBμV/m	dBμV/m	dB	Detector	Comment
1	3737.000	39.84	2.50	42.34	82.30	-39.96	peak	
2 *	10503.000	37.59	10.85	48.44	82.30	-33.86	peak	

APPENDIX G - BAND EDGE



NR n7_15M_DFT-s-OFDM PI/2 BPSK Spectrum Plot

Edge 1RB Left



Edge 1RB Right

Channel

Low

Channel

High





Outer Full

Channel

Low

Channel

High



NR n7_20M_DFT-s-OFDM PI/2 BPSK Spectrum Plot

Edge 1RB Left



Edge 1RB Right

Channel

Low

Channel

High





Outer Full

Channel

Low

Channel

High



NR n12_5M_DFT-s-OFDM PI/2 BPSK Spectrum Plot

Edge 1RB Left



Edge 1RB Right

Channel

Low

Channel

High





Outer Full


Channel


Low

Channel

High







NR n30_10M_DFT-s-OFDM PI/2 BPSK Spectrum Plot

Edge 1RB Left



Edge 1RB Right

Channel

Mid

Channel

Mid



Outer Full

Channel

Mid

