

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594 Email: ee.shenzhen@sgs.com

Report No.: SZEM160500384302 Page: 1 of 371

### **FCC REPORT**

Application No:	SZEM1605003843CR
Applicant:	SmartLabs LLC
Manufacturer:	SmartLabs LLC
Factory:	Sichuan Changhong Network Technologies Co., Ltd.
	Shenzhen Giec Digital Co., Ltd
Product Name:	IPTV Set-Top Box
Model No.(EUT):	SML-5112W
Trade Mark:	SmartLabs
FCC ID:	2AIBUSML5112W
Standards:	47 CFR Part 15, Subpart E (2015)
Date of Receipt:	2016-06-01
Date of Test:	2016-06-07 to 2016-06-30
Date of Issue:	2016-07-07
Test Result:	PASS *

.\* In the configuration tested, the EUT complied with the standards specified above.

#### Authorized Signature:



#### Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM160500384302 Page: 2 of 371

### 2 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
00		2016-07-07		Original

Authorized for issue by:		
Tested By	Hank yan.	2016-06-07
	(Hank Yan) /Project Engineer	Date
Prepared By	Joyce Shi	2016-07-07
	(Joyce Shi) /Clerk	Date
Checked By	Eric Fu	2016-07-07
	(Eric Fu) /Reviewer	Date



Report No.: SZEM160500384302 Page: 3 of 371

### 3 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15 Section 15.203	ANSI C63.10: 2013	PASS
AC Power Line Conducted Emission	47 CFR Part 15 Section 15.407(b)	ANSI C63.10: 2013	PASS
Conducted Output Power	47 CFR Part 15 Section 15.407(a)	ANSI C63.10: 2013	PASS
Equivalent Isotropic Radiated Power (e.i.r.p.)	47 CFR Part 15 Section 15.407(a)	ANSI C63.10: 2013	PASS
6dB Occupied Bandwidth	47 CFR Part 15 Section 15.407(e)	ANSI C63.10: 2013	PASS
26 dB Emission Bandwidth & 99% Occupied Bandwidth	47 CFR Part 15 Section 15.407(a)	ANSI C63.10: 2013	PASS
Power Spectral Density	47 CFR Part 15 Section 15.407(a)	ANSI C63.10: 2013	PASS
Radiated Spurious Emissions	47 CFR Part 15 Section 15.407(b)	ANSI C63.10: 2013	PASS
Restricted bands around fundamental frequency (Radiated Emission)	fundamental frequency		PASS
Frequency Stability47 CFR Part 15 Section 15.407(g)		ANSI C63.10: 2013	PASS



Report No.: SZEM160500384302 Page: 4 of 371

### 4 Contents

1	COVER PAGE	1
2	VERSION	2
3	TEST SUMMARY	3
4	CONTENTS	4
5		
	<ul> <li>5.1 CLIENT INFORMATION</li></ul>	5 
6	5.10 EQUIPMENT LIST	
	<ul> <li>6.1 ANTENNA REQUIREMENT.</li> <li>6.2 CONDUCTED EMISSIONS</li></ul>	13 17 22 26 86 
7	PHOTOGRAPHS - EUT TEST SETUP	
	<ul> <li>7.1 CONDUCTED EMISSION</li></ul>	
8	PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS	



Report No.: SZEM160500384302 Page: 5 of 371

### 5 General Information

### 5.1 Client Information

Applicant:	SmartLabs LLC		
Address of Applicant:	3, Sherbakovskaya str, Moscow, Russia, 105318		
Manufacturer:	SmartLabs LLC		
Address of Manufacturer:	3, Sherbakovskaya str, Moscow, Russia, 105318		
Factory:	Sichuan Changhong Network Technologies Co., Ltd.		
	Shenzhen Giec Digital Co., Ltd		
Address of Factory:	Science and Technology Park, Mianyang City, Sichuan Province, China		
	No.1 Building , Factory, No.7 District, Dayang Development Areas, Fuyong Street, Baoan, Shenzhen, China		

### 5.2 General Description of EUT

Product Name:	IPTV Set-Top Box			
Model No.:	SML-5112	SML-5112W		
Trade Mark:	SmartLabs			
Operation Frequency:	Band	Mode	Frequency Range(MHz)	Number of channels
	UNII	IEEE 802.11a	5180-5240	4
	Band I	IEEE 802.11n 20MHz	5180-5240	4
		IEEE 802.11n 40MHz	5190-5230	2
		IEEE 802.11ac 20MHz	5180-5240	4
		IEEE 802.11ac 40MHz	5190-5230	2
		IEEE 802.11ac 80MHz	5210	1
	UNII Band II-A	IEEE 802.11a	5260-5320	4
		IEEE 802.11n 20MHz	5260-5320	4
		IEEE 802.11n 40MHz	5270-5310	2
		IEEE 802.11ac 20MHz	5260-5320	4
		IEEE 802.11ac 40MHz	5270-5310	2
		IEEE 802.11ac 80MHz	5290	1
	UNII	IEEE 802.11a	5500-5700	11
	Band II-C	IEEE 802.11n 20MHz	5500-5700	11
		IEEE 802.11n 40MHz	5510-5670	5
		IEEE 802.11ac 20MHz	5500-5700	11
		IEEE 802.11ac 40MHz	5510-5670	5
		IEEE 802.11ac 80MHz	5530-5610	2
	UNII	IEEE 802.11a	5745-5825	5
	Band III	IEEE 802.11n 20MHz	5745-5825	5



Report No.: SZEM160500384302 Page: 6 of 371

		r age.	001071	
		IEEE 802.11n 40MHz	5755-5795	2
		IEEE 802.11ac 20MHz	5745-5825	5
		IEEE 802.11ac 40MHz	5755-5795	2
		IEEE 802.11ac 80MHz	5775	1
Type of Modulation:	IEEE 802.1	1a: OFDM(BPSK/QPSK/16	QAM/64QAM)	
	IEEE 802.1	1n: OFDM(BPSK/QPSK/16	QAM/64QAM)	
	IEEE 802.11ac: OFDM (BPSK/QPSK/16QAM/64QAM/256QAM)			
Sample Type:	Mobile Device			
Test software of EUT:	sml_bcm7251s			
Value of Power setting:	19			
Antenna Type and Gain:	Integral: 4dBi			
	MIMO 4x4			
Power Supply:	Model:SAW30-120-2500U			
	Input: AC 100-240V, 50/60Hz, 0.8A			
	Output: DC	12V, 2.5A		

#### Note:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency Range of Operation Operating Frequency Range (in each Band)	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

#### For UNII Band I:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5180
	The Middle channel	5220
	The Highest channel	5240
IEEE 802.11n/ac 40MHz	The Lowest channel	5190
	The Highest channel	5230
IEEE 802.11n/ac 80MHz	The Middle channel	5210

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160500384302 Page: 7 of 371

#### For UNII Band II-A:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5260
	The Middle channel	5280
	The Highest channel	5320
IEEE 802.11n/ac 40MHz	The Lowest channel	5270
	The Highest channel	5310
IEEE 802.11n/ac 80MHz	The Middle channel	5290

#### For UNII Band II-C:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5500
	The Middle channel	5580
	The Highest channel	5700
IEEE 802.11n/ac 40MHz	The Lowest channel	5510
	The Middle channel	5550
	The Highest channel	5670
IEEE 802.11n/ac 80MHz	The Lowest channel	5530
	The Highest channel	5610

#### For UNII Band III:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac 20MHz	The Lowest channel	5745
	The Middle channel	5785
	The Highest channel	5825
IEEE 802.11n/ac 40MHz	The Lowest channel	5755
	The Highest channel	5795
IEEE 802.11n/ac 80MHz	The Middle channel	5775



Report No.: SZEM160500384302 Page: 8 of 371

### 5.3 Test Environment and Mode

Operating Environment:	
Temperature:	24.0 °C
Humidity:	52 % RH
Atmospheric Pressure:	1008 mbar
Test mode:	
Transmitting mode:	Keep the EUT in transmitting mode with all kind of modulation and all kind of data rate.

### 5.4 Description of Support Units

The EUT has been tested with associated equipment below.

Description	Manufacturer	Model No.
Television	MITSUBISHI	AX025

### 5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594 No tests were sub-contracted.



Report No.: SZEM160500384302 Page: 9 of 371

### 5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

### • A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

### • VCCI

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

### • FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

### Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

### 5.7 Deviation from Standards

None.

### 5.8 Abnormalities from Standard Conditions

None.

### 5.9 Other Information Requested by the Customer

None.



Report No.: SZEM160500384302 Page: 10 of 371

### 5.10 Equipment List

	RE in Chamber						
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)	
1	3m Semi-Anechoic Chamber	ETS-Lindgren	N/A	SEM001-01	2016-05-13	2017-05-13	
2	Spectrum Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2016-04-25	2017-04-25	
3	BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-02	2014-11-15	2017-11-15	
4	Double-ridged horn (1-18GHz)	ETS-Lindgren	3117	SEM003-11	2015-10-17	2018-10-17	
5	Horn Antenna (18-26GHz)	ETS-Lindgren	3160	SEM003-12	2014-11-24	2017-11-24	
6	Horn Antenna(26GHz- 40GHz)	A.H.Systems, inc.	SAS-573	SEM003-13	2015-02-12	2018-02-12	
7	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEM005-01	2016-04-25	2017-04-25	
8	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEM004-10	2015-10-17	2016-10-17	
9	Pre-amplifier(26GHz- 40GHz)	Compliance Directions Systems Inc.	PAP-2640- 50	SEM005-08	2016-02-12	2017-02-12	
10	DC Power Supply	Zhao Xin	RXN-305D	SEM011-02	2015-10-09	2016-10-09	
11	Loop Antenna	Beijing Daze	ZN30401	SEM003-09	2015-05-13	2018-05-13	



Report No.: SZEM160500384302 Page: 11 of 371

	RE in Chamber					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2016-05-13	2017-05-13
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEM004-04	2016-04-25	2017-04-25
3	BiConiLog Antenna (26-3000MHz)	ETS- Lindgren	3142C	SEM003-02	2014-11-15	2017-11-15
4	Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2015-10-09	2016-10-09
5	Horn Antenna (1-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2015-06-14	2018-06-14
6	Low Noise Amplifier	Black Diamond Series	BDLNA- 0118- 352810	SEM005-05	2015-10-09	2016-10-09
7	Band filter	Amindeon	Asi 3314	SEM023-01	N/A	N/A

	RF connected test								
ltem	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)			
1	DC Power Supply	ZhaoXin	RXN-305D	SEM011-02	2015-10-09	2016-10-09			
2	Spectrum Analyzer	Rohde & Schwarz	FSP	SEM004-06	2015-10-17	2016-10-17			
3	Signal Generator	Rohde & Schwarz	SML03	SEM006-02	2016-04-25	2017-04-25			
4	Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2015-10-09	2016-10-09			





Report No.: SZEM160500384302 Page: 12 of 371

### 6 Test results and Measurement Data

### 6.1 Antenna Requirement

Test Requirement:	47 CFR Part 15 Section 15.203
EUT Antenna:	
_	ted antenna and no consideration of replacement. The best case gain
of the antenna is 4dBi	
The product uses spa G <sub>ANT</sub> = 4dBi	tial multiplexing technique. According to KDB 662911, the Directional Gain =



Report No.: SZEM160500384302 Page: 13 of 371

Test Requirement:	47 CFR Part 15 Section 15.407(b)					
Test Method:	ANSI C63.10: 2013					
Test Frequency Range:	150kHz to 30MHz					
Limit:		Limit (c	Limit (dBuV)			
	Frequency range (MHz)	Quasi-peak	Average			
	0.15-0.5	66 to 56*	56 to 46*			
	0.5-5	56	46			
	5-30	60	50			
	* Decreases with the logarithn	n of the frequency.		-		
Test Procedure:	<ol> <li>The mains terminal disturbution.</li> <li>The EUT was connected to Impedance Stabilization N impedance. The power call connected to a second reference plane in the same way as to multiple socket outlet stription a single LISN provided the rational ground reference plane. An placed on the horizontal gription of the EUT shall be 0.4 m to vertical ground reference plane. The tast was performed with of the EUT shall be 0.4 m to vertical ground reference plane. In order to find the maximute equipment and all of the im ANSI C63.10: 2013 on cor</li> </ol>	AC power source thro etwork) which provides oles of all other units of LISN 2, which was the LISN 1 for the unit h was used to connect ating of the LISN was n ced upon a non-metallin nd for floor-standing ar round reference plane, th a vertical ground reference plane was bonded to th 1 was placed 0.8 m fro to a ground reference und reference plane. The of the LISN 1 and the quipment was at least ( um emission, the relative terface cables must be	bugh a LISN 1 (Line a $50\Omega/50\mu$ H + $5\Omega$ li the EUT were bonded to the gr being measured. A multiple power cable to exceeded. c table 0.8m above t rangement, the EUT erence plane. The re d reference plane. The re d reference plane. The e horizontal ground om the boundary of the plane for LISNs his distance was EUT. All other units 0.8 m from the LISN re positions of	inear ound es to he was ear he the the 2.		

### 6.2 Conducted Emissions



Report No.: SZEM160500384302 Page: 14 of 371

Test Setup:	Shielding Room         EUT       AE         Image: AC Mains       Image: Ac Mains         Image: Ac Mains       Image: Ac Mains<				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates at lowest, middle and highest channel.				
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate of 802.11a at lowest channel is the worst case. Only the worst case is recorded in the report.				
Instruments Used:	Refer to section 5.10 for details				
Test Results:	Pass				

#### **Measurement Data**


An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Report No.: SZEM160500384302 Page: 15 of 371

Live Line:




Site	: Shielding Room
Condition	: CE LINE
Job No.	: 3843CR
Test Mode	: TX

			G		<b>D</b>				
			Cable				Limit	Over	
		Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	-	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1		0.15649	0.02	9.59	45.74	55.35	65.65	-10.30	QP
2		0.15649	0.02	9.59	32.73	42.34	55.65	-13.30	AVERAGE
3		0.24165	0.02	9.60	38.74	48.36	62.04	-13.68	QP
4		0.24165	0.02	9.60	26.62	36.24	52.04	-15.79	AVERAGE
5		0.40831	0.02	9.60	37.46	47.08	57.68	-10.61	QP
6		0.40831	0.02	9.60	24.84	34.46	47.68	-13.22	AVERAGE
7		0.43974	0.02	9.60	38.67	48.29	57.07	-8.78	QP
8		0.43974	0.02	9.60	25.86	35.48	47.07	-11.59	AVERAGE
9		0.58231	0.02	9.61	30.49	40.12	56.00	-15.88	QP
10		0.58231	0.02	9.61	18.60	28.23	46.00	-17.77	AVERAGE
11		1.111	0.03	9.62	21.71	31.35	56.00	-24.65	QP
12		1.111	0.03	9.62	8.13	17.78	46.00	-28.22	AVERAGE



Report No.: SZEM160500384302 Page: 16 of 371



Notes:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM160500384302 Page: 17 of 371

### 6.3 Conducted Output Power

Test Requirement:	47 CFR Part 15 Section 15.407(a)				
Test Method:	ANSI C63.10: 2013				
Test Setup:	Power Meter E.U.T Non-Conducted Table Ground Reference Plane Remark:				
Test Instruments:	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. Refer to section 5.10 for details				
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates				
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report.				
Limit:	Frequency Band	Limit			
	5150-5250MHz	Not exceed 250mW(24dBm)			
	5250-5350MHz	The lesser of 250mW(24dBm) or 11+ 10logB			
	5470-5725MHz	The lesser of 250mW(24dBm) or 11+ 10logB			
	Not exceed 1W(30dBm)				
	*Where B is the 26dB emission bandwidth in MHz				
Test Results:	Pass				



Report No.: SZEM160500384302 Page: 18 of 371

Mode		802.11a											
Data Rate (Mbps)	6	9		12	1	8	2	24		36		48	54
Power (dBm)	1.57	1.49	9 1	.44	1.	32	1.	18	-	1.09	)	0.95	0.86
Mode		802.11n(HT20)											
Data Rate (Mbps)	6.5	6.5         13         19.5         26         39         52         58.5         65											
Power (dBm)	1.52	1.52 1.39 1.26 1.15 1.07 0.98 0.87 0.76							0.76				
Mode					80	)2.11r	ו(HT	40)					
Data Rate (Mbps)	13.5	13.5 27 40.5 54 81 108 121.5 135							135				
Power (dBm)	1.48	1.48 1.33 1.26 1.11 0.98 0.87 0.76						0.76	0.69				
Mode		802.11ac(HT20)											
Data Rate (Mbps)	6.5	13	19.5	5	26	3	9	Į	52	5	8.5	65	78
Power (dBm)	1.53	1.42	1.28	3 1	.20	1.	14	1	.01	0	.89	0.82	0.73
Mode					80	2.11a	c(HT	40)					
Data Rate (Mbps)	13.5	27	40.5	54		81	10	8	121.	5	135	162	180
Power (dBm)	1.69	1.61	1.46	1.35	5 1	.28	1.1	9	1.11		0.97	0.91	0.79
Mode					80	2.11a	c(HT	80)					
Data Rate (Mbps)	29.3	58.5	87.8	117	1	75.5	23	4	263.	3	292.5	351	390
Power (dBm)	1.90	1.81	1.70	1.63	8   1	.49	1.4	0	1.32	2	1.27	1.13	1.02
Through Pre-scan, 6Mbps of rate is the worst case of 802.11a; 6.5Mbps of rate is the worst case of 02.11n(HT20) and 802.11ac(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40) and 02.11ac(HT40); 29.3Mbps of rate is the worst case of 802.11ac(HT80).													



Report No.: SZEM160500384302 Page: 19 of 371

#### **Measurement Data:**

#### 6.3.1.1 802.11a mode

Frequency	Co	onducted Out	put Power (d	lBm)	Limit (dPm)	Result
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Limit (dBm)	nesuit
5180.00	1.57	4.27	4.70	5.81	24.00	Pass
5200.00	1.95	4.32	4.61	5.88	24.00	Pass
5240.00	2.20	4.20	4.36	6.22	24.00	Pass
5260.00	12.60	5.24	4.92	6.63	24.00	Pass
5300.00	12.35	4.66	4.08	5.96	24.00	Pass
5320.00	12.15	4.03	3.65	5.64	24.00	Pass
5500.00	1.00	3.44	3.16	4.04	24.00	Pass
5600.00	1.63	4.99	4.66	4.35	24.00	Pass
5700.00	2.90	6.41	6.20	5.35	24.00	Pass
5745.00	3.17	6.52	6.94	5.32	30.00	Pass
5785.00	2.98	6.24	6.89	5.40	30.00	Pass
5825.00	3.21	6.03	6.74	5.68	30.00	Pass

			802.11 n	20 mode			
Frequency		Conduct	Limit	Result			
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	nesuit
5180.00	1.52	4.35	4.88	5.83	10.43	24.00	Pass
5200.00	1.67	4.31	4.62	5.94	10.41	24.00	Pass
5240.00	1.96	4.24	4.12	6.22	10.41	24.00	Pass
5260.00	12.48	4.94	4.85	6.43	14.51	24.00	Pass
5300.00	12.21	4.43	3.49	5.88	14.07	24.00	Pass
5320.00	11.98	4.16	3.09	5.56	13.81	24.00	Pass
5500.00	1.25	3.58	3.21	4.28	9.24	24.00	Pass
5600.00	2.01	4.86	3.97	4.40	9.96	24.00	Pass
5700.00	2.97	6.33	5.51	5.77	11.34	24.00	Pass
5745.00	3.01	6.40	6.74	5.30	11.61	30.00	Pass
5785.00	2.87	6.05	6.71	5.64	11.56	30.00	Pass
5825.00	2.83	5.83	6.65	5.64	11.47	30.00	Pass



Report No.: SZEM160500384302 Page: 20 of 371

			802.11ac	20 mode			
Frequency		Conducte	Limit	Result			
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	ricouit
5180.00	1.53	4.53	4.83	6.05	10.54	24.00	Pass
5200.00	1.64	4.38	4.61	6.14	10.49	24.00	Pass
5240.00	1.95	4.30	4.41	6.39	10.56	24.00	Pass
5260.00	12.27	5.13	4.93	6.47	14.42	24.00	Pass
5300.00	12.13	4.54	3.58	5.98	14.05	24.00	Pass
5320.00	11.93	4.19	3.23	5.67	13.80	24.00	Pass
5500.00	1.40	3.60	3.60	4.24	9.35	24.00	Pass
5600.00	1.90	4.95	4.09	4.49	10.02	24.00	Pass
5700.00	3.11	6.39	5.69	5.74	11.42	24.00	Pass
5745.00	2.81	6.31	6.80	5.49	11.62	30.00	Pass
5785.00	2.66	6.01	6.81	5.38	11.49	30.00	Pass
5825.00	3.01	5.77	6.73	5.71	11.53	30.00	Pass

			802.11 n	40 mode			
Frequency		Conducte	ed Output Po	wer (dBm)		Limit	Result
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	Result
5190.00	1.48	4.27	4.46	5.77	10.27	24.00	Pass
5230.00	1.82	4.22	4.24	6.03	10.34	24.00	Pass
5270.00	12.26	4.83	4.49	6.17	14.28	24.00	Pass
5310.00	11.95	4.10	3.14	5.58	13.79	24.00	Pass
5510.00	1.33	3.55	3.22	4.00	9.16	24.00	Pass
5590.00	1.98	4.67	3.74	4.17	9.77	24.00	Pass
5670.00	2.81	5.72	5.60	4.69	10.87	24.00	Pass
5755.00	2.54	6.08	6.41	5.47	11.38	30.00	Pass
5795.00	2.56	5.78	6.42	5.48	11.30	30.00	Pass



Report No.: SZEM160500384302 Page: 21 of 371

			802.11ac	40 mode			
Frequency		Conducte	ed Output Por	wer (dBm)		Limit	Result
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	nesuit
5190.00	1.69	4.27	4.63	5.76	10.34	24.00	Pass
5230.00	1.78	4.21	4.22	6.05	10.34	24.00	Pass
5270.00	12.24	4.76	3.86	6.14	14.20	24.00	Pass
5310.00	11.97	4.10	3.05	5.72	13.81	24.00	Pass
5510.00	1.39	3.57	3.29	4.08	9.21	24.00	Pass
5590.00	2.02	4.69	3.75	4.22	9.80	24.00	Pass
5670.00	2.83	5.74	5.60	4.73	10.89	24.00	Pass
5755.00	3.17	6.07	6.59	5.43	11.51	30.00	Pass
5795.00	3.12	5.80	6.41	5.42	11.37	30.00	Pass

	802.11ac 80 mode											
Frequency		Conducte	ed Output Po	wer (dBm)		Limit	Decult					
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	Result					
5210.00	1.90	4.53	4.27	6.31	10.54	24.00	Pass					
5290.00	12.41	7.71	4.39	6.41	14.83	24.00	Pass					
5530.00	1.83	3.87	3.75	4.25	9.54	24.00	Pass					
5610.00	2.09	5.13	4.74	4.67	10.33	24.00	Pass					
5775.00	3.15	6.19	6.97	5.67	11.73	30.00	Pass					



Report No.: SZEM160500384302 Page: 22 of 371

### 6.4 Equivalent Isotropic Radiated Power (e.i.r.p.)

Test Requirement:	47 CFR Part 15 Sect	ion 15.407(a)
Test Method:	ANSI C63.10: 2013	
Test Setup:	Gr Remark:	ilyzer E.U.T fon-Conducted Table ound Reference Plane
Test Instruments:	Refer to section 5.10	
Exploratory Test Mode:		ind of modulations, data rates
Final Test Mode:	MCS0 of rate is the v case of 802.11n(HT4 MCS0 of rate is the w case of 802.11ac(HT	id the 6Mbps of rate is the worst case of 802.11a; worst case of 802.11n(HT20); MCS0 of rate is the worst 0); MCS0 of rate is the worst case of 802.11ac(HT20); worst case of 802.11ac(HT40); MCS0 of rate is the worst 80) s recorded in the report.
Limit:	Frequency Band	Limit
	5150-5250MHz	1W(30dBm) with 6dBi antenna
	5250-5350MHz	1W(30dBm) with 6dBi antenna
	5470-5725MHz	1W(30dBm) with 6dBi antenna
	5725-5850MHz	4W(36dBm) with 6dBi antenna
	*The limit =the maxim	um output conducted power limit+ actual antenna gain
Test Results:	Pass	



Report No.: SZEM160500384302 Page: 23 of 371

#### **Measurement Data:**

Frequency		EIRF	o (dBm)		Limit (dDm)	Deput
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Limit (dBm)	Result
5180.00	5.57	8.27	8.70	9.81	30.00	Pass
5200.00	5.95	8.32	8.61	9.88	30.00	Pass
5240.00	6.20	8.20	8.36	10.22	30.00	Pass
5260.00	16.60	9.24	8.92	10.63	30.00	Pass
5300.00	16.35	8.66	8.08	9.96	30.00	Pass
5320.00	16.15	8.03	7.65	9.64	30.00	Pass
5500.00	5.00	7.44	7.16	8.04	30.00	Pass
5600.00	5.63	8.99	8.66	8.35	30.00	Pass
5700.00	6.90	10.41	10.20	9.35	30.00	Pass
5745.00	7.17	10.52	10.94	9.32	36.00	Pass
5785.00	6.98	10.24	10.89	9.40	36.00	Pass
5825.00	7.21	10.03	10.74	9.68	36.00	Pass

			802.11 n	20 mode			
Frequency			Limit (dPm)	Result			
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	Limit (dBm)	nesuit
5180.00	5.52	8.35	8.88	9.83	14.43	30.00	Pass
5200.00	5.67	8.31	8.62	9.94	14.41	30.00	Pass
5240.00	5.96	8.24	8.12	10.22	14.41	30.00	Pass
5260.00	16.48	8.94	8.85	10.43	18.51	30.00	Pass
5300.00	16.21	8.43	7.49	9.88	18.07	30.00	Pass
5320.00	15.98	8.16	7.09	9.56	17.81	30.00	Pass
5500.00	5.25	7.58	7.21	8.28	13.24	30.00	Pass
5600.00	6.01	8.86	7.97	8.4	13.96	30.00	Pass
5700.00	6.97	10.33	9.51	9.77	15.34	30.00	Pass
5745.00	7.01	10.4	10.74	9.3	15.61	36.00	Pass
5785.00	6.87	10.05	10.71	9.64	15.56	36.00	Pass
5825.00	6.83	9.83	10.65	9.64	15.47	36.00	Pass



Report No.: SZEM160500384302 Page: 24 of 371

			802.11ac	20 mode			
Frequency			Limit	Result			
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	nesuit
5180.00	5.53	8.53	8.83	10.05	14.54	30.00	Pass
5200.00	5.64	8.38	8.61	10.14	14.49	30.00	Pass
5240.00	5.95	8.3	8.41	10.39	14.56	30.00	Pass
5260.00	16.27	9.13	8.93	10.47	18.42	30.00	Pass
5300.00	16.13	8.54	7.58	9.98	18.05	30.00	Pass
5320.00	15.93	8.19	7.23	9.67	17.80	30.00	Pass
5500.00	5.4	7.6	7.6	8.24	13.35	30.00	Pass
5600.00	5.9	8.95	8.09	8.49	14.02	30.00	Pass
5700.00	7.11	10.39	9.69	9.74	15.42	30.00	Pass
5745.00	6.81	10.31	10.8	9.49	15.62	36.00	Pass
5785.00	6.66	10.01	10.81	9.38	15.49	36.00	Pass
5825.00	7.01	9.77	10.73	9.71	15.53	36.00	Pass

			802.11 n	40 mode			
Frequency			EIRP (dBm)			Limit	Result
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	nesuit
5190.00	5.48	8.27	8.46	9.77	14.27	30.00	Pass
5230.00	5.82	8.22	8.24	10.03	14.34	30.00	Pass
5270.00	16.26	8.83	8.49	10.17	18.28	30.00	Pass
5310.00	15.95	8.1	7.14	9.58	17.79	30.00	Pass
5510.00	5.33	7.55	7.22	8	13.16	30.00	Pass
5590.00	5.98	8.67	7.74	8.17	13.77	30.00	Pass
5670.00	6.81	9.72	9.6	8.69	14.87	30.00	Pass
5755.00	6.54	10.08	10.41	9.47	15.38	36.00	Pass
5795.00	6.56	9.78	10.42	9.48	15.30	36.00	Pass





#### Report No.: SZEM160500384302 Page: 25 of 371

802.11ac 40 mode							
Frequency	EIRP (dBm)					Limit	Deput
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	Result
5190.00	5.69	8.27	8.63	9.76	14.34	30.00	Pass
5230.00	5.78	8.21	8.22	10.05	14.34	30.00	Pass
5270.00	16.24	8.76	7.86	10.14	18.20	30.00	Pass
5310.00	15.97	8.1	7.05	9.72	17.81	30.00	Pass
5510.00	5.39	7.57	7.29	8.08	13.21	30.00	Pass
5590.00	6.02	8.69	7.75	8.22	13.80	30.00	Pass
5670.00	6.83	9.74	9.6	8.73	14.89	30.00	Pass
5755.00	7.17	10.07	10.59	9.43	15.51	36.00	Pass
5795.00	7.12	9.8	10.41	9.42	15.37	36.00	Pass

	802.11ac 80 mode						
Frequency	EIRP (dBm)				Limit	Deput	
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	(dBm)	Result
5210.00	5.9	8.53	8.27	10.31	14.54	30.00	Pass
5290.00	16.41	11.71	8.39	10.41	18.83	30.00	Pass
5530.00	5.83	7.87	7.75	8.25	13.54	30.00	Pass
5610.00	6.09	9.13	8.74	8.67	14.33	30.00	Pass
5775.00	7.15	10.19	10.97	9.67	15.73	36.00	Pass



Report No.: SZEM160500384302 Page: 26 of 371

### 6.5 26dB Emission Bandwidth and 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15 Section 15.407(a)		
Test Method:	ANSI C63.10: 2013		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Instruments Used:	Refer to section 5.10 for details		
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates		
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report.		
Limit:	No restriction limits		
Test Results:	Pass		

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160500384302 Page: 27 of 371

#### **Measurement Data:**

802.11a mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5180	23.654	16.920			
5200	23.512	16.920			
5240	23.462	16.890			
5260	24.359	17.100			
5300	24.615	17.070			
5320	24.295	17.070			
5500	24.760	17.100			
5600	24.741	17.100			
5700	24.532	17.130			
5745		16.740			
5785		16.770			
5825		16.770			

802.11n20 mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5180	26.090	18.450			
5200	25.705	18.420			
5240	25.876	18.420			
5260	24.355	18.060			
5300	24.227	18.060			
5320	24.467	18.060			
5500	24.508	18.090			
5600	24.560	18.090			
5700	24.551	18.060			
5745		18.150			
5785		18.150			
5825		18.120			



Report No.: SZEM160500384302 Page: 28 of 371

802.11ac20 mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5180	26.076	18.390			
5200	25.833	18.360			
5240	25.909	18.390			
5260	24.595	18.060			
5300	24.295	18.060			
5320	24.636	18.030			
5500	24.868	18.060			
5600	24.800	18.060			
5700	24.668	18.060			
5745		18.240			
5785		18.270			
5825		18.240			

802.11n40 mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5190	42.562	36.240			
5230	42.690	36.300			
5270	42.179	36.240			
5310	42.051	36.300			
5510	42.658	36.240			
5590	42.530	36.240			
5670	42.530	36.300			
5755		36.300			
5795		36.300			

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160500384302 Page: 29 of 371

802.11 ac40 mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5190	42.850	36.300			
5230	42.690	36.300			
5270	42.320	36.240			
5310	42.480	36.300			
5510	42.690	36.240			
5590	42.480	36.240			
5670	42.562	36.300			
5755		36.300			
5795		36.300			

802.11ac 80 mode					
Frequency (MHz)	26dB Emission Bandwidth (MHz)	99% Occupied Bandwidth (MHz)			
5210.00	83.590	75.360			
5290.00	83.077	75.360			
5530.00	84.291	75.360			
5610.00	83.778	75.360			
5775.00		75.360			


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM160500384302 Page: 30 of 371

### 26dB Emission Bandwidth

Test plot as follows:			
Test mode:	802.11a	Frequency(MHz):	5180
€	Ref     20     dB       20     Offeet     1.2       10     0       -10     0       -10     0       -30     1       -30     1       -50     0       -60     0       -70     0	* RBW 300 kHz Delta 3 [T1] * VEW 1 MHz 0.10 dB SWT 20 ms 23.653846000 MH: Marker 1 [T1] -31.24 dB; 51.66333333 GH; Marker 2 [T1] -4.79 dB; 5.3055 103 CH; 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5
		HHZ/ Span 40 MH	
Test mode:	802.11a	Frequency(MHz):	5200
×	Ref 20 dBm Att 45 dB	*RBW 300 kHz Delta 3 [T1 ] *VBW 1 MHz 0.50 dB SWT 20 ms 23.514872000 MH:	










"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch












"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch







SGS-CSTC Standards Technical Services Ltd.








SGS-CSTC Standards Technical Services Ltd.














-80 Center 5.7 GHz 4 MHz/


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


### SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch


Span 40 MHz





Report No.: SZEM160500384302 Page: 40 of 371






































Test mode:	802.11n(HT40)	Frequency(MHz):	5310
------------	---------------	-----------------	------

















































#### Report No.: SZEM160500384302 Page: 55 of 371


#### 99% occupied bandwidth


#### Test plot as follows:










































































Report No.: SZEM160500384302 Page: 67 of 371




























































6 MHz/


Center 5.795 GHz


#### SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch


Span 60 MHz
















SGS-CSTC Standards Technical Services Ltd.

























Report No.: SZEM160500384302 Page: 86 of 371

#### 47 CFR Part 15 Section 15.407(e) Test Requirement: Test Method: ANSI C63.10: 2013 Test Setup: Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Instruments Used: Refer to section 5.10 for details Exploratory Test Mode: Transmitting with all kind of modulations, data rates Final Test Mode: Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report. Limit: **Frequency Band** Limit 5725-5850MHz At lease 500kHz Test Results: Pass

#### 6.6 6dB Emission Bandwidth



Report No.: SZEM160500384302 Page: 87 of 371

#### Measurement Data:

802.11a mode									
Frequency (MHz)	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result						
5745	16.410	≥500	Pass						
5785	16.410	≥500	Pass						
5825	16.410	≥500	Pass						

802.11n(HT20) mode									
Frequency (MHz)	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result						
5745	17.670	≥500	Pass						
5785	5785 17.670		Pass						
5825	17.670	≥500	Pass						

802.11ac20 mode								
Frequency (MHz)	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
5745	17.670	≥500	Pass					
5785	17.670	≥500	Pass					
5825	17.670	≥500	Pass					

802.11n(HT40) mode								
Frequency (MHz)	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
5755	36.480	≥500	Pass					
5795	36.480	≥500	Pass					


802.11ac40 mode								
Frequency (MHz)	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
5755	36.480	≥500	Pass					
5795	36.420	≥500	Pass					

802.11ac80 mode								
Frequency (MHz) 6dB Occupy Bandwidth (MHz) Limit (kHz)								
5755	75.480	≥500	Pass					




Report No.: SZEM160500384302 Page: 88 of 371

#### Test plot as follows:







Report No.: SZEM160500384302 Page: 89 of 371





Report No.: SZEM160500384302 Page: 90 of 371







3 MHz/

Span 30 MHz

Center 5.785 GHz


Report No.: SZEM160500384302 Page: 92 of 371









Report No.: SZEM160500384302







Report No.: SZEM160500384302







Report No.: SZEM160500384302 Page: 95 of 371

#### **Test Requirement:** 47 CFR Part 15 Section 15.407(a) Test Method: ANSI C63.10: 2013 Test Setup: Spectrum Analyzer E.U.T G Non-Conducted Table **Ground Reference Plane** Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer. **Test Instruments:** Refer to section 5.10 for details Exploratory Test Mode: Transmitting with all kind of modulations, data rates Final Test Mode: Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80) Only the worst case is recorded in the report. Limit: Frequency Band Limit 5150-5250MHz The power spectral density less than 11dBm/1MHz 5250-5350MHz The power spectral density less than 11dBm/1MHz 5470-5725MHz The power spectral density less than 11dBm/1MHz 5725-5850MHz The power spectral density less than 30dBm/500kHz Test Results: Pass

#### 6.7 Power Spectral Density



Report No.: SZEM160500384302 Page: 96 of 371

#### **Measurement Data:**

	802.11a mode									
Frequency		Power Spec	tral Density		L invalit	Deput				
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Limit	Result				
5180.00	-9.55	-7.14	-6.68	-5.54	11.00 dBm/1MHz	Pass				
5200.00	-9.37	-7.28	-6.82	-5.45	11.00 dBm/1MHz	Pass				
5240.00	-8.90	-7.30	-6.95	-5.12	11.00 dBm/1MHz	Pass				
5260.00	1.20	-6.25	-6.67	-4.98	11.00 dBm/1MHz	Pass				
5300.00	0.94	-6.77	-7.27	-5.38	11.00 dBm/1MHz	Pass				
5320.00	0.69	-7.41	-8.43	-5.73	11.00 dBm/1MHz	Pass				
5500.00	-10.36	-8.03	-8.03	-7.24	11.00 dBm/1MHz	Pass				
5600.00	-9.67	-6.39	-6.63	-7.12	11.00 dBm/1MHz	Pass				
5700.00	-8.46	-4.87	-5.01	-5.93	11.00 dBm/1MHz	Pass				
5745.00	-10.20	-6.51	-6.47	-7.82	30.00 dBm/500kHz	Pass				
5785.00	-10.01	-6.85	-6.35	-7.64	30.00 dBm/500kHz	Pass				
5825.00	-10.05	-6.99	-6.37	-7.33	30.00 dBm/500kHz	Pass				

	802.11 n20 mode									
Frequency		Powe	er Spectral De	ensity		1.1	Result			
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	Limit	nesuit			
5180.00	-9.95	-7.46	-6.85	-5.85	-1.27	11.00 dBm/1MHz	Pass			
5200.00	-9.82	-7.44	-7.01	-5.70	-1.23	11.00 dBm/1MHz	Pass			
5240.00	-9.34	-7.50	-7.37	-5.55	-1.21	11.00 dBm/1MHz	Pass			
5260.00	0.39	-6.79	-6.87	-5.48	2.53	11.00 dBm/1MHz	Pass			
5300.00	0.34	-7.29	-8.35	-5.83	2.24	11.00 dBm/1MHz	Pass			
5320.00	0.06	-7.41	-8.54	-6.24	1.97	11.00 dBm/1MHz	Pass			
5500.00	-10.65	-8.30	-8.64	-7.82	-2.71	11.00 dBm/1MHz	Pass			
5600.00	-9.79	-6.70	-7.71	-7.43	-1.75	11.00 dBm/1MHz	Pass			
5700.00	-8.91	-5.32	-6.22	-6.00	-0.40	11.00 dBm/1MHz	Pass			
5745.00	-10.74	-7.35	-6.87	-8.07	-2.01	30.00 dBm/500kHz	Pass			
5785.00	-10.80	-7.49	-7.16	-8.08	-2.15	30.00 dBm/500kHz	Pass			
5825.00	-10.75	-7.56	-7.32	-8.07	-2.21	30.00 dBm/500kHz	Pass			



Report No.: SZEM160500384302 Page: 97 of 371

	802.11ac 20 mode										
Frequency		Powe	er Spectral De	ensity		Limit	Result				
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	LIIIII	nesuit				
5180.00	-10.14	-7.23	-6.64	-5.43	-1.03	11.00 dBm/1MHz	Pass				
5200.00	-9.86	-7.29	-6.79	-5.29	-1.00	11.00 dBm/1MHz	Pass				
5240.00	-9.28	-7.33	-6.97	-5.00	-0.86	11.00 dBm/1MHz	Pass				
5260.00	0.40	-6.40	-6.70	-5.02	2.68	11.00 dBm/1MHz	Pass				
5300.00	0.37	-7.08	-7.96	-5.47	2.38	11.00 dBm/1MHz	Pass				
5320.00	0.16	-7.33	-8.32	-5.75	2.14	11.00 dBm/1MHz	Pass				
5500.00	-10.49	-8.18	-8.19	-7.51	-2.44	11.00 dBm/1MHz	Pass				
5600.00	-9.69	-6.68	-7.50	-6.90	-1.52	11.00 dBm/1MHz	Pass				
5700.00	-8.68	-5.14	-5.80	-5.81	-0.14	11.00 dBm/1MHz	Pass				
5745.00	-10.91	-7.36	-7.02	-8.11	-2.09	30.00 dBm/500kHz	Pass				
5785.00	-10.89	-7.75	-7.01	-8.16	-2.21	30.00 dBm/500kHz	Pass				
5825.00	-10.56	-8.09	-7.24	-7.92	-2.27	30.00 dBm/500kHz	Pass				

	802.11 n40 mode										
Frequency		Powe	er Spectral De	ensity	-	Limit	Result				
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	LIIIII	nesuit				
5190.00	-13.27	-10.57	-10.35	-8.95	-4.50	11.00 dBm/1MHz	Pass				
5230.00	-12.64	-10.66	-10.55	-8.66	-4.38	11.00 dBm/1MHz	Pass				
5270.00	-2.71	-10.16	-10.95	-8.43	-0.67	11.00 dBm/1MHz	Pass				
5310.00	-3.00	-10.60	-11.63	-8.78	-1.03	11.00 dBm/1MHz	Pass				
5510.00	-13.60	-11.13	-11.57	-10.91	-5.66	11.00 dBm/1MHz	Pass				
5590.00	-12.89	-10.10	-11.05	-10.34	-4.95	11.00 dBm/1MHz	Pass				
5670.00	-11.84	-8.88	-9.00	-9.86	-3.73	11.00 dBm/1MHz	Pass				
5755.00	-14.26	-10.57	-10.19	-11.15	-5.26	30.00 dBm/500kHz	Pass				
5795.00	-14.08	-10.89	-10.67	-11.19	-5.49	30.00 dBm/500kHz	Pass				



Report No.: SZEM160500384302 Page: 98 of 371

	802.11ac 40 mode										
Frequency		Powe	er Spectral De	ensity		Limit	Result				
(MHz)	Ant.1	Ant.2	Ant.3	Ant.4	Total	LIIIII	nesuit				
5190.00	-13.04	-10.52	-10.13	-8.75	-4.33	11.00 dBm/1MHz	Pass				
5230.00	-12.69	-10.55	-10.41	-8.52	-4.28	11.00 dBm/1MHz	Pass				
5270.00	-2.61	-9.89	-10.96	-8.75	-0.63	11.00 dBm/1MHz	Pass				
5310.00	-2.72	-10.42	-11.47	-8.88	-0.83	11.00 dBm/1MHz	Pass				
5510.00	-13.34	-11.09	-11.46	-10.72	-5.52	11.00 dBm/1MHz	Pass				
5590.00	-12.71	-9.92	-10.92	-10.08	-4.76	11.00 dBm/1MHz	Pass				
5670.00	-11.86	-8.69	-8.93	-9.84	-3.64	11.00 dBm/1MHz	Pass				
5755.00	-13.47	-10.42	-10.55	-10.98	-5.18	30.00 dBm/500kHz	Pass				
5795.00	-13.59	-10.75	-10.82	-11.08	-5.40	30.00 dBm/500kHz	Pass				


	802.11ac 80 mode										
Frequency		Powe	er Spectral De	ensity		Limit	Deput				
(MHz) Ant.1	Ant.1	Ant.2	Ant.3	Ant.4	Total	Limit	Result				
5210.00	-13.57	-12.61	-12.15	-10.48	-6.03	11.00 dBm/1MHz	Pass				
5290.00	-4.81	-12.01	-11.85	-9.82	-2.50	11.00 dBm/1MHz	Pass				
5530.00	-15.21	-12.98	-13.21	-12.41	-7.31	11.00 dBm/1MHz	Pass				
5610.00	-14.92	-11.67	-12.15	-12.02	-6.50	11.00 dBm/1MHz	Pass				
5775.00	-14.15	-10.68	-9.80	-11.04	-5.12	30.00 dBm/500kHz	Pass				



Report No.: SZEM160500384302 Page: 99 of 371

#### Test plot as follows:

#### Antenna 1





"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

3 MHz,

Span 30 MHz

Center 5.2 GHz





#### **Shenzhen Branch** Report No.: SZEM160500384302 Page: 101 of 371 802.11a Frequency(MHz): 5300 Test mode: Ż \* RBW 1 MHz Marker 1 [T1 ] 0.94 dBm 5.301680000 GHz ★ VBW 3 MHz SWT 20 ms 20 dBm Att 45 dB Ref 20 Offset dB 1 1 RM


Test mode: 802.11a Frequency(MHz): 5320 Ż \* RBW 1 MHz Marker 1 [T1 ] • VBW 3 MHz 20 dBm 45 dE SWT 20 ms 5.321620000 Ref Att 20 Offset dв 1 1 RM Center 5.32 GHz 3 MHz/ Span 30 MHz


3 MHz/

Span 30 MHz


Center 5.3 GHz







#### **Shenzhen Branch** Report No.: SZEM160500384302 Page: 103 of 371 802.11a Frequency(MHz): 5700 Test mode: Ż \* RBW 1 MHz Marker 1 [T1 ] -8.46 dBm 5.701710000 GHz \*VBW 3 MHz SWT 20 ms 20 dBm Att 45 dB Ref 20 Offset dB 1 1 RM



3 MHz/

Span 30 MHz


Center 5.7 GHz


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

SGS-CSTC Standards Technical Services Ltd.









**Shenzhen Branch** 


SGS-CSTC Standards Technical Services Ltd.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

3 MHz/

Span 30 MHz

Center 5.2 GHz




"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

3 MHz/

Span 30 MHz


Center 5.26 GHz



3 MHz/

Span 30 MHz


Center 5.32 GHz



3 MHz/

Span 30 MHz

Center 5.6 GHz





"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

3 MHz/

Span 30 MHz

Center 5.745 GHz







"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


# SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch





Report No.: SZEM160500384302 Page: 111 of 371





























SGS-CSTC Standards Technical Services Ltd.





























-80 Center 5.795 GHz 6 MHz/ Span 60 MHz


"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

#### SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch














































Report No.: SZEM160500384302 Page: 130 of 371





























"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."

SGS-CSTC Standards Technical Services Ltd. Shenzhen Branch