

RF Exposure Report

For

Applicant Name: Migear International Group LLC

Address: 21 West 38th Street, 14th Floor. New York, NY 10018, United States

EUT Name: CRAYON SPEAKER

Brand Name: CRAYOLA, 2BOOM, FISHER

Model Number: CBT450

Series Model Number: BT450, FBT450

Issued By

Company Name: BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park,

Address: Tantou Community, Songgang Street, Bao'an District, Shenzhen,

China

Report Number: BTF240905R00102

Test Standards: 47 CFR Part 2 Subpart J Section 2.1093

FCC ID: 2AIDL-CBT450

Test Conclusion: Pass

Test Date: 2024-09-05 to 2024-09-13

Date of Issue: 2024-09-18

Prepared By: Sunny Qin / Project Engineer


Sunny arn

Date: 2024-09-18

Approved By: Ryan J L MC Manager

Date: 2024-09-18

Note: All the test results in this report only related to the testing samples. Which can be duplicated completely for the legal use with approval of applicant; it shall not be reproduced except in full without the written approval of BTF Testing Lab (Shenzhen) Co., Ltd., All the objections should be raised within thirty days from the date of issue. To validate the report, you can contact us.





Revision History			
Version	Issue Date	Revisions Content	
R_V0	2024-09-18	Original	
Note: Once the revision has been made, then previous versions reports are invalid			






Table of Contents

1.	Introdu	uction	. 4
		Identification of Testing Laboratory	
		Identification of the Responsible Testing Location	
		Laboratory Condition	
	1.4	Announcement	. 4
		ct Information	
		Application Information	
	2.2	Manufacturer Information	
	2.3	Factory Information	. 5
	2.4	General Description of Equipment under Test (EUT)	. 5
3.		Requirement	
		Assessment Result	



Test Report Number: BTF240905R00102

1. Introduction

1.1 Identification of Testing Laboratory

Company Name: BTF Testing Lab (Shenzhen) Co., Ltd.		
Address:	F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China	
Phone Number:	+86-0755-23146130	
Fax Number:	+86-0755-23146130	

1.2 Identification of the Responsible Testing Location


Test Location:	BTF Testing Lab (Shenzhen) Co., Ltd.		
Address:	F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China		
Description:	All measurement facilities used to collect the measurement data are located at F101,201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China		
FCC Registration Number:	518915		
Designation Number:	CN1330		

1.3 Laboratory Condition

Ambient Temperature:	20℃ to 25℃
Ambient Relative Humidity:	45% to 55%
Ambient Pressure:	100 kPa to 102 kPa

1.4 Announcement

- (1) The test report reference to the report template version v0.
- (2) The test report is invalid if not marked with the signatures of the persons responsible for preparing, reviewing and approving the test report.
- (3) The test report is invalid if there is any evidence and/or falsification.
- (4) This document may not be altered or revised in any way unless done so by BTF and all revisions are duly noted in the revisions section.
- (5) Content of the test report, in part or in full, cannot be used for publicity and/or promotional purposes without prior written approval from the laboratory.
- (6) The laboratory is only responsible for the data released by the laboratory, except for the part provided by the applicant.





2. Product Information

2.1 Application Information

Company Name:	Migear International Group LLC		
Address:	21 West 38th Street, 14th Floor. New York, NY 10018, United States		

2.2 Manufacturer Information

Company Name:	Dongguan Yanyan Digital Technology Co., LTD		
Address:	Room 201, No.43 Humen Dakeng Road, Humen Town, Dongguan City, Guangdong		

2.3 Factory Information

Company Name:	Dongguan Yanyan Digital Technology Co., LTD		
Address:	Room 201, No.43 Humen Dakeng Road, Humen Town, Dongguan City, Guangdong		

2.4 General Description of Equipment under Test (EUT)

EUT Name	CRAYON SPEAKER
Under Test Model Name	CBT450
Series Model Name	BT450, FBT450
Description of Model name differentiation	Only the model name is different.



Test Report Number: BTF240905R00102

3. Test Requirement

KDB447498 D01 General RF Exposure Guidance v06, Clause 4.3.1(a)

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)] • [$\sqrt{f(GHz)}$] ≤ 3.0 Where

- -f(GHz) is the RF channel transmit frequency in GHz
- -Power and distance are rounded to the nearest mW and mm before calculation
- -The test exclusions are applicable only when the minimum test separation distance is \leq 50 mm, and for transmission frequencies between 100 MHz and 6 GHz. When the minimum test separation distance is < 5 mm, a distance of 5 mm according to 4.1 f) is applied to determine SAR test exclusion.

3.1 Assessment Result


□ Passed □ Note □ No	Applicable
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

Туре	Frequency (MHz)	Conducted Power (dBm)	Maximum Tune-up (dBm)	Calculating data	Limit	Result
8DPSK	2402	-0.28	0	0.31	3.0	Pass

Note: 1) The exposure evaluation safety distance is 5mm.

2) Refer to report No. BTF240905R00101 for EUT test Max conducted peak output power value.

3) 0.31<3.0, So the SAR report is not required.







BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT--