

FCC Test Report

Report No.: AGC02336190401FE06

2AIL4-BH345A **FCC ID**

APPLICATION PURPOSE **Original Equipment**

PRODUCT DESIGNATION bluetooth fm transmitter

BRAND NAME Victsing, Pinci

BH345A **MODEL NAME**

CLIENT VTIN TECHNOLOGY Co., Limited

DATE OF ISSUE May 23, 2019

STANDARD(S) FCC Part 15.239

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

CAUTION:

This report shall not be reproduced except in full without the written permission of the test laboratory and shall not be quoted out of context.





Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,

Xixiang, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com

E-mail: agc@agc-cert.com Service Hotline: 400 089 2118



Page 2 of 25

REPORT REVISE RECORD

| Report Version | Revise Time Issued Dat | | Valid Version | Notes | |
|----------------|------------------------|----------------------|---------------|-----------------|--|
| V1.0 | 9/ | / May 23, 2019 Valid | | Original Report | |



 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$






TABLE OF CONTENTS

| 1. VERIFICATION OF CONFORMITY | |
|---|----|
| 2. GENERAL INFORMATION | 5 |
| 2.1. PRODUCT DESCRIPTION | 5 |
| 3. MEASUREMENT UNCERTAINTY | 6 |
| 4. DESCRIPTION OF TEST MODES | 6 |
| 5. SYSTEM TEST CONFIGURATION | 6 |
| 5.1. EQUIPMENT USED IN EUT SYSTEM | |
| 5.2. SUMMARY OF TEST RESULTS | |
| 5.3. SUPPORT EQUIPMENT | |
| 6. TEST FACILITY | 7 |
| 7. RADIATED EMISSION | 8 |
| 7.1. MEASUREMENT PROCEDURE | 8 |
| 7.2. TEST SETUP | |
| 7.3. TEST RESULT FOR FIELD STRENGTH OF FUNDAMENTAL | 10 |
| 7.4. TEST RESULT FOR FIELD STRENGTH OF BAND EDGE EMISSION | |
| 7.5. TEST RESULT FOR SPURIOUS EMISSION | |
| 8. BANDWIDTH | |
| 8.1. MEASUREMENT PROCEDURE | |
| 8.2. TEST SETUP | |
| 8.3. TEST RESULT | |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP | 16 |
| APPENDIX B. PHOTOGRAPHS OF FUT | 17 |





Page 4 of 25

1. VERIFICATION OF CONFORMITY

| Applicant | VTIN TECHNOLOGY Co.,Limited |
|--|--|
| Address | UNIT D 16/F ONE CAPITAL PLACE 21 LUARD ROAD WAN CHAI HK |
| Manufacturer | Shenzhen Spring Technologies Co.,Ltd |
| Address South Bldg , 4F Plant 2, Xindi industrial park No. 18, 1st industrial Zo Town, DongGuan City | |
| Factory | Shenzhen Spring Technologies Co.,Ltd |
| Address | South Bldg , 4F Plant 2, Xindi industrial park No. 18, 1st industrial Zone, Tangxia Town, DongGuan City |
| Product Designation | bluetooth fm transmitter |
| Brand Name | Victsing, Pinci |
| Test Model | BH345A |
| Series Model | BH345, BH345A, BH345B, BH345C, BH345D, BH345E, BH345F, FM39, FM40, FM41, FM43L, FM42, FM44, FM46, FM47, FM48, FM49, FM50 |
| Difference description | All the same except for the model name and brand name. |
| Date of test | Apr. 03, 2019~May 23, 2019 |
| Deviation | None |
| Condition of Test Sample | Normal |
| Report Template | AGCRT-US-BR/RF |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC part 15.239.

Tested By

Donjon Huang(Huang dongyang)

May 23, 2019

Reviewed By

Max Zhang(Zhang Yi)

May 23, 2019

Approved By

Forrest Lei(Lei Yonggang)
Authorized Officer

May 23, 2019



Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,

Imjor Hucong

Max Zhang

Forrest les

Xixiang, Bao'an District, Shenzhen, Guangdong, China



Page 5 of 25

2. GENERAL INFORMATION

2.1. PRODUCT DESCRIPTION

A major technical description of EUT is described as following

| 7 major toomnoar accomptic | TO LOT IS GOODING AS TOHOWING | | | |
|---------------------------------|---|--|--|--|
| Operation Frequency | 88.1MHz-107.9MHz | | | |
| Field Strength(3m) | 46.77dBuV/m(AV)@3m | | | |
| Modulation | FM | | | |
| Number of channels | 199(Channel spacing 100kHz) | | | |
| Hardware Version | V5 | | | |
| Software Version | V1 | | | |
| Antenna Gain | 0dBi | | | |
| Antenna Designation | Integrated Antenna (Met 15.203 Antenna requirement) | | | |
| Power Supply DC 12V by battery. | | | | |

NOTE: 1. About the EUT, please refer to User's Manual.



 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$



Page 6 of 25

3. MEASUREMENT UNCERTAINTY

Conducted measurement: +/- 3.18dB Radiated measurement: +/- 3.91dB

4. DESCRIPTION OF TEST MODES

| NO. | TEST MODE DESCRIPTION |
|-----|-----------------------------------|
| 1 | Transmitting mode(Low channel) |
| 2 | Transmitting mode(Middle channel) |
| 3 | Transmitting mode(High channel) |

Note:

- 1. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 2. All the requirements have been tested by modulating the transmitter with a 2.5 kHz tone at a fixed level which set to the manufacturer's maximum rated input to the modulator.

5. SYSTEM TEST CONFIGURATION

5.1. EQUIPMENT USED IN EUT SYSTEM

| Item | Equipment | Model No. | ID or Specification | Remark |
|------|--------------------------|-----------|---------------------|--------|
| 1 | bluetooth fm transmitter | BH345A | 2AIL4-BH345A | EUT |

5.2. SUMMARY OF TEST RESULTS

| FCC RULES | C RULES DESCRIPTION OF TEST | |
|--------------------------------|---|-----------|
| 15.239 | Field Strength of Fundamental and Spurious Emission | Compliant |
| 15.215 | 15.215 Bandwidth | |
| 15.207 Line Conducted Emission | | N/A |

NOTE: N/A stands for not applicable. The device is only used in the car, so the conducted emission is not applicable.

5.3. SUPPORT EQUIPMENT

| Device Type | Device Type Manufacturer | | Specification | Data Cable | |
|--------------|--------------------------|--------|------------------|------------------|--|
| Battery | Sail | L2 400 | DC 12V 60Ah 550A | N/A | |
| Mobile Phone | TCL | J326T | N/A | N/A | |
| Aux Cable | N/A | N/A | N/A | 0.8m, Unshielded | |
| Load | N/A | N/A | 50W 5 Ω | N/A | |
| USB Cable | N/A | N/A | N/A | 1m, Unshielded | |



Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,

Xixiang, Bao'an District, Shenzhen, Guangdong, China



Page 7 of 25

6. TEST FACILITY

| Test Site | Attestation of Global Compliance (Shenzhen) Co., Ltd | | | | | |
|-----------------------------------|--|--|--|--|--|--|
| Location | Location 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China | | | | | |
| Designation Number | nber CN1259 | | | | | |
| FCC Test Firm Registration Number | 975832 | | | | | |
| A2LA Cert. No. | 5054.02 | | | | | |
| Description | Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA | | | | | |

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|--------------------------------------|--------------|----------|------------|---------------|---------------|
| TEST RECEIVER | R&S | ESCI | 10096 | Jun.12, 2018 | Jun.11, 2019 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec. 20, 2018 | Dec. 19, 2019 |
| Active loop antenna (9K-30MHz) | A.H. | SAS-562B | N/A | Mar.01, 2018 | Feb.28, 2020 |
| Audio analyzer | HP | 8920B | US35010161 | Jun.12, 2018 | Jun.11, 2019 |
| ANTENNA | SCHWARZBECK | VULB9168 | D69250 | Sep. 28, 2017 | Sep. 27, 2019 |





Page 8 of 25

7. RADIATED EMISSION

7.1. MEASUREMENT PROCEDURE

- 1. Configure the EUT according to ANSI C63.10. The EUT was placed on the top of the turntable 0.8 meter above ground and opposite the horn antenna. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions below 1GHz, use 120KHz RBW and VBW>=3RBW for QP reading.
- 7. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.
- 8. Only the worst case is reported.

The following table is the setting of spectrum analyzer and receiver.

| Receiver Parameter | Setting |
|-----------------------|---------------------------------|
| Start ~Stop Frequency | 9KHz~150KHz/RBW 200Hz for QP |
| Start ~Stop Frequency | 150KHz~30MHz/RBW 9KHz for QP |
| Start ~Stop Frequency | 30MHz~1000MHz/RBW 120KHz for QP |



Attestation of Global Compliance(Shenzhen)Co.,Ltd.


Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,

Xixiang, Bao'an District, Shenzhen, Guangdong, China




7.2. TEST SETUP

Radiated Emission Test-Setup Frequency Below 30MHz



RADIATED EMISSION TEST SETUP 30MHz-1000MHz





 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,



Page 10 of 25

7.3. TEST RESULT FOR FIELD STRENGTH OF FUNDAMENTAL

| Frequency MHz | Polarization | Level dB(uV/m) PK | Limit dB(uV/m) PK | Margin dB | Pass/Fail | Detector |
|------------------|--------------|-------------------------|-------------------------|--------------|-----------|----------|
| 88.100 | • Н | 40.04 | 67.96 | 27.92 | Pass | PK |
| 88.100 | V | 42.72 | 67.96 | 25.24 | Pass | PK |
| 98.000 | Н | 41.68 | 67.96 | 26.28 | Pass | PK |
| 98.000 | V | 46.29 | 67.96 | 21.67 | Pass | PK |
| 107.900 | Н | 42.12 | 67.96 | 25.84 | Pass | PK |
| 107.900 | V | 46.77 | 67.96 | 21.19 | Pass | PK |
| Frequency MHz | Polarization | Level dB(uV/m) AV | Limit dB(uV/m) AV | Margin dB | Pass/Fail | Detector |
| 88.100 | Н | 38.61 | 47.96 | 9.35 | Pass | AV |
| 88.100 | V | 41.46 | 47.96 | 6.5 | Pass | AV |
| 98.000 | Н | 40.49 | 47.96 | 7.47 | Pass | AV |
| 98.000 | V | 45.11 | 47.96 | 2.85 | Pass | AV |
| 107.900 | Н | 40.70 | 47.96 | 7.26 | Pass | AV |
| 107.900 | V | 45.34 | 47.96 | 2.62 | Pass | AV |

7.4. TEST RESULT FOR FIELD STRENGTH OF BAND EDGE EMISSION

| Frequency MHz | Polarization | Level dB(uV/m) QP | Limit dB(uV/m) QP | Margin dB | Pass/Fail | Detector |
|------------------|--------------|-------------------------|-------------------------|--------------|-----------|----------|
| 88.000 | Н | 35.36 | 40.00 | -4.64 | Pass | QP |
| 88.000 | V | 37.88 | 40.00 | -2.12 | Pass | QP |
| 108.000 | Н | 38.15 | 43.50 | -5.35 | Pass | QP |
| 108.000 | V | 39.89 | 43.50 | -3.61 | Pass | QP |

Note: The above two frequencies are the worst case for the band edge emission test.






7.5. TEST RESULT FOR SPURIOUS EMISSION

RADIATED EMISSION BELOW 30MHz

No emission found between lowest internal used/generated frequencies to 30MHz.

RADIATED EMISSION BELOW 1GHZ-Horizontal




| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | | MHz | dBuV | dBuV/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | * | 107.9000 | 25.51 | 16.75 | 42.26 | | | | | | |
| 2 | | 156.1000 | 13.45 | 19.20 | 32.65 | 43.50 | -10.85 | peak | | | |
| 3 | | 291.9000 | 16.98 | 19.66 | 36.64 | 46.00 | -9.36 | peak | | | |
| 4 | | 371.1167 | 11.57 | 21.97 | 33.54 | 46.00 | -12.46 | peak | | | |
| 5 | | 481.0500 | 13.86 | 24.61 | 38.47 | 46.00 | -7.53 | peak | | | |
| 6 | | 671.8167 | 10.77 | 27.81 | 38.58 | 46.00 | -7.42 | peak | | | |

RESULT: PASS




Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,





RADIATED EMISSION BELOW 1GHZ-Vertical



| No. | Mk | Freq. | Reading | Factor | Measurement | Limit | Over | Detector | Antenna Height | Table Degree | Comment |
|-----|----|----------|---------|--------|-------------|--------|--------|----------|-------------------|-----------------|---------|
| | • | MHz | dBuV | dBuV/m | dBuV/m | dBuV/m | dB | | cm | degree | |
| 1 | i. | 47.7832 | 14.49 | 19.81 | 34.30 | 40.00 | -5.70 | peak | | | |
| 2 | * | 107.9000 | 29.78 | 16.75 | 46.53 | | | | | | |
| 3 | | 288.6666 | 18.29 | 19.74 | 38.03 | 46.00 | -7.97 | peak | | | |
| 4 | | 481.0500 | 11.22 | 24.61 | 35.83 | 46.00 | -10.17 | peak | | | |
| 5 | | 671.8167 | 11.60 | 27.81 | 39.41 | 46.00 | -6.59 | peak | | | |
| 6 | | 872.2833 | 6.07 | 31.34 | 37.41 | 46.00 | -8.59 | peak | | | |

RESULT: PASS

Note:

- Factor=Antenna Factor + Cable loss Amplifier gain, Margin=Measurement-Limit.
- The "Factor" value can be calculated automatically by software of measurement system.
- All test modes had been tested. The Low channel is the worst case and recorded in the report.



Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,

Xixiang, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755 2523 4088 E-mail:agc@agc-cert.com



8. BANDWIDTH

8.1. MEASUREMENT PROCEDURE

By modulating the transmitter with a 2.5 kHz tone at a fixed level which set to the manufacturer's maximum rated input to the modulator.

1. Set the parameters of SPA as below:


Centre frequency = Operation Frequency

RBW=10KHz VBW=30KHz Span: 300kHz

Sweep time: Auto

- 2. Set the EUT to continue transmitting mode. Allow the trace to stabilize. Use the "N dB down" function of SPA to define the bandwidth.
- 3. Record the plots and Reported.

8.2. TEST SETUP





Attestation of Global Compliance(Shenzhen)Co.,Ltd.


Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,



8.3. TEST RESULT

| Channel | Channel Frequency(MHz) | -20dB bandwidth (kHz) | Limit(kHz) |
|---------|------------------------|-----------------------|------------|
| Low | 88.1 | 129.8 | 200 |
| Middle | 98.0 | 143.5 | 200 |
| High | 107.9 | 143.6 | 200 |


TEST PLOT OF BANDWIDTH FOR LOW CHANNEL






Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,





TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL



TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL






Attestation of Global Compliance(Shenzhen)Co.,Ltd.

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,


Xixiang, Bao'an District, Shenzhen, Guangdong, China






APPENDIX A: PHOTOGRAPHS OF TEST SETUP

RADIATED EMISSION TEST SETUP BELOW 1G





 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$





APPENDIX B: PHOTOGRAPHS OF EUT

TOP VIEW OF EUT




BOTTOM VIEW OF EUT





 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$

Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,





FRONT VIEW OF EUT



BACK VIEW OF EUT





 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$



LEFT VIEW OF EUT




RIGHT VIEW OF EUT






 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$






OPEN VIEW OF EUT




INTERNAL VIEW OF EUT-1






 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$


Add: 2/F., Building 2, No.1-4, Chaxi Sanwei Technial Industrial Park, Gushu,








INTERNAL VIEW OF EUT-3







 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$








INTERNAL VIEW OF EUT-5







 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$








INTERNAL VIEW OF EUT-7







 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$








INTERNAL VIEW OF EUT-9





 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$





----END OF REPORT----



 $Attestation\ of\ Global\ Compliance (Shenzhen) Co., Ltd.$