

Shenzhen Centre Quality Accreditation Technology Co., Ltd.

Address:1 F., Block B of Complex Building, Baisha Logistics Park, No.3011 Shahe West Road, Nanshan District, Shenzhen, China

elephone: +86-755-26648640 Report No.: CQASZ1600801327E-02 ax: +86-755-26648637 Report Version: V01

Fax: +86-755-26648637 Website: <u>www.cqa-cert.com</u>

MEASUREMENT REPORT MPE Report

Applicant: Shenzhen Jisiwei Intelligent Technology Co., Ltd

Address of Applicant: 7010, B2 District, Wan Zhong Cheng Home Square, Minzhi Street, Longhua

New District, Shenzhen City, Guangdong Province, P. R. China

Manufacturer: Shenzhen Jisiwei Intelligent Technology Co., Ltd

Address of 7010, B2 District, Wan Zhong Cheng Home Square, Minzhi Street, Longhua

Manufacturer: New District, Shenzhen City, Guangdong Province, P. R. China

Equipment Under Test (EUT):

Product: Smart Vacuum Cleaning Robot

Model No.: i3

Brand Name: JISIVEI

FCC ID: 2AILE-I3

Standards: 47 CFR Part 1.1307

47 CFR Part 1.1310

Date of Test: 2016-09-01 to 2016-09-09

Date of Issue: 2016-09-09

Test Result : PASS*

Reviewed By: (Aaron Ma.

Approved By:

Owen Znou

^{*} In the configuration tested, the EUT complied with the standards specified above.



2 Version

Revision History Of Report

Report No.	Version	Description	Issue Date
CQASZ160801327E-02	Rev.01	Initial report	2016-09-09



3 Contents

		Pa	age
1	С	COVER PAGE	1
2	٧	/ERSION	2
3	С	CONTENTS	3
4	G	GENERAL INFORMATION	4
	4.1	CLIENT INFORMATION	4
	4.2 4.3	GENERAL DESCRIPTION OF EUT	4
	4.4	TEST FACILITY	
	4.5	DEVIATION FROM STANDARDS	5
	4.6 4.7	ABNORMALITIES FROM STANDARD CONDITIONS	5
5		RF EXPOSURE EVALUATION	
:	5.1	RF Exposure Compliance Requirement	6
	5	5.1.1 Limits	6
		5.1.2 Test Procedure	
4	4.1.3	3 EUT RF Exposure Evaluation	7



4 General Information

4.1 Client Information

Applicant:	Shenzhen Jisiwei Intelligent Technology Co., Ltd	
Address of Applicant:	7010, B2 District, Wan Zhong Cheng Home Square, Minzhi Street, Longhua New District, Shenzhen City, Guangdong Province, P. R. China	
Manufacturer:	Shenzhen Jisiwei Intelligent Technology Co., Ltd	
Address of Manufacturer:	7010, B2 District, Wan Zhong Cheng Home Square, Minzhi Street, Longhua New District, Shenzhen City, Guangdong Province, P. R. China	

4.2 General Description of EUT

Product Name:	Smart Vacuum Cleaning Robot		
Model No.:	i3		
Trade Mark:	JISIVEI		
Hardware version:	V1.0		
Software version:	V1.0		
Operation Frequency:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz		
	IEEE 802.11	n(HT40): 2422MHz to 2452MHz	
Channel Numbers:	IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels		
	IEEE 802.11n HT40: 7 Channels		
Channel Separation:	5MHz		
Type of Modulation:	IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK)		
	IEEE for 802.11g : OFDM(64QAM, 16QAM, QPSK, BPSK)		
	IEEE for 802.11n(HT20 and HT40) : OFDM (64QAM, 16QAM,		
	QPSK,BPSK)		
Sample Type:	mobile production		
Test Software of EUT:	RF test tool (manufacturer declare)		
Antenna Type and Gain:	Type: internal antenna with ipex connector		
	Gain:5.0dBi		
Power Supply:	Adapter:	Mode : DSS12-2400500-H	
		Input: AC100V-240V 50/60Hz 1.0A	
	Output: DC 24V=0.5A		
	Lithium-ion Battery: Model: FTD-4S1P DC14.8V, 2200 mAh		



4.3 Test Location

All tests were performed at:

Shenzhen CTL Testing Technology Co., Ltd., Shenzhen EMC Laboratory,

1/F.-A, Baisha Technology Park, No.3011, Shahexi Road, Nanshan District, Shenzhen, Guangdong, China

4.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

FCC - Registration No.: 970318

Shenzhen CTL Testing Technology Co., Ltd. has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration 970318

4.5 Deviation from Standards

None.

4.6 Abnormalities from Standard Conditions

None.

4.7 Other Information Requested by the Customer

None.



5 RF Exposure Evaluation

5.1 RF Exposure Compliance Requirement

5.1.1 Limits

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

Table 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm²)	Averaging time (minutes)			
(A) Limits for Occupational/Controlled Exposures							
0.3–3.0 3.0–30 30–300 300–1500 1500–100,000	614 1.63 1842/f 4.89/f 61.4 0.163		*(100) *(900/f²) 1.0 f/300 5	6 6 6 6			
(B) Limits for General Population/Uncontrolled Exposure							
0.3–1.34 1.34–30 30–300 300–1500 1500–100,000	614 824/f 27.5	1.63 2.19/f 0.073	*(100) *(180/f²) 0.2 f/1500 1.0	30 30 30 30 30 30			

F= Frequency in MHz

Friis Formula

Friis transmission formula: $Pd = (Pout*G)/(4*Pi*R^2)$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

5.1.2 Test Procedure

Software provided by client enabled the EUT to transmit and receive data at lowest, middle and highest channel individually.



4.1.3 EUT RF Exposure Evaluation

Antenna Gain: 5dBi

Antenna Gain: The maximum Gain measured in fully anechoic chamber is 3.16 in linear scale.

Output Power Into Antenna & RF Exposure Evaluation Distance:

802.11b(worst case)

Channel	Frequency	Max Conducted Output Power		Power Density	Limit	Result
	(MHz)	average Output	to Antenna	at R = 20 cm		
		Power (dBm)	(mW)	(mW/cm ²)		
Highest	2462	16.98	49.89	0.031	1.0	PASS

Note: Refer to report No. CQASZ160801327E-01 for EUT test Max Conducted Average Output Power value.