


Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5290 MHz	Polarization	Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Antenna Height cm	Table Degree degree	Comment
1	*	10580.00	40.14	4.45	44.59	68.20	-23.61	peak			
2		10580.00	29.32	4.45	33.77	68.20	-34.43	AVG			

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5530 MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		11062.00	46.77	4.65	51.42	74.00	-22.58			peak
2	*	11062.00	36.77	4.65	41.42	54.00	-12.58			AVG

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5530 MHz	Polarization	Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11060.00	41.60	4.65	46.25	74.00	-27.75			peak
2	*	11060.00	29.68	4.65	34.33	54.00	-19.67			AVG

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5610 MHz	Polarization	Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11218.00	48.91	4.82	53.73	74.00	-20.27			peak
2	*	11218.00	33.96	4.82	38.78	54.00	-15.22			AVG

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor

(2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5610 MHz	Polarization	Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Antenna Height cm	Table Degree degree	Detector	Comment
1		11220.00	41.30	4.82	46.12	74.00	-27.88			peak	
2	*	11220.00	29.87	4.82	34.69	54.00	-19.31			AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5775 MHz	Polarization	Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Antenna Height cm	Table Degree	Comment
1	*	11569.00	48.83	5.15	53.98	74.00	-20.02	peak			
2		11569.00	39.74	5.15	44.89	74.00	-29.11	peak			

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/3/17
Test Frequency	5775 MHz	Polarization	Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	
1		11550.00	41.83	5.14	46.97	74.00	-27.03	peak		
2	*	11550.00	33.43	5.14	38.57	54.00	-15.43	AVG		

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor
- (2) Margin Level = Measurement Value - Limit Value

APPENDIX D - BANDWIDTH

Test Mode	IEEE 802.11a
-----------	--------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
36	5180	38.990	23.500
40	5200	37.996	21.700
48	5240	36.196	18.300


CH36



Date: 13.MAR.2024 16:22:16


CH40

26 dB Bandwidth




Date: 13.MAR.2024 16:23:23

CH48




Date: 13.MAR.2024 16:24:14


99 % Occupied Bandwidth



Date: 13.MAR.2024 16:21:59




Date: 13.MAR.2024 16:23:03



Date: 13.MAR.2024 16:23:56

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.790	16.600
60	5300	20.689	16.600
64	5320	19.050	16.600


CH52



Date: 13.MAR.2024 16:39:52


CH60

26 dB Bandwidth




Date: 13.MAR.2024 16:40:59

CH64




Date: 22.MAR.2024 10:35:59


99 % Occupied Bandwidth



Date: 13.MAR.2024 16:39:13




Date: 13.MAR.2024 16:40:32



Date: 22.MAR.2024 10:35:30


Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
100	5500	19.050	16.600
116	5580	18.909	16.500
140	5700	20.790	16.600

CH100




Date: 13.MAR.2024 16:42:01

CH116
26 dB Bandwidth




Date: 13.MAR.2024 16:43:12

CH140




Date: 13.MAR.2024 16:46:59




Date: 13.MAR.2024 16:41:34

99 % Occupied Bandwidth




Date: 13.MAR.2024 16:42:46



Date: 13.MAR.2024 16:46:30


Channel (CH)	Frequency (MHz)	6 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Limit (kHz)	Result
149	5745	16.350	16.600	500	Complied
157	5785	16.450	16.600	500	Complied
165	5825	16.400	16.600	500	Complied

CH149




Date: 13.MAR.2024 16:48:52

CH157
6 dB Bandwidth




Date: 13.MAR.2024 16:50:06

CH165




Date: 13.MAR.2024 16:51:10


99 % Occupied Bandwidth



Date: 13.MAR.2024 16:48:23



Date: 13.MAR.2024 16:49:36




Date: 13.MAR.2024 16:50:43

Test Mode	IEEE 802.11n (HT20)
-----------	---------------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
36	5180	40.600	19.100
40	5200	37.690	18.600
48	5240	34.590	18.000


CH36



Date: 13.MAR.2024 16:54:51


CH40

26 dB Bandwidth




Date: 13.MAR.2024 16:55:50

CH48




Date: 13.MAR.2024 16:56:41


99 % Occupied Bandwidth



Date: 13.MAR.2024 16:54:52




Date: 13.MAR.2024 16:55:51



Date: 13.MAR.2024 16:56:23

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
52	5260	33.690	17.800
60	5300	29.089	17.800
64	5320	25.490	17.800


CH52



Date: 13.MAR.2024 16:59:16


CH60

26 dB Bandwidth




Date: 13.MAR.2024 17:01:00

CH64




Date: 13.MAR.2024 17:02:03


99 % Occupied Bandwidth



Date: 13.MAR.2024 16:59:16




Date: 13.MAR.2024 17:00:29



Date: 13.MAR.2024 17:01:33


Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
100	5500	24.459	17.700
116	5580	21.289	17.700
140	5700	19.790	17.700

CH100




Date: 13.MAR.2024 17:03:16

CH116
26 dB Bandwidth




Date: 13.MAR.2024 17:04:31

CH140




Date: 13.MAR.2024 17:05:36


99 % Occupied Bandwidth



Date: 13.MAR.2024 17:02:53




Date: 13.MAR.2024 17:03:58



Date: 13.MAR.2024 17:05:08

Channel (CH)	Frequency (MHz)	6 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Limit (kHz)	Result
149	5745	17.297	17.600	500	Complied
157	5785	17.650	17.600	500	Complied
165	5825	17.589	17.600	500	Complied


CH149



Date: 13.MAR.2024 17:09:18


CH157

6 dB Bandwidth




Date: 13.MAR.2024 17:11:04

CH165




Date: 13.MAR.2024 17:12:49


99 % Occupied Bandwidth



Date: 13.MAR.2024 17:08:49



Date: 13.MAR.2024 17:10:36




Date: 13.MAR.2024 17:12:21

Test Mode	IEEE 802.11n (HT40)
-----------	---------------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
38	5190	71.398	37.200
46	5230	71.000	36.800


CH38



Date: 13.MAR.2024 17:16:58


CH46

26 dB Bandwidth




Date: 13.MAR.2024 17:18:36

99 % Occupied Bandwidth




Date: 13.MAR.2024 17:16:09



Date: 13.MAR.2024 17:17:58

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
54	5270	40.190	36.800
62	5310	38.808	36.400


CH54




Date: 13.MAR.2024 17:22:11

CH62

26 dB Bandwidth




Date: 13.MAR.2024 17:23:56



Date: 13.MAR.2024 17:20:45


99 % Occupied Bandwidth



Date: 13.MAR.2024 17:23:14

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.798	36.400
110	5550	39.100	36.400
134	5670	38.900	36.400


CH102



Date: 13.MAR.2024 17:25:22


CH110

26 dB Bandwidth




Date: 13.MAR.2024 17:26:45

CH134




Date: 13.MAR.2024 17:28:06




Date: 13.MAR.2024 17:24:39

99 % Occupied Bandwidth




Date: 13.MAR.2024 17:26:07



Date: 13.MAR.2024 17:27:27

Channel (CH)	Frequency (MHz)	6 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Limit (kHz)	Result
151	5755	35.900	36.400	500	Complied
159	5795	35.990	36.400	500	Complied


CH151




Date: 13.MAR.2024 17:29:35

CH159

6 dB Bandwidth




Date: 13.MAR.2024 17:31:12



Date: 13.MAR.2024 17:29:35

99 % Occupied Bandwidth




Date: 13.MAR.2024 17:30:30

Test Mode	IEEE 802.11ac (VHT80)
-----------	-----------------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
42	5210	174.790	78.800


CH42

26 dB Bandwidth



Date: 13.MAR.2024 18:16:01


99 % Occupied Bandwidth



Date: 13.MAR.2024 18:15:09


Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
58	5290	157.190	77.600

CH58 26 dB Bandwidth



Date: 13.MAR.2024 18:17:17


99 % Occupied Bandwidth



Date: 13.MAR.2024 18:16:53


Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
106	5530	125.202	76.800
122	5610	108.386	76.400

CH106




Date: 13.MAR.2024 18:23:43

CH122
26 dB Bandwidth




Date: 13.MAR.2024 18:24:00

99 % Occupied Bandwidth




Date: 13.MAR.2024 18:20:22



Date: 13.MAR.2024 18:22:31


Channel (CH)	Frequency (MHz)	6 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Limit (kHz)	Result
155	5775	76.790	76.400	500	Complied

CH155 66 dB Bandwidth



Date: 13.MAR.2024 18:25:19

99 % Occupied Bandwidth




Date: 13.MAR.2024 18:24:41

Test Mode	IEEE 802.11ax (HE20)
-----------	----------------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
36	5180	38.600	19.500
40	5200	38.450	19.400
48	5240	35.086	19.100


CH36



Date: 14.MAR.2024 11:31:10


CH40

26 dB Bandwidth




Date: 14.MAR.2024 11:32:06

CH48




Date: 14.MAR.2024 11:33:01


99 % Occupied Bandwidth



Date: 14.MAR.2024 11:31:10




Date: 14.MAR.2024 11:31:50



Date: 14.MAR.2024 11:33:39

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
52	5260	34.450	19.200
60	5300	28.750	19.000
64	5320	28.490	19.000


CH52



Date: 14.MAR.2024 11:33:53


CH60

26 dB Bandwidth




Date: 14.MAR.2024 11:35:36

CH64




Date: 14.MAR.2024 11:37:09




Date: 14.MAR.2024 11:33:52

99 % Occupied Bandwidth




Date: 14.MAR.2024 11:35:04



Date: 14.MAR.2024 11:36:46

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.588	19.000
116	5580	20.550	18.900
140	5700	20.609	18.900


CH100



Date: 14.MAR.2024 11:38:14


CH116

26 dB Bandwidth




Date: 14.MAR.2024 11:39:19

CH140




Date: 14.MAR.2024 11:40:21


99 % Occupied Bandwidth



Date: 14.MAR.2024 11:37:47




Date: 14.MAR.2024 11:38:50



Date: 14.MAR.2024 11:39:53


Channel (CH)	Frequency (MHz)	6 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Limit (kHz)	Result
149	5745	18.900	18.900	500	Complied
157	5785	18.589	18.900	500	Complied
165	5825	18.698	18.900	500	Complied

CH149




Date: 14.MAR.2024 11:41:25

CH157
6 dB Bandwidth




Date: 14.MAR.2024 11:42:26

CH165




Date: 14.MAR.2024 11:44:19


99 % Occupied Bandwidth



Date: 14.MAR.2024 11:41:57



Date: 14.MAR.2024 11:41:56




Date: 14.MAR.2024 11:43:49

Test Mode	IEEE 802.11ax (HE40)
-----------	----------------------

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
38	5190	40.208	38.200
46	5230	40.199	38.000


CH38



Date: 14.MAR.2024 12:00:50


CH46

26 dB Bandwidth




Date: 14.MAR.2024 12:02:12

99 % Occupied Bandwidth




Date: 14.MAR.2024 11:59:47



Date: 14.MAR.2024 12:01:31

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.800	38.000
62	5310	39.808	38.000


CH54



Date: 14.MAR.2024 12:03:35


CH62

26 dB Bandwidth




Date: 14.MAR.2024 12:07:04

99 % Occupied Bandwidth




Date: 14.MAR.2024 12:02:55



Date: 14.MAR.2024 12:06:23

Channel (CH)	Frequency (MHz)	26 dB Bandwidth(MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.799	38.000
110	5550	39.900	38.000
134	5670	39.900	37.800


CH102



Date: 14.MAR.2024 12:23:55


CH110

26 dB Bandwidth




Date: 14.MAR.2024 12:25:45

CH134




Date: 14.MAR.2024 12:27:32


99 % Occupied Bandwidth



Date: 14.MAR.2024 12:23:11



Date: 14.MAR.2024 12:25:05



Date: 14.MAR.2024 12:26:56