

Honour Electronic

Model	H10307
Page	1/3

Product Approval Sheet

Custome: Dongguan Hankai Electronics Co., LTD

Model: H10307

Cust. P/N 101.20.05190

Spec.: 43.5mm single coil /DIP/6.3UH 10% only {sheet thickness 0.8MM adhesive/coil

thickness 1.7max/ wire length 45mm

sample size: 3PCS

Date: 2023-4-12

内部 妥声 (Inner signatures)

(Customer Signatures)

11 5000					
	(Prepared By):	华文学品	(Precheck By):	The solutor 2	13.5.08
	(Checked By): .	LAN Qingbo	(Checked By):	(群集部)	
	(Approved By):	Wang Weizhao	(Approved By):		

Dong Guan Honour Electronic Co.,Ltd.	Product type	Wireless Charging coil
Address: 5th Floor, Building D4, Huitong Science Park, No.4 Hongye Middle Road, Yongtou Community, Chang 'an Town, Dongguan	Ver.	А

Http://www.forewell-tech.com

Document Code: HN-PE-007




			Model	H10307	
	Product Specification		/Ver.	A/0	
nulluun			Page	2/3	
Customer Code	H103	Product Name	Wireless chargingtransmitter coil (101.20.05190)		
Specification	43.5mm single coil /DIP/6,3UH 10% ovens i degree 0.8MM/ with adhesive backing/Coil thickness 1.7max/ Wire length 45mm	Winding Direction		0	
	Document	issue record			
Ver.	Modify Desc.		Issue	Date	
A/0	new ^z ssue		í	2023-4-12	
Dong	g Guan Honour Electronic Co.,Ltd.	Prodct Type		Wireless Charging	
Address: 5th No.4HongyeMidd	n Floor, Building D4, Huitong Science Park, lle Road, Yongtou Community, Chang ,an Town, Dongguan City	Ver		A	

文件编号 Document Code: HN-PE-007

Model H10307 A/0 Ver. **Product Specification** 3/3 Page Customer Code Wireless charging transmitter H103 (101.20.05190) **Product Name** 43.5mm single coil /DIP/6.3uH 10% slice Winding Direction thickness 0.8MM/带 Adhesive I coil thickness 1.7rnax/ thread length 45mm CCW Specification

-. Product Size (unit: MM)





Items	Size	Tol.
Α	20.50	±0.5
В	42.00	±1.0
C	43.50	±1.0
D	45.00	±1.0
E 3.00		±1.0
G	1.70	max

remark:

- 1, The coil is crossed out
- 2, coil With 3MM Wide brown high temperature glue
- 3, lead length from 磁
- 4, paste La 0*0.8 disc in the middle
- 5, the lead is tight and outgoing

__. (Schematic diagram)



≡. Winding Specification:

ltem	Wire	Wire OD		Turns	Laver		
1	S F	0.08*80PHot air self-a	0.08*80PHot air self-adhesive Wire		1		
四. Electrical specification							
Properties	Test conditions	Value	TOL		Tester		
LS	100KHZ/1V	6. 3	10%	***************************************	TH2830		
DCR	@25° C	52mΩ	10%		TH2516B		
Oprice	100KHZ/1V	6 0. 0	Mìn		TH2830		

Wire OD

四. 物料清单Material list

NO.	Materi a I Li st	specification		
1	enameled wire	0.08*80P hot air self-adhesive wireDouble sandalwood 43.5*5.0*0.820 * 0.8		
2	Iron culture hard magnetic	0.42*0.25 single ear		
3	Ferrotrophic hard magnetic disc			
4	double-sided adhesive	The company of the co		
5	High temperature tin	Eco-friendly hightemperature tin		

Dong Guan Honour Electronic Co.,Ltd.	Product type	Wireless Charging coil
Address; 5th Floor. Building D4. Huitong Science Park. No.4 Hongye Middle Road. Yongtou Community. Chang * an Town. Dongguan City	Ver.	Α

Http://www.forewell-tech.com

Document Code: HN-PE-007

