

Emission Bandwidth

Full RU Test Result

Test Mode	Antenna	Frequency [MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit [MHz]	Verdict
11A	Ant1	5180	18.920	5170.360	5189.280	---	---
11A	Ant1	5200	19.000	5190.280	5209.280	---	---
11A	Ant1	5240	19.200	5230.240	5249.440	---	---
11A	Ant1	5260	19.040	5250.240	5269.280	---	---
11A	Ant1	5280	18.840	5270.480	5289.320	---	---
11A	Ant1	5320	18.800	5310.480	5329.280	---	---
11A	Ant1	5500	19.120	5490.360	5509.480	---	---
11A	Ant1	5580	18.640	5570.600	5589.240	---	---
11A	Ant1	5700	19.760	5689.760	5709.520	---	---
11A	Ant1	5720	19.000	5710.360	5729.360	---	---
11A	Ant1	5720_UNII-2C	14.64	5710.360	5725	---	---
11A	Ant1	5720_UNII-3	4.36	5725	5729.360	---	---
11A	Ant1	5745	20.040	5734.600	5754.640	---	---
11A	Ant1	5785	18.760	5775.600	5794.360	---	---
11A	Ant1	5825	18.920	5815.440	5834.360	---	---
11N20SISO	Ant1	5180	20.400	5169.640	5190.040	---	---
11N20SISO	Ant1	5200	20.080	5189.800	5209.880	---	---
11N20SISO	Ant1	5240	20.320	5229.720	5250.040	---	---
11N20SISO	Ant1	5260	20.160	5249.920	5270.080	---	---
11N20SISO	Ant1	5280	19.920	5270.000	5289.920	---	---
11N20SISO	Ant1	5320	20.040	5309.800	5329.840	---	---
11N20SISO	Ant1	5500	20.080	5489.800	5509.880	---	---
11N20SISO	Ant1	5580	19.920	5569.960	5589.880	---	---
11N20SISO	Ant1	5700	21.120	5689.400	5710.520	---	---
11N20SISO	Ant1	5720	20.120	5710.000	5730.120	---	---
11N20SISO	Ant1	5720_UNII-2C	15	5710.000	5725	---	---
11N20SISO	Ant1	5720_UNII-3	5.12	5725	5730.120	---	---
11N20SISO	Ant1	5745	20.160	5734.640	5754.800	---	---
11N20SISO	Ant1	5785	20.240	5774.680	5794.920	---	---
11N20SISO	Ant1	5825	20.160	5814.800	5834.960	---	---
11N40SISO	Ant1	5190	39.680	5169.840	5209.520	---	---
11N40SISO	Ant1	5230	39.200	5210.400	5249.600	---	---
11N40SISO	Ant1	5270	39.680	5249.920	5289.600	---	---
11N40SISO	Ant1	5310	39.680	5290.080	5329.760	---	---
11N40SISO	Ant1	5510	39.040	5490.640	5529.680	---	---
11N40SISO	Ant1	5550	39.440	5530.400	5569.840	---	---

TEST REPORT

11N40SISO	Ant1	5670	39.520	5650.240	5689.760	---	---
11N40SISO	Ant1	5710	39.760	5690.080	5729.840	---	---
11N40SISO	Ant1	5710_UNII-2C	34.92	5690.080	5725	---	---
11N40SISO	Ant1	5710_UNII-3	4.84	5725	5729.840	---	---
11N40SISO	Ant1	5755	39.600	5735.240	5774.840	---	---
11N40SISO	Ant1	5795	39.680	5775.240	5814.920	---	---
11AC20SISO	Ant1	5180	20.080	5169.920	5190.000	---	---
11AC20SISO	Ant1	5200	19.880	5190.000	5209.880	---	---
11AC20SISO	Ant1	5240	20.080	5229.840	5249.920	---	---
11AC20SISO	Ant1	5260	20.160	5249.880	5270.040	---	---
11AC20SISO	Ant1	5280	20.080	5269.920	5290.000	---	---
11AC20SISO	Ant1	5320	20.360	5309.720	5330.080	---	---
11AC20SISO	Ant1	5500	20.200	5489.840	5510.040	---	---
11AC20SISO	Ant1	5580	19.960	5569.960	5589.920	---	---
11AC20SISO	Ant1	5700	20.120	5689.920	5710.040	---	---
11AC20SISO	Ant1	5720	20.480	5709.720	5730.200	---	---
11AC20SISO	Ant1	5720_UNII-2C	15.28	5709.720	5725	---	---
11AC20SISO	Ant1	5720_UNII-3	5.2	5725	5730.200	---	---
11AC20SISO	Ant1	5745	20.520	5734.520	5755.040	---	---
11AC20SISO	Ant1	5785	19.880	5774.960	5794.840	---	---
11AC20SISO	Ant1	5825	20.200	5814.800	5835.000	---	---
11AC40SISO	Ant1	5190	39.120	5170.400	5209.520	---	---
11AC40SISO	Ant1	5230	39.760	5210.160	5249.920	---	---
11AC40SISO	Ant1	5270	39.440	5250.240	5289.680	---	---
11AC40SISO	Ant1	5310	39.440	5290.160	5329.600	---	---
11AC40SISO	Ant1	5510	39.760	5490.080	5529.840	---	---
11AC40SISO	Ant1	5550	39.520	5530.000	5569.520	---	---
11AC40SISO	Ant1	5670	39.840	5650.160	5690.000	---	---
11AC40SISO	Ant1	5710	39.760	5690.000	5729.760	---	---
11AC40SISO	Ant1	5710_UNII-2C	35	5690.000	5725	---	---
11AC40SISO	Ant1	5710_UNII-3	4.76	5725	5729.760	---	---
11AC40SISO	Ant1	5755	39.600	5735.080	5774.680	---	---
11AC40SISO	Ant1	5795	39.520	5775.320	5814.840	---	---
11AC80SISO	Ant1	5210	81.440	5169.360	5250.800	---	---
11AC80SISO	Ant1	5290	81.280	5249.040	5330.320	---	---
11AC80SISO	Ant1	5530	81.280	5489.520	5570.800	---	---
11AC80SISO	Ant1	5610	82.080	5569.040	5651.120	---	---
11AC80SISO	Ant1	5690	81.760	5649.200	5730.960	---	---
11AC80SISO	Ant1	5690_UNII-2C	75.8	5649.200	5725	---	---
11AC80SISO	Ant1	5690_UNII-3	5.96	5725	5730.960	---	---
11AC80SISO	Ant1	5775	81.120	5734.360	5815.480	---	---
11AX20SISO	Ant1	5180	20.440	5169.640	5190.080	---	---

TEST REPORT

11AX20SISO	Ant1	5200	20.840	5189.680	5210.520	---	---
11AX20SISO	Ant1	5240	20.840	5229.560	5250.400	---	---
11AX20SISO	Ant1	5260	20.640	5249.680	5270.320	---	---
11AX20SISO	Ant1	5280	20.800	5269.480	5290.280	---	---
11AX20SISO	Ant1	5320	20.880	5309.520	5330.400	---	---
11AX20SISO	Ant1	5500	20.800	5489.680	5510.480	---	---
11AX20SISO	Ant1	5580	20.800	5569.600	5590.400	---	---
11AX20SISO	Ant1	5700	21.320	5689.200	5710.520	---	---
11AX20SISO	Ant1	5720	21.920	5708.880	5730.800	---	---
11AX20SISO	Ant1	5720_UNII-2C	16.12	5708.880	5725	---	---
11AX20SISO	Ant1	5720_UNII-3	5.8	5725	5730.800	---	---
11AX20SISO	Ant1	5745	21.040	5734.360	5755.400	---	---
11AX20SISO	Ant1	5785	21.040	5774.440	5795.480	---	---
11AX20SISO	Ant1	5825	20.760	5814.520	5835.280	---	---
11AX40SISO	Ant1	5190	40.080	5169.920	5210.000	---	---
11AX40SISO	Ant1	5230	40.560	5209.680	5250.240	---	---
11AX40SISO	Ant1	5270	40.400	5249.840	5290.240	---	---
11AX40SISO	Ant1	5310	40.400	5289.680	5330.080	---	---
11AX40SISO	Ant1	5510	40.160	5490.000	5530.160	---	---
11AX40SISO	Ant1	5550	40.080	5530.000	5570.080	---	---
11AX40SISO	Ant1	5670	40.000	5649.840	5689.840	---	---
11AX40SISO	Ant1	5710	40.320	5689.760	5730.080	---	---
11AX40SISO	Ant1	5710_UNII-2C	35.24	5689.760	5725	---	---
11AX40SISO	Ant1	5710_UNII-3	5.08	5725	5730.080	---	---
11AX40SISO	Ant1	5755	40.320	5734.680	5775.000	---	---
11AX40SISO	Ant1	5795	40.480	5774.440	5814.920	---	---
11AX80SISO	Ant1	5210	81.440	5169.040	5250.480	---	---
11AX80SISO	Ant1	5290	82.880	5248.720	5331.600	---	---
11AX80SISO	Ant1	5530	81.760	5489.360	5571.120	---	---
11AX80SISO	Ant1	5610	81.920	5569.200	5651.120	---	---
11AX80SISO	Ant1	5690	81.280	5649.360	5730.640	---	---
11AX80SISO	Ant1	5690_UNII-2C	75.64	5649.360	5725	---	---
11AX80SISO	Ant1	5690_UNII-3	5.64	5725	5730.640	---	---
11AX80SISO	Ant1	5775	81.920	5734.040	5815.960	---	---
11AX160SISO	Ant1	5250	167.040	5166.160	5333.200	---	---
11AX160SISO	Ant1	5250_UNII-1	83.84	5166.160	5250	---	---
11AX160SISO	Ant1	5250_UNII-2A	83.2	5250	5333.200	---	---
11AX160SISO	Ant1	5570	164.800	5487.440	5652.240	---	---

Partial RU Test Result

Test Mode	Antenna	Frequency [MHz]	Ru Size	26db BW [MHz]	FL [MHz]	FH [MHz]	Limit [MHz]	Verdict
11AX20SISO	Ant1	5180	26Tone	20.520	5168.800	5189.320	---	---
11AX20SISO	Ant1	5180	52Tone	20.600	5168.680	5189.280	---	---
11AX20SISO	Ant1	5180	106Tone	21.360	5168.480	5189.840	---	---
11AX20SISO	Ant1	5180	242Tone	20.560	5169.640	5190.200	---	---
11AX20SISO	Ant1	5200	26Tone	20.440	5188.680	5209.120	---	---
11AX20SISO	Ant1	5200	52Tone	21.160	5188.680	5209.840	---	---
11AX20SISO	Ant1	5200	106Tone	21.360	5188.720	5210.080	---	---
11AX20SISO	Ant1	5200	242Tone	20.640	5189.600	5210.240	---	---
11AX20SISO	Ant1	5240	26Tone	19.280	5228.560	5247.840	---	---
11AX20SISO	Ant1	5240	52Tone	21.720	5228.080	5249.800	---	---
11AX20SISO	Ant1	5240	106Tone	21.200	5228.720	5249.920	---	---
11AX20SISO	Ant1	5240	242Tone	20.760	5229.400	5250.160	---	---
11AX20SISO	Ant1	5260	26Tone	20.400	5248.920	5269.320	---	---
11AX20SISO	Ant1	5260	52Tone	20.800	5248.840	5269.640	---	---
11AX20SISO	Ant1	5260	106Tone	21.360	5248.720	5270.080	---	---
11AX20SISO	Ant1	5260	242Tone	20.800	5249.520	5270.320	---	---
11AX20SISO	Ant1	5280	26Tone	20.880	5268.320	5289.200	---	---
11AX20SISO	Ant1	5280	52Tone	21.080	5268.720	5289.800	---	---
11AX20SISO	Ant1	5280	106Tone	21.600	5268.760	5290.360	---	---
11AX20SISO	Ant1	5280	242Tone	20.600	5269.680	5290.280	---	---
11AX20SISO	Ant1	5320	26Tone	20.600	5308.920	5329.520	---	---
11AX20SISO	Ant1	5320	52Tone	21.840	5308.120	5329.960	---	---
11AX20SISO	Ant1	5320	106Tone	21.880	5308.400	5330.280	---	---
11AX20SISO	Ant1	5320	242Tone	20.680	5309.640	5330.320	---	---
11AX20SISO	Ant1	5500	26Tone	20.480	5488.800	5509.280	---	---
11AX20SISO	Ant1	5500	52Tone	21.440	5488.440	5509.880	---	---
11AX20SISO	Ant1	5500	106Tone	20.640	5488.880	5509.520	---	---
11AX20SISO	Ant1	5500	242Tone	20.880	5489.360	5510.240	---	---
11AX20SISO	Ant1	5580	26Tone	20.560	5568.720	5589.280	---	---
11AX20SISO	Ant1	5580	52Tone	21.080	5568.760	5589.840	---	---
11AX20SISO	Ant1	5580	106Tone	21.400	5568.920	5590.320	---	---
11AX20SISO	Ant1	5580	242Tone	20.640	5569.640	5590.280	---	---
11AX20SISO	Ant1	5700	26Tone	20.200	5688.720	5708.920	---	---
11AX20SISO	Ant1	5700	52Tone	20.680	5688.680	5709.360	---	---
11AX20SISO	Ant1	5700	106Tone	21.720	5688.480	5710.200	---	---
11AX20SISO	Ant1	5700	242Tone	21.120	5689.360	5710.480	---	---
11AX20SISO	Ant1	5720	26Tone	20.640	5708.520	5729.160	---	---
11AX20SISO	Ant1	5720	52Tone	21.200	5708.680	5729.880	---	---

TEST REPORT

11AX20SISO	Ant1	5720	106Tone	21.120	5708.920	5730.040	---	---
11AX20SISO	Ant1	5720	242Tone	20.360	5709.720	5730.080	---	---
11AX20SISO	Ant1	5720_UNII-2C	26Tone	16.48	5708.520	5725	---	---
11AX20SISO	Ant1	5720_UNII-2C	52Tone	16.32	5708.680	5725	---	---
11AX20SISO	Ant1	5720_UNII-2C	106Tone	16.08	5708.920	5725	---	---
11AX20SISO	Ant1	5720_UNII-2C	242Tone	15.28	5709.720	5725	---	---
11AX20SISO	Ant1	5720_UNII-3	26Tone	4.16	5725	5729.160	---	---
11AX20SISO	Ant1	5720_UNII-3	52Tone	4.88	5725	5729.880	---	---
11AX20SISO	Ant1	5720_UNII-3	106Tone	5.04	5725	5730.040	---	---
11AX20SISO	Ant1	5720_UNII-3	242Tone	5.08	5725	5730.080	---	---
11AX20SISO	Ant1	5745	26Tone	20.640	5733.600	5754.240	---	---
11AX20SISO	Ant1	5745	52Tone	20.840	5733.760	5754.600	---	---
11AX20SISO	Ant1	5745	106Tone	21.600	5733.640	5755.240	---	---
11AX20SISO	Ant1	5745	242Tone	20.680	5734.680	5755.360	---	---
11AX20SISO	Ant1	5785	26Tone	20.320	5773.880	5794.200	---	---
11AX20SISO	Ant1	5785	52Tone	20.760	5774.080	5794.840	---	---
11AX20SISO	Ant1	5785	106Tone	21.000	5774.080	5795.080	---	---
11AX20SISO	Ant1	5785	242Tone	20.440	5774.720	5795.160	---	---
11AX20SISO	Ant1	5825	26Tone	20.560	5813.840	5834.400	---	---
11AX20SISO	Ant1	5825	52Tone	20.960	5813.760	5834.720	---	---
11AX20SISO	Ant1	5825	106Tone	21.440	5813.880	5835.320	---	---
11AX20SISO	Ant1	5825	242Tone	20.800	5814.720	5835.520	---	---
11AX40SISO	Ant1	5190	26Tone	39.760	5168.640	5208.400	---	---
11AX40SISO	Ant1	5190	52Tone	40.720	5168.320	5209.040	---	---
11AX40SISO	Ant1	5190	106Tone	39.920	5168.560	5208.480	---	---
11AX40SISO	Ant1	5190	484Tone	40.320	5169.680	5210.000	---	---
11AX40SISO	Ant1	5230	26Tone	40.400	5208.640	5249.040	---	---
11AX40SISO	Ant1	5230	52Tone	41.120	5208.080	5249.200	---	---
11AX40SISO	Ant1	5230	106Tone	41.520	5207.840	5249.360	---	---
11AX40SISO	Ant1	5230	484Tone	40.320	5209.920	5250.240	---	---
11AX40SISO	Ant1	5270	26Tone	40.400	5248.720	5289.120	---	---
11AX40SISO	Ant1	5270	52Tone	40.640	5248.560	5289.200	---	---
11AX40SISO	Ant1	5270	106Tone	40.880	5248.480	5289.360	---	---
11AX40SISO	Ant1	5270	484Tone	40.640	5249.520	5290.160	---	---
11AX40SISO	Ant1	5310	26Tone	40.720	5288.320	5329.040	---	---
11AX40SISO	Ant1	5310	52Tone	40.880	5288.320	5329.200	---	---
11AX40SISO	Ant1	5310	106Tone	40.480	5287.840	5328.320	---	---
11AX40SISO	Ant1	5310	484Tone	40.400	5289.840	5330.240	---	---
11AX40SISO	Ant1	5510	26Tone	40.640	5488.480	5529.120	---	---
11AX40SISO	Ant1	5510	52Tone	40.160	5488.640	5528.800	---	---
11AX40SISO	Ant1	5510	106Tone	40.960	5488.320	5529.280	---	---
11AX40SISO	Ant1	5510	484Tone	40.480	5489.680	5530.160	---	---


TEST REPORT

11AX40SISO	Ant1	5550	26Tone	40.080	5528.960	5569.040	---	---
11AX40SISO	Ant1	5550	52Tone	40.880	5528.320	5569.200	---	---
11AX40SISO	Ant1	5550	106Tone	41.440	5527.760	5569.200	---	---
11AX40SISO	Ant1	5550	484Tone	40.000	5530.000	5570.000	---	---
11AX40SISO	Ant1	5670	26Tone	40.720	5648.480	5689.200	---	---
11AX40SISO	Ant1	5670	52Tone	40.320	5648.720	5689.040	---	---
11AX40SISO	Ant1	5670	106Tone	41.360	5647.840	5689.200	---	---
11AX40SISO	Ant1	5670	484Tone	40.160	5650.080	5690.240	---	---
11AX40SISO	Ant1	5710	26Tone	40.480	5688.480	5728.960	---	---
11AX40SISO	Ant1	5710	52Tone	40.560	5688.480	5729.040	---	---
11AX40SISO	Ant1	5710	106Tone	41.360	5687.840	5729.200	---	---
11AX40SISO	Ant1	5710	484Tone	40.480	5689.760	5730.240	---	---
11AX40SISO	Ant1	5710_UNII-2C	26Tone	36.52	5688.480	5725	---	---
11AX40SISO	Ant1	5710_UNII-2C	52Tone	36.52	5688.480	5725	---	---
11AX40SISO	Ant1	5710_UNII-2C	106Tone	37.16	5687.840	5725	---	---
11AX40SISO	Ant1	5710_UNII-2C	484Tone	35.24	5689.760	5725	---	---
11AX40SISO	Ant1	5710_UNII-3	26Tone	3.96	5725	5728.960	---	---
11AX40SISO	Ant1	5710_UNII-3	52Tone	4.04	5725	5729.040	---	---
11AX40SISO	Ant1	5710_UNII-3	106Tone	4.2	5725	5729.200	---	---
11AX40SISO	Ant1	5710_UNII-3	484Tone	5.24	5725	5730.240	---	---
11AX40SISO	Ant1	5755	26Tone	40.800	5733.160	5773.960	---	---
11AX40SISO	Ant1	5755	52Tone	40.560	5733.480	5774.040	---	---
11AX40SISO	Ant1	5755	106Tone	40.560	5733.560	5774.120	---	---
11AX40SISO	Ant1	5755	484Tone	40.160	5734.840	5775.000	---	---
11AX40SISO	Ant1	5795	26Tone	40.400	5773.480	5813.880	---	---
11AX40SISO	Ant1	5795	52Tone	40.880	5773.160	5814.040	---	---
11AX40SISO	Ant1	5795	106Tone	41.040	5773.160	5814.200	---	---
11AX40SISO	Ant1	5795	484Tone	40.240	5774.680	5814.920	---	---
11AX80SISO	Ant1	5210	26Tone	81.760	5166.960	5248.720	---	---
11AX80SISO	Ant1	5210	52Tone	83.040	5166.000	5249.040	---	---
11AX80SISO	Ant1	5210	106Tone	80.480	5166.480	5246.960	---	---
11AX80SISO	Ant1	5210	996Tone	82.080	5168.720	5250.800	---	---
11AX80SISO	Ant1	5290	26Tone	82.560	5246.640	5329.200	---	---
11AX80SISO	Ant1	5290	52Tone	82.240	5247.120	5329.360	---	---
11AX80SISO	Ant1	5290	106Tone	83.200	5246.000	5329.200	---	---
11AX80SISO	Ant1	5290	996Tone	81.280	5249.200	5330.480	---	---
11AX80SISO	Ant1	5530	26Tone	82.880	5486.480	5569.360	---	---
11AX80SISO	Ant1	5530	52Tone	80.960	5487.120	5568.080	---	---
11AX80SISO	Ant1	5530	106Tone	83.840	5486.160	5570.000	---	---
11AX80SISO	Ant1	5530	996Tone	81.760	5489.040	5570.800	---	---
11AX80SISO	Ant1	5610	26Tone	81.920	5567.120	5649.040	---	---
11AX80SISO	Ant1	5610	52Tone	82.080	5567.120	5649.200	---	---


TEST REPORT

11AX80SISO	Ant1	5610	106Tone	83.040	5566.480	5649.520	---	---
11AX80SISO	Ant1	5610	996Tone	82.080	5568.720	5650.800	---	---
11AX80SISO	Ant1	5690	26Tone	82.240	5646.800	5729.040	---	---
11AX80SISO	Ant1	5690	52Tone	82.560	5646.800	5729.360	---	---
11AX80SISO	Ant1	5690	106Tone	83.840	5645.360	5729.200	---	---
11AX80SISO	Ant1	5690	996Tone	81.920	5648.880	5730.800	---	---
11AX80SISO	Ant1	5690_UNII-2C	26Tone	78.2	5646.800	5725	---	---
11AX80SISO	Ant1	5690_UNII-2C	52Tone	78.2	5646.800	5725	---	---
11AX80SISO	Ant1	5690_UNII-2C	106Tone	79.64	5645.360	5725	---	---
11AX80SISO	Ant1	5690_UNII-2C	996Tone	76.12	5648.880	5725	---	---
11AX80SISO	Ant1	5690_UNII-3	26Tone	4.04	5725	5729.040	---	---
11AX80SISO	Ant1	5690_UNII-3	52Tone	4.36	5725	5729.360	---	---
11AX80SISO	Ant1	5690_UNII-3	106Tone	4.2	5725	5729.200	---	---
11AX80SISO	Ant1	5690_UNII-3	996Tone	5.8	5725	5730.800	---	---
11AX80SISO	Ant1	5775	26Tone	82.400	5731.800	5814.200	---	---
11AX80SISO	Ant1	5775	52Tone	82.560	5731.800	5814.360	---	---
11AX80SISO	Ant1	5775	106Tone	82.080	5732.120	5814.200	---	---
11AX80SISO	Ant1	5775	996Tone	81.280	5734.360	5815.640	---	---
11AX160SISO	Ant1	5250	26Tone	163.200	5165.520	5328.720	---	---
11AX160SISO	Ant1	5250	52Tone	164.160	5165.200	5329.360	---	---
11AX160SISO	Ant1	5250	106Tone	166.080	5163.600	5329.680	---	---
11AX160SISO	Ant1	5250	2*996Tone	164.160	5167.760	5331.920	---	---
11AX160SISO	Ant1	5250_UNII-1	26Tone	84.48	5165.520	5250	---	---
11AX160SISO	Ant1	5250_UNII-1	52Tone	84.8	5165.200	5250	---	---
11AX160SISO	Ant1	5250_UNII-1	106Tone	86.4	5163.600	5250	---	---
11AX160SISO	Ant1	5250_UNII-1	2*996Tone	82.24	5167.760	5250	---	---
11AX160SISO	Ant1	5250_UNII-2A	26Tone	78.72	5250	5328.720	---	---
11AX160SISO	Ant1	5250_UNII-2A	52Tone	79.36	5250	5329.360	---	---
11AX160SISO	Ant1	5250_UNII-2A	106Tone	79.68	5250	5329.680	---	---
11AX160SISO	Ant1	5250_UNII-2A	2*996Tone	81.92	5250	5331.920	---	---
11AX160SISO	Ant1	5570	26Tone	164.800	5484.880	5649.680	---	---
11AX160SISO	Ant1	5570	52Tone	164.480	5484.880	5649.360	---	---
11AX160SISO	Ant1	5570	106Tone	164.800	5485.200	5650.000	---	---
11AX160SISO	Ant1	5570	996Tone	164.480	5488.080	5652.560	---	---


Test Graphs




11A-Ant1-5180




11A-Ant1-5200




11A-Ant1-5240



11A-Ant1-5260




11A-Ant1-5280




11A-Ant1-5320




11A-Ant1-5500




11A-Ant1-5580




11A-Ant1-5700



11A-Ant1-5720




11A-Ant1-5745




11A-Ant1-5785



11A-Ant1-5825




11N20SISO-Ant1-5180



11N20SISO-Ant1-5200



11N20SISO-Ant1-5240




11N20SISO-Ant1-5260




11N20SISO-Ant1-5280



11N20SISO-Ant1-5320




11N20SISO-Ant1-5500



11N20SISO-Ant1-5580



11N20SISO-Ant1-5700




11N20SISO-Ant1-5720




11N20SISO-Ant1-5745




11N20SISO-Ant1-5785




11N20SISO-Ant1-5825




11N40SISO-Ant1-5190



11N40SISO-Ant1-5230




11N40SISO-Ant1-5270




11N40SISO-Ant1-5310




11N40SISO-Ant1-5510




11N40SISO-Ant1-5550



11N40SISO-Ant1-5670



11N40SISO-Ant1-5710



11N40SISO-Ant1-5755




11N40SISO-Ant1-5795




11AC20SISO-Ant1-5180




11AC20SISO-Ant1-5200



11AC20SISO-Ant1-5240



11AC20SISO-Ant1-5260



11AC20SISO-Ant1-5280




11AC20SISO-Ant1-5320



11AC20SISO-Ant1-5500




11AC20SISO-Ant1-5580




11AC20SISO-Ant1-5700



11AC20SISO-Ant1-5720




11AC20SISO-Ant1-5745




11AC20SISO-Ant1-5785




11AC20SISO-Ant1-5825




11AC40SISO-Ant1-5190



11AC40SISO-Ant1-5230



11AC40SISO-Ant1-5270




11AC40SISO-Ant1-5310




11AC40SISO-Ant1-5510



11AC40SISO-Ant1-5550




11AC40SISO-Ant1-5670




11AC40SISO-Ant1-5710




11AC40SISO-Ant1-5755




11AC40SISO-Ant1-5795




11AC80SISO-Ant1-5210



11AC80SISO-Ant1-5290



11AC80SISO-Ant1-5530



11AC80SISO-Ant1-5610