

FCC Part 90S

RF power output

n26 , Normal

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.53	17.58	0.057	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.4	17.45	0.056	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.24	17.29	0.054	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.73	16.78	0.048	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM QPSK_RB1@1	23.68	17.73	0.059	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM QPSK_RB12@6	23.19	17.24	0.053	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM QPSK_RB1@23	23.21	17.26	0.053	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM QPSK_RB25@0	22.38	16.43	0.044	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.27	15.32	0.034	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.69	14.74	0.030	100	Pass
n26_5MHz_15kHz_816.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.54	12.59	0.018	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM QPSK_RB1@1	21.59	15.64	0.037	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM QPSK_RB13@6	22	16.05	0.040	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM QPSK_RB1@23	21.56	15.61	0.036	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM QPSK_RB25@0	20.13	14.18	0.026	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM 16 QAM_RB25@0	20.28	14.33	0.027	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM 64 QAM_RB25@0	19.69	13.74	0.024	100	Pass
n26_5MHz_15kHz_816.5MHz_CP-OFDM 256 QAM_RB25@0	17.21	11.26	0.013	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.38	17.43	0.055	100	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.5	17.55	0.057	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.34	17.39	0.055	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.84	16.89	0.049	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB1@1	23.34	17.39	0.055	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB12@6	23.26	17.31	0.054	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB1@23	23.3	17.35	0.054	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB25@0	22.28	16.33	0.043	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM 16 QAM_RB25@0	21.36	15.41	0.035	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM 64 QAM_RB25@0	21.06	15.11	0.032	100	Pass
n26_5MHz_15kHz_819MHz_DFT-s-OFDM 256 QAM_RB25@0	18.65	12.70	0.019	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM QPSK_RB1@1	21.67	15.72	0.037	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM QPSK_RB13@6	21.85	15.90	0.039	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM QPSK_RB1@23	21.8	15.85	0.038	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM QPSK_RB25@0	20.47	14.52	0.028	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM 16 QAM_RB25@0	20.5	14.55	0.029	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM 64 QAM_RB25@0	19.78	13.83	0.024	100	Pass
n26_5MHz_15kHz_819MHz_CP-OFDM 256 QAM_RB25@0	17.15	11.20	0.013	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.43	17.48	0.056	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.61	17.66	0.058	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.36	17.41	0.055	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	22.86	16.91	0.049	100	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB1@1	23.42	17.47	0.056	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB12@6	23.36	17.41	0.055	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB1@23	23.59	17.64	0.058	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB25@0	22.36	16.41	0.044	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.39	15.44	0.035	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM 64 QAM_RB25@0	20.95	15.00	0.032	100	Pass
n26_5MHz_15kHz_821.5MHz_DFT-s-OFDM 256 QAM_RB25@0	18.81	12.86	0.019	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB1@1	22.22	16.27	0.042	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB13@6	21.97	16.02	0.040	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB1@23	21.96	16.01	0.040	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB25@0	20.5	14.55	0.029	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM 16 QAM_RB25@0	20.78	14.83	0.030	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM 64 QAM_RB25@0	19.95	14.00	0.025	100	Pass
n26_5MHz_15kHz_821.5MHz_CP-OFDM 256 QAM_RB25@0	17.23	11.28	0.013	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.46	17.51	0.056	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.41	17.46	0.056	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.36	17.41	0.055	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	22.96	17.01	0.050	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB1@1	23.5	17.55	0.057	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB25@12	23.4	17.45	0.056	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB1@50	23.37	17.42	0.055	100	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_10MHz_15kHz_819MHz_DFT-s-OFDM QPSK_RB50@0	22.41	16.46	0.044	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM 16 QAM_RB50@0	21.38	15.43	0.035	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM 64 QAM_RB50@0	21	15.05	0.032	100	Pass
n26_10MHz_15kHz_819MHz_DFT-s-OFDM 256 QAM_RB50@0	18.9	12.95	0.020	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM QPSK_RB1@1	21.99	16.04	0.040	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM QPSK_RB26@13	21.88	15.93	0.039	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM QPSK_RB1@50	21.88	15.93	0.039	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM QPSK_RB52@0	20.5	14.55	0.029	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM 16 QAM_RB52@0	20.38	14.43	0.028	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM 64 QAM_RB52@0	19.99	14.04	0.025	100	Pass
n26_10MHz_15kHz_819MHz_CP-OFDM 256 QAM_RB52@0	17.34	11.39	0.014	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB75@0	22.3	14.39	0.027	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB79@0	20.34	15.45	0.035	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.4	11.34	0.014	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM 256 QAM_RB79@0	17.29	14.46	0.028	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM 16 QAM_RB79@0	20.41	16	0.040	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB1@1	21.95	12.82	0.019	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM 256 QAM_RB75@0	18.77	17.34	0.054	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB36@18	23.29	15.71	0.037	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB1@77	21.66	19.1	0.081	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	25.05	14.39	0.027	100	Pass

n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB1@1	23.52	17.57	0.057	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM 64 QAM_RB75@0	20.86	14.91	0.031	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	24.87	18.92	0.078	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	24.47	18.52	0.071	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	18.7	12.75	0.019	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM QPSK_RB39@19	21.81	15.86	0.039	100	Pass
n26_15MHz_15kHz_821.5MHz_DFT-s-OFDM QPSK_RB1@77	23.36	17.41	0.055	100	Pass
n26_15MHz_15kHz_821.5MHz_CP-OFDM 64 QAM_RB79@0	19.76	13.81	0.024	100	Pass

Note:

EIRP = Value + Ant Gain – CL;

ERP = EIRP -2.15;

n26:

1.Ant Gain =-3.3 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

Cross Channe (FCC Part 90S and Part 22H)**RF power output****n26 , Normal**

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.64	17.69	0.059	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.65	17.7	0.059	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.65	17.7	0.059	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.14	17.19	0.052	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@1	23.84	17.89	0.062	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB12@6	23.69	17.74	0.059	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@23	23.72	17.77	0.060	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB25@0	22.66	16.71	0.047	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM 16 QAM_RB25@0	21.66	15.71	0.037	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM 64 QAM_RB25@0	21.23	15.28	0.034	7	Pass
n26_5MHz_15kHz_824MHz_DFT-s-OFDM 256 QAM_RB25@0	19.08	13.13	0.021	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@1	22.21	16.26	0.042	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM QPSK_RB13@6	22.2	16.25	0.042	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@23	21.99	16.04	0.040	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM QPSK_RB25@0	20.61	14.66	0.029	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM 16 QAM_RB25@0	20.75	14.8	0.030	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM 64 QAM_RB25@0	20.24	14.29	0.027	7	Pass
n26_5MHz_15kHz_824MHz_CP-OFDM 256 QAM_RB25@0	17.4	11.45	0.014	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.71	17.76	0.060	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_10MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.66	17.71	0.059	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.69	17.74	0.059	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.18	17.23	0.053	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@1	23.77	17.82	0.061	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB25@12	23.72	17.77	0.060	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@50	23.52	17.57	0.057	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB50@0	22.72	16.77	0.048	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM 16 QAM_RB50@0	21.67	15.72	0.037	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM 64 QAM_RB50@0	21.2	15.25	0.033	7	Pass
n26_10MHz_15kHz_824MHz_DFT-s-OFDM 256 QAM_RB50@0	19.17	13.22	0.021	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@1	22.03	16.08	0.041	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM QPSK_RB26@13	22.13	16.18	0.041	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@50	22.21	16.26	0.042	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM QPSK_RB52@0	20.74	14.79	0.030	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM 16 QAM_RB52@0	20.74	14.79	0.030	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM 64 QAM_RB52@0	20.29	14.34	0.027	7	Pass
n26_10MHz_15kHz_824MHz_CP-OFDM 256 QAM_RB52@0	17.48	11.53	0.014	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.81	17.86	0.061	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.62	17.67	0.058	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.64	17.69	0.059	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.07	17.12	0.052	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_15MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@1	23.7	17.75	0.060	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB36@18	23.6	17.65	0.058	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@77	23.54	17.59	0.057	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB75@0	22.53	16.58	0.045	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM 16 QAM_RB75@0	21.64	15.69	0.037	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM 64 QAM_RB75@0	21.1	15.15	0.033	7	Pass
n26_15MHz_15kHz_824MHz_DFT-s-OFDM 256 QAM_RB75@0	19.14	13.19	0.021	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@1	22.08	16.13	0.041	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM QPSK_RB39@19	22.04	16.09	0.041	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@77	22.02	16.07	0.040	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM QPSK_RB79@0	20.69	14.74	0.030	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM 16 QAM_RB79@0	20.57	14.62	0.029	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM 64 QAM_RB79@0	20.04	14.09	0.026	7	Pass
n26_15MHz_15kHz_824MHz_CP-OFDM 256 QAM_RB79@0	17.44	11.49	0.014	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.81	17.86	0.061	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.61	17.66	0.058	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.51	17.56	0.057	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.06	17.11	0.051	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@1	23.68	17.73	0.059	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB50@25	23.59	17.64	0.058	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB1@104	23.5	17.55	0.057	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_20MHz_15kHz_824MHz_DFT-s-OFDM QPSK_RB100@0	22.6	16.65	0.046	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM 16 QAM_RB100@0	21.53	15.58	0.036	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM 64 QAM_RB100@0	21.06	15.11	0.032	7	Pass
n26_20MHz_15kHz_824MHz_DFT-s-OFDM 256 QAM_RB100@0	19.2	13.25	0.021	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@1	22.07	16.12	0.041	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM QPSK_RB53@26	21.99	16.04	0.040	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM QPSK_RB1@104	22	16.05	0.040	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM QPSK_RB106@0	20.53	14.58	0.029	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM 16 QAM_RB106@0	20.6	14.65	0.029	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM 64 QAM_RB106@0	20.02	14.07	0.026	7	Pass
n26_20MHz_15kHz_824MHz_CP-OFDM 256 QAM_RB106@0	17.5	11.55	0.014	7	Pass

Note:

EIRP = Value + Ant Gain – CL;

ERP = EIRP -2.15;

n26:

1.Ant Gain =-3.3 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;

FCC Part 22H

RF power output

n26 , Normal

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24	18.05	0.064	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.93	17.98	0.063	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.94	17.99	0.063	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.24	17.29	0.054	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@1	23.81	17.86	0.061	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB12@6	23.86	17.91	0.062	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@23	23.83	17.88	0.061	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB25@0	22.83	16.88	0.049	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.82	15.87	0.039	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.36	15.41	0.035	7	Pass
n26_5MHz_15kHz_826.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.22	13.27	0.021	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	22.34	16.39	0.044	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	22.19	16.24	0.042	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	22.25	16.3	0.043	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	20.72	14.77	0.030	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	20.91	14.96	0.031	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	20.23	14.28	0.027	7	Pass
n26_5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	17.49	11.54	0.014	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.99	18.04	0.064	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.87	17.92	0.062	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.89	17.94	0.062	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.36	17.41	0.055	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.03	18.08	0.064	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	23.97	18.02	0.063	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	24.02	18.07	0.064	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	22.94	16.99	0.050	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.94	15.99	0.040	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.49	15.54	0.036	7	Pass
n26_5MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.36	13.41	0.022	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.35	16.4	0.044	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	22.48	16.53	0.045	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	22.33	16.38	0.043	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	20.93	14.98	0.031	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	20.95	15	0.032	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	20.47	14.52	0.028	7	Pass
n26_5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	17.37	11.42	0.014	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.83	17.88	0.061	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB12@6	23.77	17.82	0.061	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@23	23.76	17.81	0.060	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@0	23.26	17.31	0.054	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	23.9	17.95	0.062	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	23.85	17.9	0.062	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	23.87	17.92	0.062	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	22.78	16.83	0.048	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	21.88	15.93	0.039	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	21.36	15.41	0.035	7	Pass
n26_5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	19.24	13.29	0.021	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	22.27	16.32	0.043	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	22.41	16.46	0.044	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	22.14	16.19	0.042	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	20.73	14.78	0.030	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	20.89	14.94	0.031	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	20.29	14.34	0.027	7	Pass
n26_5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	17.23	11.28	0.013	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.9	17.95	0.062	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.94	17.99	0.063	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.89	17.94	0.062	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.46	17.51	0.056	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	23.95	18	0.063	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	23.9	17.95	0.062	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	23.92	17.97	0.063	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	22.92	16.97	0.050	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	21.87	15.92	0.039	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	21.39	15.44	0.035	7	Pass
n26_10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	19.37	13.42	0.022	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	22.26	16.31	0.043	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	22.36	16.41	0.044	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	22.49	16.54	0.045	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	20.9	14.95	0.031	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	20.89	14.94	0.031	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	20.46	14.51	0.028	7	Pass
n26_10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	17.36	11.41	0.014	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.04	18.09	0.064	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.96	18.01	0.063	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	24.02	18.07	0.064	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.4	17.45	0.056	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	23.94	17.99	0.063	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	23.91	17.96	0.063	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	24.04	18.09	0.064	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	22.87	16.92	0.049	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	21.92	15.97	0.040	7	Pass
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	21.45	15.5	0.035	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	19.5	13.55	0.023	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.42	16.47	0.044	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	22.35	16.4	0.044	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	22.46	16.51	0.045	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	21.02	15.07	0.032	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	20.91	14.96	0.031	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	20.46	14.51	0.028	7	Pass
n26_10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	17.4	11.45	0.014	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.96	18.01	0.063	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB25@12	23.94	17.99	0.063	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB1@50	23.93	17.98	0.063	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM PI/2 BPSK_RB50@0	23.42	17.47	0.056	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	24.06	18.11	0.065	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	23.86	17.91	0.062	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	23.89	17.94	0.062	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	22.95	17	0.050	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	21.91	15.96	0.039	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	21.45	15.5	0.035	7	Pass
n26_10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	19.46	13.51	0.022	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	22.32	16.37	0.043	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	22.42	16.47	0.044	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	22.26	16.31	0.043	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	20.9	14.95	0.031	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	20.92	14.97	0.031	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	20.52	14.57	0.029	7	Pass
n26_10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	17.35	11.4	0.014	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.94	17.99	0.063	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.98	18.03	0.064	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.87	17.92	0.062	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.51	17.56	0.057	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	23.97	18.02	0.063	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	23.97	18.02	0.063	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	23.91	17.96	0.063	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	22.98	17.03	0.050	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.09	16.14	0.041	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.54	15.59	0.036	7	Pass
n26_15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.52	13.57	0.023	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	22.5	16.55	0.045	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	22.41	16.46	0.044	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	22.38	16.43	0.044	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	20.99	15.04	0.032	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	21.07	15.12	0.033	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	20.46	14.51	0.028	7	Pass
n26_15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	17.41	11.46	0.014	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.98	18.03	0.064	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.96	18.01	0.063	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.84	17.89	0.062	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.47	17.52	0.056	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.11	18.16	0.065	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	23.9	17.95	0.062	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	23.9	17.95	0.062	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	22.89	16.94	0.049	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	22.01	16.06	0.040	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.48	15.53	0.036	7	Pass
n26_15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.44	13.49	0.022	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.4	16.45	0.044	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	22.32	16.37	0.043	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	22.37	16.42	0.044	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	20.9	14.95	0.031	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	20.89	14.94	0.031	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	20.34	14.39	0.027	7	Pass
n26_15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	17.34	11.39	0.014	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.97	18.02	0.063	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB36@18	23.88	17.93	0.062	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@77	23.8	17.85	0.061	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM PI/2 BPSK_RB75@0	23.38	17.43	0.055	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	23.99	18.04	0.064	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	23.89	17.94	0.062	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	23.78	17.83	0.061	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	22.89	16.94	0.049	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	21.92	15.97	0.040	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	21.42	15.47	0.035	7	Pass
n26_15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	19.37	13.42	0.022	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	22.5	16.55	0.045	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	22.31	16.36	0.043	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	22.25	16.3	0.043	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	20.91	14.96	0.031	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	20.81	14.86	0.031	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	20.4	14.45	0.028	7	Pass
n26_15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	17.3	11.35	0.014	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.01	18.06	0.064	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	24	18.05	0.064	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.83	17.88	0.061	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.58	17.63	0.058	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	24	18.05	0.064	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	24.01	18.06	0.064	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	23.8	17.85	0.061	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	23.08	17.13	0.052	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	22.02	16.07	0.040	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	21.55	15.6	0.036	7	Pass
n26_20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	19.44	13.49	0.022	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	22.51	16.56	0.045	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	22.46	16.51	0.045	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	22.3	16.35	0.043	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	21.07	15.12	0.033	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	21	15.05	0.032	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	20.51	14.56	0.029	7	Pass
n26_20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	17.57	11.62	0.015	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	24.06	18.11	0.065	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.91	17.96	0.063	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.82	17.87	0.061	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.49	17.54	0.057	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	24.1	18.15	0.065	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	23.95	18	0.063	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	23.88	17.93	0.062	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	23.01	17.06	0.051	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	22	16.05	0.040	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	21.56	15.61	0.036	7	Pass
n26_20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	19.49	13.54	0.023	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	22.48	16.53	0.045	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	22.37	16.42	0.044	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	22.41	16.46	0.044	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	20.99	15.04	0.032	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	20.94	14.99	0.032	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	20.54	14.59	0.029	7	Pass
n26_20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	17.48	11.53	0.014	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@1	23.98	18.03	0.064	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB50@25	23.94	17.99	0.063	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB1@104	23.75	17.8	0.060	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM PI/2 BPSK_RB100@0	23.44	17.49	0.056	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	24.04	18.09	0.064	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	23.91	17.96	0.063	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	23.79	17.84	0.061	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	23.05	17.1	0.051	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	21.99	16.04	0.040	7	Pass
n26_20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	21.54	15.59	0.036	7	Pass

Mode	Value (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Result
n26_20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	19.46	13.51	0.022	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	22.53	16.58	0.045	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	22.47	16.52	0.045	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	22.21	16.26	0.042	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	20.95	15	0.032	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	20.93	14.98	0.031	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	20.47	14.52	0.028	7	Pass
n26_20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	17.48	11.53	0.014	7	Pass

Note:

EIRP = Value + Ant Gain – CL;

ERP = EIRP -2.15;

n26:

1.Ant Gain =-3.3 dBi;

2.CL = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB;