

775 Montague Expressway Milpitas, CA 95035 Tel: 408-526-1188 Fax: 408-526-1088

Email: TCB@siemic.com

Modular Approval Declaration Letter

Reason for Amendment (current / obsolete)	Revision History		
	From	То	Approved Date
Initial Release (Obsolete)	1.0	1.0	Dec-04-2006
Added IC Modular Letter (Obsolete)	1.0	2.0	Feb 16 2009
Add LMA and MA option (Obsolete)	2.0	3.0	April 14 2010
Revised per RSS Gen issue 3.0 (Obsolete)	3.0	4.0	Jan 12 2011
Removed Foot(2) (obsolete)	4.0	5.0	July 19 2011
Adding New note per KDB996369 D01 V01R03	5.0	6.0	August 29 2011
(obsolete)			
Updated company template & Added text box	6.0	7.0	Jan-31-2012
(obsolete)			
Updated modular requirement (obsolete)	7.0	8.0	Sept 05 2014
Updated template to meet RSP 100 issue 10	8.0	9.0	Nov 20 2014
(obsolete)			
Updated template to meet RSP 100 issue 11	9.0	10.0	March 19 2015
(obsolete))			
Revised the Modular Requirement statements (current)	10.0	11.0	July 28, 2016

Guangzhou ZLG MCU Technology Co., LTD

(Date) 09/19/2018

(Product name) FCC ID: 2AIVAZLG52810


is seeking FCC Authorization as a \square Single Modular transmitter / \boxtimes Single Limited Modular Approval (Please cher	ck one
The EUT meets the requirements for \square Single Modular approval / \boxtimes Single Limited Modular Approval (please cher	ck one
as detailed in KDB 996369. Compliance to each of the requirements is described below:	

Item	Modular requirement	Yes	No	Please provide a detailed explanation if the answer is "No."
1	Have its own RF shielding		$\sqrt{}$	The EUT is non-shielded part
2	Have buffered modulation/data inputs (if such inputs are provided)	√		
3	The modular transmitter must have its own power supply regulation.		√	The module can be powered by the external host.
4	Meet the antenna requirements of section 15.203	√		
5	Be tested in a stand-alone configuration, i.e., the antenna, AC or DC power and data input/output lines must be connected to the module but, the module must not be inside another case during testing.		\checkmark	The module can't stand-alone work. It must be insert on a host device
6	Be labeled with its own FCC ID number, and if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module.	√		
7	The modular transmitter is manufactured so that the user can not influence the operation of the transmitter that will operate outside of the scope of the regulations.	√		
8	Address compliance with the Commission's RF exposure limits in Sections 1.1310 and 2.1093.	1		

Note:

- (1) LMA may be granted when one or more of the requirements in the table above cannot be demonstrated.
 - LMA will also be issued in those instances where applicants can demonstrate that they will retain control over the final installation of the device, such that compliance of the end product is assured. In such cases, an operating condition on the LMA for the module must state that the module is only approved for use when installed in devices produced by a specific manufacturer.
 - When LMA is sought, the application for equipment certification must specifically state how control of the end product into which the module will be installed, and will be maintained, such that full compliance of the end product is always ensured.
- (2) Please provide Clear and specific instructions describing the conditions, limitations and procedures for third-parties to use and/or integrate the module into a host device.
- (3) For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description of how such control is implemented to ensure prevention of third party modification must be provided (see KDB 594280).

Note 1: Compliance of a module in its final configuration is the responsibility of the applicant. A host device will not be considered certified if the instructions regarding antenna configuration provided in the original description, of one or more separately certified modules it contains, were not followed. **Example:** A separately certified low-power transceiver module using Bluetooth technology which is housed in a desktop computer, laptop or peripheral does not require the overall system to be recertified, if the desktop computer, laptop or peripheral, as a stand-alone unit, complies with all applicable technical standards.



Bai Jinlong Engineer

Room1603-1607,16/F Yinhui Building,No.117 Longyi Road,Tianhe District,Guangzhou,Guangdong.

Guangzhou ZLG MCU Technology Co., LTD

LMA Declaration Letter

We, Guangzhou ZLG MCU Technology Co., LTD declare that we will retain control over the final installation of the

device, (FCC ID: 2AIVAZLG52810) so that compliance of the end product is assured. In such cases, an operating

condition on the LMA for the module must be only approved for use when installed in devices produced by a

specific manufacturer.

Jinlong Bai

Bai Jinlong Engineer

Guangzhou ZLG MCU Technology Co., LTD.

Room1603-1607,16/F Yinhui Building,No.117 Longyi Road,Tianhe District,Guangzhou,Guangdong.