

Appendix B

RF Test Data for BT V5.0(BDR/EDR) (Conducted Measurement)


Product Name: Bluetooth Speaker
Trade Mark: Origaudio
Test Model: MINI SONO

Environmental Conditions

Temperature:	23.4° C
Relative Humidity:	52.8%
ATM Pressure:	100.0 kPa
Test Engineer:	Qu Xin
Supervised by:	Li Huan


B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.115	30	PASS
BT LE	MCH	-1.191	30	PASS
BT LE	HCH	-2.957	30	PASS



B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-15.325	8	PASS
BT LE	MCH	-16.536	8	PASS
BT LE	HCH	-18.268	8	PASS

Test Graphs	
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 03:43:07 PM Mar 27, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.40200000 GHz Avg Type: Log-Pwr TRACE 1 2 3 4 5 6</p> <p style="font-size: x-small; margin: 0;">PNO: Wide → Trig: Free Run AvgHold: 10/10 TYPE M W W W W W W W</p> <p style="font-size: x-small; margin: 0;">IFGain:Low #Atten: 30 dB DET P P P P P P P</p> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 70%;"> <p style="font-size: small; margin: 0;">Ref Offset 8.05 dB Mkr1 2.401 973 0 GHz</p> <p style="font-size: small; margin: 0;">Ref 20.00 dBm -15.325 dBm</p> <p style="font-size: x-small; margin: 0;">Center 2.4020000 GHz Span 1.500 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 3.0 kHz #VBW 10 kHz Sweep 158.2 ms (1001 pts)</p> </div> <div style="width: 25%; border-left: 1px solid black; padding-left: 5px;"> <p style="font-size: x-small; margin: 0;">Frequency</p> <p style="font-size: x-small; margin: 0;">Auto Tune</p> <p style="font-size: x-small; margin: 0;">Center Freq 2.402000000 GHz</p> <p style="font-size: x-small; margin: 0;">Start Freq 2.401250000 GHz</p> <p style="font-size: x-small; margin: 0;">Stop Freq 2.402750000 GHz</p> <p style="font-size: x-small; margin: 0;">CF Step 150.000 kHz Auto Man</p> <p style="font-size: x-small; margin: 0;">Freq Offset 0 Hz</p> </div> </div> <p style="font-size: x-small; margin: 0; display: flex; justify-content: space-between;">MSG STATUS</p> </div>
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="font-size: small; margin: 0;">Agilent Spectrum Analyzer - Swept SA</p> <p style="font-size: x-small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN: AUTO 03:48:19 PM Mar 27, 2020</p> <p style="font-size: small; margin: 0;">Center Freq 2.440000000 GHz Avg Type: Log-Pwr TRACE 1 2 3 4 5 6</p> <p style="font-size: x-small; margin: 0;">PNO: Wide → Trig: Free Run AvgHold: 10/10 TYPE M W W W W W W W</p> <p style="font-size: x-small; margin: 0;">IFGain:Low #Atten: 30 dB DET P P P P P P P</p> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 70%;"> <p style="font-size: small; margin: 0;">Ref Offset 8.05 dB Mkr1 2.439 740 5 GHz</p> <p style="font-size: small; margin: 0;">Ref 20.00 dBm -16.536 dBm</p> <p style="font-size: x-small; margin: 0;">Center 2.4400000 GHz Span 1.500 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 3.0 kHz #VBW 10 kHz Sweep 158.2 ms (1001 pts)</p> </div> <div style="width: 25%; border-left: 1px solid black; padding-left: 5px;"> <p style="font-size: x-small; margin: 0;">Frequency</p> <p style="font-size: x-small; margin: 0;">Auto Tune</p> <p style="font-size: x-small; margin: 0;">Center Freq 2.440000000 GHz</p> <p style="font-size: x-small; margin: 0;">Start Freq 2.439250000 GHz</p> <p style="font-size: x-small; margin: 0;">Stop Freq 2.440750000 GHz</p> <p style="font-size: x-small; margin: 0;">CF Step 150.000 kHz Auto Man</p> <p style="font-size: x-small; margin: 0;">Freq Offset 0 Hz</p> </div> </div> <p style="font-size: x-small; margin: 0; display: flex; justify-content: space-between;">MSG STATUS</p> </div>


B.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6935	≥0.5	PASS
BT LE	MCH	0.6941	≥0.5	PASS
BT LE	HCH	0.6953	≥0.5	PASS

Test Graphs																	
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 03:42:42 PM Mar 27, 2020</p> <p style="margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="display: flex; justify-content: space-between;"> <div style="font-size: x-small;"> 10 dB/div Log Ref Offset 8.05 dB Ref 20.00 dBm </div> <div style="text-align: right;"> Mkr1 2.4017476 GHz -0.30996 dBm </div> </div> <div style="display: flex; justify-content: space-between; font-size: x-small;"> <div>Center 2.402 GHz #Res BW 100 kHz</div> <div>#VBW 300 kHz</div> <div>Span 3 MHz Sweep 1.067 ms</div> </div> <table style="width: 100%; font-size: x-small; margin-top: 5px;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td colspan="2">6.18 dBm</td> </tr> <tr> <td colspan="4" style="text-align: center;">1.0317 MHz</td> </tr> <tr> <td>Transmit Freq Error</td> <td>12.500 kHz</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>693.5 kHz</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin-top: 5px;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	6.18 dBm		1.0317 MHz				Transmit Freq Error	12.500 kHz	OBW Power	99.00 %	x dB Bandwidth	693.5 kHz	x dB	-6.00 dB
Occupied Bandwidth	Total Power	6.18 dBm															
1.0317 MHz																	
Transmit Freq Error	12.500 kHz	OBW Power	99.00 %														
x dB Bandwidth	693.5 kHz	x dB	-6.00 dB														
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:INT ALIGN:AUTO 03:47:55 PM Mar 27, 2020</p> <p style="margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold: 1/1 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <div style="display: flex; justify-content: space-between;"> <div style="font-size: x-small;"> 10 dB/div Log Ref Offset 8.05 dB Ref 20.00 dBm </div> <div style="text-align: right;"> Mkr1 2.4397473 GHz -1.6614 dBm </div> </div> <div style="display: flex; justify-content: space-between; font-size: x-small;"> <div>Center 2.44 GHz #Res BW 100 kHz</div> <div>#VBW 300 kHz</div> <div>Span 3 MHz Sweep 1.067 ms</div> </div> <table style="width: 100%; font-size: x-small; margin-top: 5px;"> <tr> <td>Occupied Bandwidth</td> <td>Total Power</td> <td colspan="2">4.84 dBm</td> </tr> <tr> <td colspan="4" style="text-align: center;">1.0487 MHz</td> </tr> <tr> <td>Transmit Freq Error</td> <td>20.422 kHz</td> <td>OBW Power</td> <td>99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>694.1 kHz</td> <td>x dB</td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin-top: 5px;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	4.84 dBm		1.0487 MHz				Transmit Freq Error	20.422 kHz	OBW Power	99.00 %	x dB Bandwidth	694.1 kHz	x dB	-6.00 dB
Occupied Bandwidth	Total Power	4.84 dBm															
1.0487 MHz																	
Transmit Freq Error	20.422 kHz	OBW Power	99.00 %														
x dB Bandwidth	694.1 kHz	x dB	-6.00 dB														


B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.306	-36.894	-20.306	PASS
BT LE	MCH	-1.679	-36.963	-21.679	PASS
BT LE	HCH	-3.378	-36.505	-23.378	PASS




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.318	-49.304	-20.32	PASS
BT LE	HCH	-3.338	-48.994	-23.34	PASS


Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.35700000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.316 275 GHz -49.304 dBm Start 2.31000 GHz, Stop 2.40400 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 9.067 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401 756 GHz</td><td>-0.318 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-53.298 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-53.060 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.316 275 GHz</td><td>-49.304 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401 756 GHz	-0.318 dBm				2	N	f		2.400 000 GHz	-53.298 dBm				3	N	f		2.390 000 GHz	-53.060 dBm				4	N	f		2.316 275 GHz	-49.304 dBm				Frequency Auto Tune Center Freq 2.35700000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.401 756 GHz	-0.318 dBm																																										
2	N	f		2.400 000 GHz	-53.298 dBm																																										
3	N	f		2.390 000 GHz	-53.060 dBm																																										
4	N	f		2.316 275 GHz	-49.304 dBm																																										
HCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.48900000 GHz Ref Offset 8.05 dB, Ref 20.00 dBm Mkr4 2.496 326 00 GHz -48.994 dBm Start 2.47800 GHz, Stop 2.50000 GHz #Res BW 100 kHz, #VBW 300 kHz, Sweep 2.133 ms (8001 pts)</p> <table border="1" style="width: 100%; font-size: small;"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr><td>1</td><td>N</td><td>f</td><td></td><td>2.479 761 75 GHz</td><td>-3.338 dBm</td><td></td><td></td><td></td></tr> <tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-52.741 dBm</td><td></td><td></td><td></td></tr> <tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.722 dBm</td><td></td><td></td><td></td></tr> <tr><td>4</td><td>N</td><td>f</td><td></td><td>2.496 326 00 GHz</td><td>-48.994 dBm</td><td></td><td></td><td></td></tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.479 761 75 GHz	-3.338 dBm				2	N	f		2.483 500 00 GHz	-52.741 dBm				3	N	f		2.500 000 00 GHz	-52.722 dBm				4	N	f		2.496 326 00 GHz	-48.994 dBm				Frequency Auto Tune Center Freq 2.48900000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																							
1	N	f		2.479 761 75 GHz	-3.338 dBm																																										
2	N	f		2.483 500 00 GHz	-52.741 dBm																																										
3	N	f		2.500 000 00 GHz	-52.722 dBm																																										
4	N	f		2.496 326 00 GHz	-48.994 dBm																																										


B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.24	2.0	0	53.99	PEAK	74	PASS
		Ant1	2310.0	-53.17	2.0	0	44.06	AV	54	PASS
		Ant1	2390.0	-43.35	2.0	0	53.88	PEAK	74	PASS
		Ant1	2390.0	-52.89	2.0	0	44.34	AV	54	PASS
	2480	Ant1	2483.5	-41.46	2.0	0	55.77	PEAK	74	PASS
		Ant1	2483.5	-52.48	2.0	0	44.75	AV	54	PASS
		Ant1	2500.0	-42.10	2.0	0	55.13	PEAK	74	PASS
		Ant1	2500.0	-52.30	2.0	0	44.93	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

