




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.66	30	Pass
NVNT	BLE	2442	Ant1	1.135	30	Pass
NVNT	BLE	2480	Ant1	-0.482	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.659	0.5	Pass
NVNT	BLE	2480	Ant1	0.662	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.022	
NVNT	BLE	2442	Ant1	1.022	
NVNT	BLE	2480	Ant1	1.022	















# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-15.004	8	Pass
NVNT	BLE	2442	Ant1	-14.468	8	Pass
NVNT	BLE	2480	Ant1	-16.195	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.06	-20	Pass
NVNT	BLE	2480	Ant1	-52.19	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.26	-20	Pass
NVNT	BLE	2442	Ant1	-49.21	-20	Pass
NVNT	BLE	2480	Ant1	-46.57	-20	Pass







