




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	0.615	30	Pass
NVNT	BLE	2442	Ant1	1.122	30	Pass
NVNT	BLE	2480	Ant1	-0.52	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.663	0.5	Pass
NVNT	BLE	2480	Ant1	0.664	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.001	
NVNT	BLE	2442	Ant1	1	
NVNT	BLE	2480	Ant1	1	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-6.605	8	Pass
NVNT	BLE	2442	Ant1	-6.098	8	Pass
NVNT	BLE	2480	Ant1	-7.756	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.83	-20	Pass
NVNT	BLE	2480	Ant1	-51.41	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.82	-20	Pass
NVNT	BLE	2442	Ant1	-48.35	-20	Pass
NVNT	BLE	2480	Ant1	-46.75	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-1.878 dBm

-53.73 dBm -54.49 dBm -54.22 dBm

-48.05 dBm

Function

Function Width

5 Marker Table

Mode

Z Z Z Trace

Scale

Function Value

5.049 GHz 7.196 GHz 9.718 GHz

Aug 28, 2023 4:00:06 PM



