




#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	2.671	30	Pass
NVNT	BLE	2442	Ant1	3.692	30	Pass
NVNT	BLE	2480	Ant1	2.835	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.676	0.5	Pass
NVNT	BLE	2442	Ant1	0.677	0.5	Pass
NVNT	BLE	2480	Ant1	0.676	0.5	Pass











Project No.: JYTSZR2310033



## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.04	
NVNT	BLE	2442	Ant1	1.041	
NVNT	BLE	2480	Ant1	1.041	

Page 7 of 19









Tel: +86-755-23118282, Fax: +86-755-23116366





# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.82	8	Pass
NVNT	BLE	2442	Ant1	-2.806	8	Pass
NVNT	BLE	2480	Ant1	-3.635	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.21	-20	Pass
NVNT	BLE	2480	Ant1	-55.09	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.77	-20	Pass
NVNT	BLE	2442	Ant1	-48.99	-20	Pass
NVNT	BLE	2480	Ant1	-46.84	-20	Pass









Trace Scale Function **Function Width** Function Value Mode 0.06665 dBm 4.999 GHz 7.196 GHz 9.718 GHz -52.55 dBm -53.31 dBm -53.74 dBm N N 3 4 5 6 N 23.851 GHz -48.82 dBm Oct 31, 2023 10:34:20 AM 

#Video BW 300 kHz

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

Start 30 MHz #Res BW 100 kHz

5 Marker Table

Stop 25.00 GHz Sweep ~2.49 s (1001 pts)



