




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.855	30	Pass
NVNT	BLE	2442	Ant1	-2.383	30	Pass
NVNT	BLE	2480	Ant1	-2.519	30	Pass

Project No.: JYTSZR2406028









Tel: +86-755-23118282, Fax: +86-755-23116366






-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.664	0.5	Pass
NVNT	BLE	2442	Ant1	0.663	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.022	
NVNT	BLE	2442	Ant1	1.022	
NVNT	BLE	2480	Ant1	1.023	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.247	8	Pass
NVNT	BLE	2442	Ant1	-8.779	8	Pass
NVNT	BLE	2480	Ant1	-8.918	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-52.61	-20	Pass
NVNT	BLE	2480	Ant1	-53.59	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.08	-20	Pass
NVNT	BLE	2442	Ant1	-47.57	-20	Pass
NVNT	BLE	2480	Ant1	-46.99	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-3.620 dBm

-53.64 dBm -55.76 dBm -55.24 dBm

-50.17 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

5.074 GHz 7.196 GHz 9.693 GHz

22.253 GHz

Jun 25, 2024 2:31:27 AM



