


# Annex C. LTE Transmitter Spurious Emissions

## 1. LTE\_Band2


### 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.37	-13	Pass	2985
30	1000	0.1	RMS	931.293	-54.35	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.68	-13	Pass	830
1830	1920	1	RMS	1850.25	23.9	60	Pass	601
1920	3000	1	RMS	2660.686	-38.78	-13	Pass	1080
3000	12000	1	RMS	3700.078	-30.57	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.11	-13	Pass	8000




**1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2985
30	1000	0.1	RMS	910.991	-54.19	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.72	-13	Pass	830
1830	1920	1	RMS	1851.15	23.88	60	Pass	601
1920	3000	1	RMS	2660.686	-39.28	-13	Pass	1080
3000	12000	1	RMS	3702.078	-29.09	-13	Pass	9000
12000	20000	1	RMS	16607.576	-35.06	-13	Pass	8000




**1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2985
30	1000	0.1	RMS	980.298	-54.41	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.7	-13	Pass	830
1830	1920	1	RMS	1850.25	22.94	60	Pass	601
1920	3000	1	RMS	2661.687	-39.3	-13	Pass	1080
3000	12000	1	RMS	3700.078	-31.22	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.05	-13	Pass	8000




**1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.26	-13	Pass	2985
30	1000	0.1	RMS	897.289	-53.97	-13	Pass	9700
1000	1830	1	RMS	1825.995	-43.67	-13	Pass	830
1830	1920	1	RMS	1851.15	22.9	60	Pass	601
1920	3000	1	RMS	2658.684	-39.28	-13	Pass	1080
3000	12000	1	RMS	3702.078	-30.11	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.07	-13	Pass	8000




**1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.98	-13	Pass	2985
30	1000	0.1	RMS	986.899	-54.4	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.66	-13	Pass	830
1830	1920	1	RMS	1879.5	23.89	60	Pass	601
1920	3000	1	RMS	2658.684	-39.31	-13	Pass	1080
3000	12000	1	RMS	3759.084	-28.36	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.04	-13	Pass	8000




**1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.6	-13	Pass	2985
30	1000	0.1	RMS	968.997	-54.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.68	-13	Pass	830
1830	1920	1	RMS	1880.4	23.88	60	Pass	601
1920	3000	1	RMS	2660.686	-39.28	-13	Pass	1080
3000	12000	1	RMS	3761.085	-28.78	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.02	-13	Pass	8000



**1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2985
30	1000	0.1	RMS	915.491	-54.32	-13	Pass	9700
1000	1830	1	RMS	1804.97	-43.69	-13	Pass	830
1830	1920	1	RMS	1879.5	22.86	60	Pass	601
1920	3000	1	RMS	2652.678	-38.83	-13	Pass	1080
3000	12000	1	RMS	3759.084	-29.62	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.09	-13	Pass	8000






**1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.08	-13	Pass	2985
30	1000	0.1	RMS	930.993	-54.14	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.7	-13	Pass	830
1830	1920	1	RMS	1880.4	22.85	60	Pass	601
1920	3000	1	RMS	2656.682	-38.8	-13	Pass	1080
3000	12000	1	RMS	3761.085	-29.62	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.1	-13	Pass	8000




**1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2985
30	1000	0.1	RMS	899.29	-53.93	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.71	-13	Pass	830
1830	1920	1	RMS	1908.9	23.96	60	Pass	601
1920	3000	1	RMS	2657.683	-38.85	-13	Pass	1080
3000	12000	1	RMS	3818.091	-26.58	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.02	-13	Pass	8000




**1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2985
30	1000	0.1	RMS	910.491	-54.16	-13	Pass	9700
1000	1830	1	RMS	1828.999	-43.66	-13	Pass	830
1830	1920	1	RMS	1909.8	23.98	60	Pass	601
1920	3000	1	RMS	2658.684	-38.82	-13	Pass	1080
3000	12000	1	RMS	3819.091	-26.44	-13	Pass	9000
12000	20000	1	RMS	16588.574	-35.03	-13	Pass	8000




**1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.03	-13	Pass	2985
30	1000	0.1	RMS	875.587	-54.26	-13	Pass	9700
1000	1830	1	RMS	1791.954	-43.68	-13	Pass	830
1830	1920	1	RMS	1908.9	23.04	60	Pass	601
1920	3000	1	RMS	2657.683	-38.81	-13	Pass	1080
3000	12000	1	RMS	3818.091	-27.22	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.07	-13	Pass	8000




**1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2985
30	1000	0.1	RMS	897.389	-52.77	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.66	-13	Pass	830
1830	1920	1	RMS	1909.8	23.03	60	Pass	601
1920	3000	1	RMS	2656.682	-38.79	-13	Pass	1080
3000	12000	1	RMS	3819.091	-27.63	-13	Pass	9000
12000	20000	1	RMS	16599.575	-34.97	-13	Pass	8000




**1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2985
30	1000	0.1	RMS	897.289	-53.27	-13	Pass	9700
1000	1830	1	RMS	1824.994	-43.68	-13	Pass	830
1830	1920	1	RMS	1850.25	23.94	60	Pass	601
1920	3000	1	RMS	2661.687	-38.82	-13	Pass	1080
3000	12000	1	RMS	3700.078	-29.85	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.11	-13	Pass	8000




**1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2985
30	1000	0.1	RMS	897.389	-52.76	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.68	-13	Pass	830
1830	1920	1	RMS	1852.8	23.86	60	Pass	601
1920	3000	1	RMS	2658.684	-38.84	-13	Pass	1080
3000	12000	1	RMS	3705.078	-29.58	-13	Pass	9000
12000	20000	1	RMS	16602.575	-34.96	-13	Pass	8000



**1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2985
30	1000	0.1	RMS	897.289	-53.6	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.63	-13	Pass	830
1830	1920	1	RMS	1850.25	23.13	60	Pass	601
1920	3000	1	RMS	2653.679	-39.33	-13	Pass	1080
3000	12000	1	RMS	3700.078	-30.62	-13	Pass	9000
12000	20000	1	RMS	16606.576	-34.94	-13	Pass	8000






**1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2985
30	1000	0.1	RMS	897.389	-52.67	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.68	-13	Pass	830
1830	1920	1	RMS	1852.8	23.01	60	Pass	601
1920	3000	1	RMS	2658.684	-39.25	-13	Pass	1080
3000	12000	1	RMS	3705.078	-30.65	-13	Pass	9000
12000	20000	1	RMS	16599.575	-34.96	-13	Pass	8000




**1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.12	-13	Pass	2985
30	1000	0.1	RMS	897.389	-53.48	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.68	-13	Pass	830
1830	1920	1	RMS	1878.75	23.92	60	Pass	601
1920	3000	1	RMS	2659.685	-39.28	-13	Pass	1080
3000	12000	1	RMS	3757.084	-29.74	-13	Pass	9000
12000	20000	1	RMS	16595.574	-34.96	-13	Pass	8000




**1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.38	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.45	-13	Pass	2985
30	1000	0.1	RMS	904.99	-54.12	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.67	-13	Pass	830
1830	1920	1	RMS	1881.3	23.91	60	Pass	601
1920	3000	1	RMS	2659.685	-39.25	-13	Pass	1080
3000	12000	1	RMS	3762.085	-29.88	-13	Pass	9000
12000	20000	1	RMS	16597.575	-34.79	-13	Pass	8000




**1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.17	-13	Pass	2985
30	1000	0.1	RMS	999.4	-54.47	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.69	-13	Pass	830
1830	1920	1	RMS	1878.75	22.94	60	Pass	601
1920	3000	1	RMS	2661.687	-39.28	-13	Pass	1080
3000	12000	1	RMS	3757.084	-30.28	-13	Pass	9000
12000	20000	1	RMS	16595.574	-34.95	-13	Pass	8000




**1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2985
30	1000	0.1	RMS	901.89	-54.17	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.64	-13	Pass	830
1830	1920	1	RMS	1881.3	22.91	60	Pass	601
1920	3000	1	RMS	2656.682	-39.29	-13	Pass	1080
3000	12000	1	RMS	3762.085	-30.52	-13	Pass	9000
12000	20000	1	RMS	19984.998	-35.13	-13	Pass	8000




**1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.27	-13	Pass	2985
30	1000	0.1	RMS	972.797	-54.54	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.67	-13	Pass	830
1830	1920	1	RMS	1907.25	24	60	Pass	601
1920	3000	1	RMS	2657.683	-39.31	-13	Pass	1080
3000	12000	1	RMS	3814.09	-27.02	-13	Pass	9000
12000	20000	1	RMS	16602.575	-34.76	-13	Pass	8000




**1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2985
30	1000	0.1	RMS	965.196	-54.43	-13	Pass	9700
1000	1830	1	RMS	1793.957	-43.68	-13	Pass	830
1830	1920	1	RMS	1909.8	24.04	60	Pass	601
1920	3000	1	RMS	2661.687	-39.31	-13	Pass	1080
3000	12000	1	RMS	3819.091	-26.46	-13	Pass	9000
12000	20000	1	RMS	16603.575	-34.98	-13	Pass	8000



**1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2985
30	1000	0.1	RMS	985.999	-54.07	-13	Pass	9700
1000	1830	1	RMS	1791.954	-43.68	-13	Pass	830
1830	1920	1	RMS	1907.25	23.1	60	Pass	601
1920	3000	1	RMS	2659.685	-39.27	-13	Pass	1080
3000	12000	1	RMS	3814.09	-27.92	-13	Pass	9000
12000	20000	1	RMS	16596.575	-34.94	-13	Pass	8000






**1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2985
30	1000	0.1	RMS	941.394	-54.49	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.67	-13	Pass	830
1830	1920	1	RMS	1909.8	23.07	60	Pass	601
1920	3000	1	RMS	2658.684	-39.31	-13	Pass	1080
3000	12000	1	RMS	3819.091	-27.51	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.11	-13	Pass	8000




**1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.38	-13	Pass	2985
30	1000	0.1	RMS	916.391	-54.12	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.63	-13	Pass	830
1830	1920	1	RMS	1850.4	23.84	60	Pass	601
1920	3000	1	RMS	2658.684	-39.29	-13	Pass	1080
3000	12000	1	RMS	3701.078	-29.81	-13	Pass	9000
12000	20000	1	RMS	16603.575	-34.99	-13	Pass	8000




**1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.65	-13	Pass	2985
30	1000	0.1	RMS	988.799	-54.41	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.65	-13	Pass	830
1830	1920	1	RMS	1854.6	23.73	60	Pass	601
1920	3000	1	RMS	2661.687	-39.3	-13	Pass	1080
3000	12000	1	RMS	3709.079	-28.36	-13	Pass	9000
12000	20000	1	RMS	16595.574	-34.94	-13	Pass	8000




**1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2985
30	1000	0.1	RMS	903.59	-54.35	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.67	-13	Pass	830
1830	1920	1	RMS	1850.4	22.88	60	Pass	601
1920	3000	1	RMS	2657.683	-39.26	-13	Pass	1080
3000	12000	1	RMS	3701.078	-30.85	-13	Pass	9000
12000	20000	1	RMS	16592.574	-35.1	-13	Pass	8000




**1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2985
30	1000	0.1	RMS	997.8	-54.48	-13	Pass	9700
1000	1830	1	RMS	1826.996	-43.67	-13	Pass	830
1830	1920	1	RMS	1854.6	22.79	60	Pass	601
1920	3000	1	RMS	2658.684	-38.82	-13	Pass	1080
3000	12000	1	RMS	3709.079	-29.62	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.06	-13	Pass	8000




**1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2985
30	1000	0.1	RMS	897.489	-53.44	-13	Pass	9700
1000	1830	1	RMS	1828.999	-43.66	-13	Pass	830
1830	1920	1	RMS	1877.85	23.82	60	Pass	601
1920	3000	1	RMS	2656.682	-38.84	-13	Pass	1080
3000	12000	1	RMS	3756.084	-29.57	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.05	-13	Pass	8000




**1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.62	-13	Pass	2985
30	1000	0.1	RMS	899.29	-54.45	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.69	-13	Pass	830
1830	1920	1	RMS	1882.2	23.83	60	Pass	601
1920	3000	1	RMS	2660.686	-38.86	-13	Pass	1080
3000	12000	1	RMS	3764.085	-28.94	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.04	-13	Pass	8000



**1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2985
30	1000	0.1	RMS	979.398	-54.38	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.7	-13	Pass	830
1830	1920	1	RMS	1877.85	23.01	60	Pass	601
1920	3000	1	RMS	2658.684	-38.86	-13	Pass	1080
3000	12000	1	RMS	3756.084	-30.73	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.02	-13	Pass	8000






**1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.26	-13	Pass	2985
30	1000	0.1	RMS	917.892	-54.14	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.69	-13	Pass	830
1830	1920	1	RMS	1882.2	23	60	Pass	601
1920	3000	1	RMS	2656.682	-38.83	-13	Pass	1080
3000	12000	1	RMS	3764.085	-29.61	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35	-13	Pass	8000




**1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.87	-13	Pass	2985
30	1000	0.1	RMS	918.392	-54.5	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.66	-13	Pass	830
1830	1920	1	RMS	1905.3	23.88	60	Pass	601
1920	3000	1	RMS	2656.682	-38.83	-13	Pass	1080
3000	12000	1	RMS	3811.09	-27.73	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.1	-13	Pass	8000




**1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.39	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.72	-13	Pass	2985
30	1000	0.1	RMS	898.99	-54.53	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.81	-13	Pass	830
1830	1920	1	RMS	1909.65	23.75	60	Pass	601
1920	3000	1	RMS	2658.684	-38.96	-13	Pass	1080
3000	12000	1	RMS	3819.091	-25.78	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.07	-13	Pass	8000




**1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.09	-13	Pass	2985
30	1000	0.1	RMS	925.592	-54.47	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.84	-13	Pass	830
1830	1920	1	RMS	1905.3	22.98	60	Pass	601
1920	3000	1	RMS	2657.683	-38.99	-13	Pass	1080
3000	12000	1	RMS	3811.09	-28.72	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.16	-13	Pass	8000




**1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.24	-13	Pass	2985
30	1000	0.1	RMS	975.798	-54.44	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.84	-13	Pass	830
1830	1920	1	RMS	1909.65	22.97	60	Pass	601
1920	3000	1	RMS	2659.685	-38.96	-13	Pass	1080
3000	12000	1	RMS	3819.091	-26.91	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.26	-13	Pass	8000




**1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.11	-13	Pass	2985
30	1000	0.1	RMS	920.192	-54.39	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.83	-13	Pass	830
1830	1920	1	RMS	1850.55	23.78	60	Pass	601
1920	3000	1	RMS	2661.687	-38.98	-13	Pass	1080
3000	12000	1	RMS	3701.078	-28.81	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.16	-13	Pass	8000




**1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2985
30	1000	0.1	RMS	915.091	-54.47	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.82	-13	Pass	830
1830	1920	1	RMS	1859.4	23.73	60	Pass	601
1920	3000	1	RMS	2659.685	-39.01	-13	Pass	1080
3000	12000	1	RMS	3719.08	-28.01	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.21	-13	Pass	8000



**1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.36	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.37	-13	Pass	2985
30	1000	0.1	RMS	920.392	-54.49	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.84	-13	Pass	830
1830	1920	1	RMS	1850.55	22.97	60	Pass	601
1920	3000	1	RMS	2658.684	-38.94	-13	Pass	1080
3000	12000	1	RMS	3701.078	-29.76	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.06	-13	Pass	8000






**1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.12	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.21	-13	Pass	2985
30	1000	0.1	RMS	958.796	-54.31	-13	Pass	9700
1000	1830	1	RMS	1830	-43.86	-13	Pass	830
1830	1920	1	RMS	1859.4	22.9	60	Pass	601
1920	3000	1	RMS	2659.685	-38.94	-13	Pass	1080
3000	12000	1	RMS	3719.08	-29	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.21	-13	Pass	8000




**1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2985
30	1000	0.1	RMS	895.589	-54.56	-13	Pass	9700
1000	1830	1	RMS	1816.984	-43.74	-13	Pass	830
1830	1920	1	RMS	1875.6	23.83	60	Pass	601
1920	3000	1	RMS	2658.684	-39	-13	Pass	1080
3000	12000	1	RMS	3751.083	-28.42	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.18	-13	Pass	8000




**1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2985
30	1000	0.1	RMS	955.595	-54.62	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.86	-13	Pass	830
1830	1920	1	RMS	1884.45	23.79	60	Pass	601
1920	3000	1	RMS	2659.685	-38.91	-13	Pass	1080
3000	12000	1	RMS	3769.085	-28.79	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.09	-13	Pass	8000




**1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-49.19	-13	Pass	2985
30	1000	0.1	RMS	902.39	-54.22	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.82	-13	Pass	830
1830	1920	1	RMS	1875.6	22.81	60	Pass	601
1920	3000	1	RMS	2658.684	-38.98	-13	Pass	1080
3000	12000	1	RMS	3751.083	-29.61	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.24	-13	Pass	8000




**1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.17	-50.83	-13	Pass	2985
30	1000	0.1	RMS	896.989	-54.62	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.82	-13	Pass	830
1830	1920	1	RMS	1884.45	22.78	60	Pass	601
1920	3000	1	RMS	2659.685	-39.01	-13	Pass	1080
3000	12000	1	RMS	3769.085	-29.56	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.13	-13	Pass	8000




**1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2985
30	1000	0.1	RMS	901.99	-54.59	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.87	-13	Pass	830
1830	1920	1	RMS	1900.65	23.85	60	Pass	601
1920	3000	1	RMS	2658.684	-39	-13	Pass	1080
3000	12000	1	RMS	3801.089	-27.7	-13	Pass	9000
12000	20000	1	RMS	16589.574	-35.19	-13	Pass	8000




**1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2985
30	1000	0.1	RMS	960.596	-54.63	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.89	-13	Pass	830
1830	1920	1	RMS	1909.35	23.84	60	Pass	601
1920	3000	1	RMS	2660.686	-38.98	-13	Pass	1080
3000	12000	1	RMS	3819.091	-25.82	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.17	-13	Pass	8000



**1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-50.45	-13	Pass	2985
30	1000	0.1	RMS	945.794	-54.31	-13	Pass	9700
1000	1830	1	RMS	1792.955	-43.87	-13	Pass	830
1830	1920	1	RMS	1900.65	22.9	60	Pass	601
1920	3000	1	RMS	2662.688	-38.98	-13	Pass	1080
3000	12000	1	RMS	3801.089	-28.7	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.2	-13	Pass	8000






**1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2985
30	1000	0.1	RMS	919.992	-54.49	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.86	-13	Pass	830
1830	1920	1	RMS	1909.35	22.93	60	Pass	601
1920	3000	1	RMS	2659.685	-38.98	-13	Pass	1080
3000	12000	1	RMS	3819.091	-26.94	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.16	-13	Pass	8000




**1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2985
30	1000	0.1	RMS	996.7	-54.4	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.72	-13	Pass	830
1830	1920	1	RMS	1850.85	23.73	60	Pass	601
1920	3000	1	RMS	2658.684	-39	-13	Pass	1080
3000	12000	1	RMS	3702.078	-29.87	-13	Pass	9000
12000	20000	1	RMS	16602.575	-34.96	-13	Pass	8000




**1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2985
30	1000	0.1	RMS	978.098	-54.71	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.85	-13	Pass	830
1830	1920	1	RMS	1864.2	23.7	60	Pass	601
1920	3000	1	RMS	2656.682	-38.99	-13	Pass	1080
3000	12000	1	RMS	3728.081	-27.74	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.24	-13	Pass	8000




**1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2985
30	1000	0.1	RMS	992.299	-54.53	-13	Pass	9700
1000	1830	1	RMS	1823.993	-43.76	-13	Pass	830
1830	1920	1	RMS	1850.85	22.89	60	Pass	601
1920	3000	1	RMS	2658.684	-39	-13	Pass	1080
3000	12000	1	RMS	3702.078	-30.99	-13	Pass	9000
12000	20000	1	RMS	16606.576	-35.19	-13	Pass	8000




**1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.9	-13	Pass	2985
30	1000	0.1	RMS	859.185	-54.65	-13	Pass	9700
1000	1830	1	RMS	1796.96	-43.82	-13	Pass	830
1830	1920	1	RMS	1864.2	22.87	60	Pass	601
1920	3000	1	RMS	2659.685	-38.93	-13	Pass	1080
3000	12000	1	RMS	3728.081	-28.29	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.11	-13	Pass	8000




**1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.79	-13	Pass	2985
30	1000	0.1	RMS	904.39	-54.47	-13	Pass	9700
1000	1830	1	RMS	1830	-43.85	-13	Pass	830
1830	1920	1	RMS	1873.35	23.74	60	Pass	601
1920	3000	1	RMS	2657.683	-39.01	-13	Pass	1080
3000	12000	1	RMS	3747.083	-29.38	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.08	-13	Pass	8000




**1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.75	-13	Pass	2985
30	1000	0.1	RMS	966.697	-54.6	-13	Pass	9700
1000	1830	1	RMS	1819.988	-43.87	-13	Pass	830
1830	1920	1	RMS	1886.7	23.75	60	Pass	601
1920	3000	1	RMS	2658.684	-39.03	-13	Pass	1080
3000	12000	1	RMS	3773.086	-28.54	-13	Pass	9000
12000	20000	1	RMS	16598.575	-35.25	-13	Pass	8000



**1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.03	-13	Pass	2985
30	1000	0.1	RMS	925.192	-54.45	-13	Pass	9700
1000	1830	1	RMS	1830	-43.82	-13	Pass	830
1830	1920	1	RMS	1873.35	22.76	60	Pass	601
1920	3000	1	RMS	2660.686	-38.93	-13	Pass	1080
3000	12000	1	RMS	3747.083	-30.82	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.24	-13	Pass	8000






**1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.45	-13	Pass	2985
30	1000	0.1	RMS	999.2	-54.53	-13	Pass	9700
1000	1830	1	RMS	1795.959	-43.81	-13	Pass	830
1830	1920	1	RMS	1886.7	22.8	60	Pass	601
1920	3000	1	RMS	2657.683	-38.96	-13	Pass	1080
3000	12000	1	RMS	3773.086	-29.41	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.13	-13	Pass	8000




**1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2985
30	1000	0.1	RMS	895.589	-54.49	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.85	-13	Pass	830
1830	1920	1	RMS	1895.85	23.83	60	Pass	601
1920	3000	1	RMS	2657.683	-38.98	-13	Pass	1080
3000	12000	1	RMS	3792.088	-28.87	-13	Pass	9000
12000	20000	1	RMS	16588.574	-35.22	-13	Pass	8000




**1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-48.13	-13	Pass	2985
30	1000	0.1	RMS	996.9	-54.4	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.83	-13	Pass	830
1830	1920	1	RMS	1909.2	23.75	60	Pass	601
1920	3000	1	RMS	2656.682	-38.95	-13	Pass	1080
3000	12000	1	RMS	3818.091	-25.86	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.15	-13	Pass	8000




**1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2985
30	1000	0.1	RMS	980.598	-54.18	-13	Pass	9700
1000	1830	1	RMS	1789.952	-43.85	-13	Pass	830
1830	1920	1	RMS	1895.85	22.96	60	Pass	601
1920	3000	1	RMS	2658.684	-39.01	-13	Pass	1080
3000	12000	1	RMS	3792.088	-29.72	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.32	-13	Pass	8000




**1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2985
30	1000	0.1	RMS	975.798	-54.65	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.87	-13	Pass	830
1830	1920	1	RMS	1909.2	22.94	60	Pass	601
1920	3000	1	RMS	2659.685	-38.97	-13	Pass	1080
3000	12000	1	RMS	3818.091	-26.48	-13	Pass	9000
12000	20000	1	RMS	16582.573	-35.14	-13	Pass	8000




**1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.42	-13	Pass	2985
30	1000	0.1	RMS	947.695	-54.4	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.81	-13	Pass	830
1830	1920	1	RMS	1851.15	23.54	60	Pass	601
1920	3000	1	RMS	2661.687	-38.95	-13	Pass	1080
3000	12000	1	RMS	3702.078	-28.89	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.22	-13	Pass	8000




**1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.25	-13	Pass	2985
30	1000	0.1	RMS	933.693	-54.18	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.82	-13	Pass	830
1830	1920	1	RMS	1868.85	23.51	60	Pass	601
1920	3000	1	RMS	2661.687	-39.01	-13	Pass	1080
3000	12000	1	RMS	3738.082	-28.01	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.24	-13	Pass	8000



**1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2985
30	1000	0.1	RMS	972.897	-54.32	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.87	-13	Pass	830
1830	1920	1	RMS	1851.15	22.68	60	Pass	601
1920	3000	1	RMS	2656.682	-38.95	-13	Pass	1080
3000	12000	1	RMS	3702.078	-29.83	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.14	-13	Pass	8000






**1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2985
30	1000	0.1	RMS	1000	-54.69	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.85	-13	Pass	830
1830	1920	1	RMS	1868.85	22.73	60	Pass	601
1920	3000	1	RMS	2659.685	-38.98	-13	Pass	1080
3000	12000	1	RMS	3738.082	-28.7	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.24	-13	Pass	8000




**1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.13	-13	Pass	2985
30	1000	0.1	RMS	915.791	-54.61	-13	Pass	9700
1000	1830	1	RMS	1827.998	-43.86	-13	Pass	830
1830	1920	1	RMS	1871.1	23.65	60	Pass	601
1920	3000	1	RMS	2659.685	-38.92	-13	Pass	1080
3000	12000	1	RMS	3742.082	-27.64	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.24	-13	Pass	8000




**1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.04	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.18	-13	Pass	2985
30	1000	0.1	RMS	911.291	-54.29	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.79	-13	Pass	830
1830	1920	1	RMS	1888.95	23.58	60	Pass	601
1920	3000	1	RMS	2659.685	-39.01	-13	Pass	1080
3000	12000	1	RMS	3778.086	-28.48	-13	Pass	9000
12000	20000	1	RMS	16605.576	-35.2	-13	Pass	8000




**1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.11	-13	Pass	2985
30	1000	0.1	RMS	877.387	-54.51	-13	Pass	9700
1000	1830	1	RMS	1792.955	-43.81	-13	Pass	830
1830	1920	1	RMS	1871.1	22.62	60	Pass	601
1920	3000	1	RMS	2661.687	-38.96	-13	Pass	1080
3000	12000	1	RMS	3742.082	-28.73	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.2	-13	Pass	8000




**1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2985
30	1000	0.1	RMS	891.089	-54.42	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.81	-13	Pass	830
1830	1920	1	RMS	1888.95	22.58	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3778.086	-30	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.04	-13	Pass	8000




**1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.54	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.74	-13	Pass	2985
30	1000	0.1	RMS	963.796	-54.46	-13	Pass	9700
1000	1830	1	RMS	1792.955	-43.88	-13	Pass	830
1830	1920	1	RMS	1891.05	23.57	60	Pass	601
1920	3000	1	RMS	2658.684	-38.98	-13	Pass	1080
3000	12000	1	RMS	3782.087	-28.01	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.23	-13	Pass	8000




**1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-49.17	-13	Pass	2985
30	1000	0.1	RMS	896.889	-54.37	-13	Pass	9700
1000	1830	1	RMS	1815.983	-43.79	-13	Pass	830
1830	1920	1	RMS	1908.9	23.61	60	Pass	601
1920	3000	1	RMS	2660.686	-38.99	-13	Pass	1080
3000	12000	1	RMS	3818.091	-26.21	-13	Pass	9000
12000	20000	1	RMS	19951.994	-35.22	-13	Pass	8000



**1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.11	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2985
30	1000	0.1	RMS	891.589	-54.62	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.83	-13	Pass	830
1830	1920	1	RMS	1891.05	22.56	60	Pass	601
1920	3000	1	RMS	2658.684	-38.99	-13	Pass	1080
3000	12000	1	RMS	3782.087	-29.04	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.2	-13	Pass	8000





**1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.8	-13	Pass	2985
30	1000	0.1	RMS	940.394	-54.5	-13	Pass	9700
1000	1830	1	RMS	1821.99	-43.88	-13	Pass	830
1830	1920	1	RMS	1908.9	22.62	60	Pass	601
1920	3000	1	RMS	2662.688	-39.02	-13	Pass	1080
3000	12000	1	RMS	3818.091	-27.08	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.27	-13	Pass	8000



END