



# TESTREPORT

Applicant Name : INFINIX MOBILITY LIMITED  
Address : FLAT 39 8/F BLOCK D WAH LOK INDUSTRIALCENTRE 31-35  
SHAN MEI STREET FOTAN NT, Hong Kong  
ReportNumber: SZNS220215-04501E-RF-00C  
FCC ID: 2AIZN-X665B

## Test Standard (s)

FCC PART 27; FCC PART 22H; FCC PART 24E

## Sample Description

Product Type: Mobile Phone  
Model No.: X665B  
Multiple Model(s) No.: N/A  
Trade Mark: Infinix  
Date Received: 2022/02/15  
Date of Test: 2022/02/19~2022/03/24  
Report Date: 2022/03/24

|              |       |
|--------------|-------|
| Test Result: | Pass* |
|--------------|-------|

\* In the configuration tested, the EUT complied with the standards above.

## Prepared and Checked By:

Fan Yang  
EMC Engineer

## Approved By:

Robert Li  
EMC Engineer

Note: This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk "★".

Shenzhen Accurate Technology Co., Ltd. is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with an asterisk "★". Customer model name, addresses, names, trademarks etc. are not considered data.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

## Shenzhen Accurate Technology Co., Ltd.

1/F., Building A, Changyuan New Material Port, Science & Industry Park, Nanshan District, Shenzhen, Guangdong, P.R. China

Tel: +86 755-26503290

Fax: +86 755-26503396

Web: www.atc-lab.com

Version 2: 2021-11-09

Page 1 of 118

FCC -2G,3G,4G

## TABLE OF CONTENTS

|  |            |
|--|------------|
| <b>GENERAL INFORMATION.....</b>  | <b>3</b>   |
| PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT) .....   | 3          |
| OBJECTIVE .....  | 3          |
| TEST METHODOLOGY .....   | 4          |
| MEASUREMENT UNCERTAINTY .....  | 4          |
| TEST FACILITY .....  | 4          |
| <b>SYSTEM TEST CONFIGURATION.....</b>  | <b>5</b>   |
| DESCRIPTION OF TEST CONFIGURATION .....  | 5          |
| EQUIPMENT MODIFICATIONS .....  | 6          |
| SUPPORT EQUIPMENT LIST AND DETAILS .....   | 6          |
| SUPPORT CABLE DESCRIPTION .....  | 6          |
| BLOCK DIAGRAM OF TEST SETUP .....  | 7          |
| <b>SUMMARY OF TEST RESULTS .....</b>   | <b>8</b>   |
| <b>TEST EQUIPMENT LIST .....</b>   | <b>9</b>   |
| <b>FCC §1.1307(B)&amp;§2.1093 - RF EXPOSURE INFORMATION.....</b>   | <b>11</b>  |
| <b>FCC§2.1047 - MODULATION CHARACTERISTIC .....</b>  | <b>12</b>  |
| <b>FCC § 2.1046,§ 22.913 (A)&amp;§ 24.232(C); §27.50(D)(H)- RF OUTPUT POWER .....</b>                        | <b>13</b>  |
| APPLICABLE STANDARD .....  | 13         |
| TEST PROCEDURE .....   | 13         |
| TEST DATA .....  | 13         |
| <b>FCC §2.1049, §22.917, §22.905 &amp; §24.238&amp;§27.53 - OCCUPIED BANDWIDTH .....</b>                     | <b>34</b>  |
| APPLICABLE STANDARD .....  | 34         |
| TEST PROCEDURE .....   | 34         |
| TEST DATA .....  | 34         |
| <b>FCC §2.1051, §22.917(A) &amp; §24.238(A) &amp; §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS .....</b> | <b>61</b>  |
| APPLICABLE STANDARD .....  | 61         |
| TEST PROCEDURE .....   | 61         |
| TEST DATA .....  | 61         |
| <b>FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53- SPURIOUS RADIATED EMISSIONS.....</b>                     | <b>82</b>  |
| APPLICABLE STANDARD .....  | 82         |
| TEST PROCEDURE .....   | 82         |
| TEST DATA .....  | 82         |
| <b>FCC§ 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES .....</b>  | <b>94</b>  |
| APPLICABLE STANDARD .....  | 94         |
| TEST PROCEDURE .....   | 94         |
| TEST DATA .....  | 94         |
| <b>FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY .....</b>                                  | <b>108</b> |
| APPLICABLE STANDARD .....  | 108        |
| TEST PROCEDURE .....   | 108        |
| TEST DATA .....  | 109        |

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

|                        |   |
|------------------------|---|
| Frequency Range        | GSM 850: 824-849MHz(TX); 869-894MHz(RX)<br>PCS 1900: 1850-1910MHz(TX); 1930-1990MHz(RX)<br>WCDMA Band 2: 1850-1910MHz(TX); 1930-1990MHz(RX)<br>WCDMA Band 4: 1710-1755MHz(TX); 2110-2155MHz(RX)<br>WCDMA Band 5: 824-849MHz(TX); 869-894MHz(RX)<br>LTE Band 2: 1850-1910MHz(TX); 1930-1990MHz(RX)<br>LTE Band 4: 1710-1755MHz(TX); 2110-2155MHz(RX)<br>LTE Band 5: 824-849MHz(TX); 869-894MHz(RX)<br>LTE Band 7: 2500-2570MHz(TX); 2620-2690MHz(RX)<br>LTE Band 38: 2570-2620MHz(TX/RX)<br>LTE Band 41: 2535-2655MHz(TX/RX) |
| Modulation Technique   | 2G: GMSK, 8PSK<br>3G: BPSK, QPSK, 16QAM<br>4G: QPSK, 16QAM  |
| Antenna Specification* | GSM850/WCDMA Band5/LTE Band 5: -1.6dBi<br>PCS1900/WCDMA Band 2/ LTE Band 2: -0.7dBi<br>WCDMA Band 4/ LTE Band 4: -0.7dBi<br>LTE Band 7/Band 38/LTE Band 41: -0.4dBi<br>(provided by the applicant)  |
| Voltage Range          | DC 3.85V from battery, DC 5.0V from adapter   |
| Sample serial number   | SZNS220215-04501E-RF-S1 for RF Conducted Test<br>SZNS220215-04501E-RF-S2 for Conducted and Radiated Emissions<br>(Assigned by ATC)  |
| Sample/EUT Status      | Good condition  |
| Extreme condition*     | L.V.: Low Voltage 3.45V<br>N.V.: Normal Voltage 3.85V<br>H.V.: High Voltage 4.4V<br>(provided by the applicant)   |
| Adapter information    | Model:U100XSA<br>Input: AC 100-240V~ 50/60Hz, 0.3A<br>Output: DC 5.0V, 2.0A   |

### Objective

This test report is in accordance with Part 2-Subpart J, Part 22-Subpart H, Part 24-Subpart E, and Subpart 27 of the Federal Communication Commission's rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

## Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services  
 Part 24 Subpart E - Personal Communication Services  
 Part 27 - Miscellaneous Wireless Communications Services

ANSI C63.26-2015: American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services

All emissions measurement was performed at Shenzhen Accurate Technology Co., Ltd. The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

## Measurement Uncertainty

| Parameter                    |                 | Uncertainty             |
|------------------------------|-----------------|-------------------------|
| Occupied Channel Bandwidth   |                 | ±5%                     |
| RF output power, conducted   |                 | ±0.73dB                 |
| Unwanted Emission, conducted |                 | ±1.6dB                  |
| RF Frequency                 |                 | ±0.082*10 <sup>-7</sup> |
| Emissions,<br>Radiated       | 30MHz - 1GHz    | ±4.28dB                 |
|                              | 1GHz - 18GHz    | ±4.98dB                 |
|                              | 18GHz - 26.5GHz | ±5.06dB                 |
| Temperature                  |                 | ±1°C                    |
| Humidity                     |                 | ±6%                     |
| Supply voltages              |                 | ±0.4%                   |

*Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.*

## Test Facility

The Test site used by Shenzhen Accurate Technology Co., Ltd. to collect test data is located on the 1/F., Building A, Changyuan New Material Port, Science & Industry Park, Nanshan District, Shenzhen, Guangdong, P.R. China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 708358, the FCC Designation No.: CN1189. Accredited by American Association for Laboratory Accreditation (A2LA) The Certificate Number is 429 7.01.

Listed by Innovation, Science and Economic Development Canada (ISED), the Registration Number is 5077A.

## SYSTEM TEST CONFIGURATION

### Description of Test Configuration

The final qualification test was performed with the EUT operating at normal mode.

Test was performed as below table:

| Frequency band | Bandwidth (MHz) | Test Frequency(MHz) |        |        |
|----------------|-----------------|---------------------|--------|--------|
|                |                 | Low                 | Middle | High   |
| GSM850         | 0.25            | 824.2               | 836.6  | 848.8  |
| DCS1900        | 0.25            | 1850.2              | 1880   | 1909.8 |
| WCDMA B2       | 4.2             | 1852.4              | 1880   | 1907.6 |
| WCDMA B4       | 4.2             | 1712.4              | 1732.6 | 1752.6 |
| WCDMA B5       | 4.2             | 826.4               | 836.6  | 846.6  |
| LTE B2         | 1.4             | 1850.7              | 1880   | 1909.3 |
|                | 3               | 1851.5              | 1880   | 1908.5 |
|                | 5               | 1852.5              | 1880   | 1907.5 |
|                | 10              | 1855                | 1880   | 1905   |
|                | 15              | 1857.5              | 1880   | 1902.5 |
|                | 20              | 1860                | 1880   | 1900   |
| LTE B4         | 1.4             | 1710.7              | 1732.5 | 1754.3 |
|                | 3               | 1711.5              | 1732.5 | 1753.5 |
|                | 5               | 1712.5              | 1732.5 | 1752.5 |
|                | 10              | 1715                | 1732.5 | 1750   |
|                | 15              | 1717.5              | 1732.5 | 1747.5 |
|                | 20              | 1720                | 1732.5 | 1745   |
| LTE B5         | 1.4             | 824.7               | 836.5  | 848.3  |
|                | 3               | 825.5               | 836.5  | 847.5  |
|                | 5               | 826.5               | 836.5  | 846.5  |
|                | 10              | 829                 | 836.5  | 844    |
| LTE B7         | 5               | 2502.5              | 2535   | 2567.5 |
|                | 10              | 2505                | 2535   | 2565   |
|                | 15              | 2507.5              | 2535   | 2562.5 |
|                | 20              | 2510                | 2535   | 2560   |

| Frequency band | Bandwidth (MHz) | Test Frequency(MHz) |        |        |
|----------------|-----------------|---------------------|--------|--------|
|                |                 | Low                 | Middle | High   |
| LTE B38        | 5               | 2572.5              | 2595   | 2617.5 |
|                | 10              | 2575                | 2595   | 2615   |
|                | 15              | 2577.5              | 2595   | 2612.5 |
|                | 20              | 2580                | 2595   | 2610   |
| LTE B41        | 5               | 2537.5              | 2595   | 2652.5 |
|                | 10              | 2540                | 2595   | 2650   |
|                | 15              | 2542.5              | 2595   | 2647.5 |
|                | 20              | 2545                | 2595   | 2645   |

### Equipment Modifications

No modification was made to the EUT.


### Support Equipment List and Details

| Manufacturer  | Description                         | Model  | Serial Number             |
|---------------|-------------------------------------|--------|---------------------------|
| Rohde&Schwarz | Wideband Radio Communication Tester | CMW500 | 1201.002K50-11621<br>8-UY |

### Support Cable Description

| Cable Description                 | Length (m) | From / Port | To     |
|-----------------------------------|------------|-------------|--------|
| Unshielded Un-detachable AC cable | 1.2        | AC Power    | CMW500 |

### Block Diagram of Test Setup



## SUMMARY OF TEST RESULTS

| FCC Rules   | Description of Test                    | Result         |
|---|--|----------------|
| § 1.1307 ,§2.1093                                       | RF Exposure (SAR)                      | Compliant*     |
| §2.1046; § 22.913 (a);<br>§ 24.232 (c); §27.50 (d) (h); | RF Output Power                        | Compliant      |
| § 2.1047  | Modulation Characteristics             | Not Applicable |
| § 2.1049; § 22.905;<br>§ 22.917; § 24.238; §27.53       | Occupied Bandwidth                     | Compliant      |
| § 2.1051; §22.917 (a);<br>§ 24.238 (a); §27.53;         | Spurious Emissions at Antenna Terminal | Compliant      |
| § 2.1053; § 22.917 (a);<br>§ 24.238 (a); §27.53         | Field Strength of Spurious Radiation   | Compliant      |
| § 22.917 (a);<br>§ 24.238 (a); §27.53 (h) (m)           | Band Edge                              | Compliant      |
| § 2.1055; § 22.355;<br>§ 24.235; §27.54;                | Frequency stability                    | Compliant      |

Note: \* Please refer to SAR report number: SZNS220215-04501E-SA.



**TEST EQUIPMENT LIST**

| Manufacturer                                    | Description       | Model                | Serial Number | Calibration Date | Calibration Due Date |
|---|-------------------|----------------------|---------------|------------------|----------------------|
| Radiated Emission Test                          |                   |                      |               |                  |                      |
| Rohde& Schwarz                                  | Test Receiver     | ESR                  | 102725        | 2021/12/13       | 2022/12/12           |
| Rohde&Schwarz                                   | Spectrum Analyzer | FSV40                | 101949        | 2021/12/13       | 2022/12/12           |
| SONOMA INSTRUMENT                               | Amplifier         | 310 N                | 186131        | 2021/11/09       | 2022/11/08           |
| A.H. Systems, inc.                              | Preamplifier      | PAM-0118P            | 135           | 2021/11/09       | 2022/11/08           |
| Quinstar  | Amplifier         | QLW-1840553<br>6-J0  | 15964001002   | 2021/11/11       | 2022/11/10           |
| Radiated Emission Test Software: e3 19821b (V9) |                   |                      |               |                  |                      |
| Unknown   | RF Coaxial Cable  | No.10                | N050          | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.11                | N1000         | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.12                | N040          | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.13                | N300          | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.14                | N800          | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.15                | N600          | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.16                | N650          | 2021/12/14       | 2022/12/13           |
| Schwarzbeck                                     | Bilog Antenna     | VULB9163             | 9163-194      | 2020/01/05       | 2023/01/04           |
| Schwarzbeck                                     | Bilog Antenna     | VULB9163             | 9163-323      | 2021/07/06       | 2024/07/05           |
| Schwarzbeck                                     | Horn Antenna      | BBHA9120D            | 9120D-655     | 2020/01/05       | 2023/01/04           |
| Schwarzbeck                                     | Horn Antenna      | BBHA9120D            | 9120D-1067    | 2020/01/05       | 2023/01/04           |
| PASTERNAK                                       | Horn Antenn       | PE9852/2F-20         | 1120          | 2020/01/05       | 2023/01/04           |
| PASTERNAK                                       | Horn Antenn       | PE9852/2F-20         | 1120          | 2020/01/05       | 2023/01/04           |
| Wainwright                                      | High Pass Filter  | WHKX3.6/18<br>G-10SS | 5             | 2021/12/14       | 2022/12/13           |
| CD  | High Pass Filter  | HPM-1.2/18G<br>-60   | 110           | 2021/12/14       | 2022/12/13           |
| Unknown   | RF Coaxial Cable  | No.16                | N200          | 2021/12/14       | 2022/12/13           |
| Agilent   | Signal Generator  | N5183A               | MY51040755    | 2021/12/13       | 2022/12/12           |

| Manufacturer             | Description                         | Model       | Serial Number | Calibration Date | Calibration Due Date |
|--------------------------|-------------------------------------|-------------|---------------|------------------|----------------------|
| <b>RF Conducted Test</b> |                                     |             |               |                  |                      |
| Rohde & Schwarz          | Spectrum Analyzer                   | FSU26       | 200982        | 2021/07/06       | 2022/07/05           |
| Rohde & Schwarz          | Wideband Radio Communication Tester | CMW500      | 154606        | 2021/12/13       | 2022/12/12           |
| Mini-Circuits            | Power Splitter                      | DC-18000MHz | SF10944151S   | 2021/12/14       | 2022/12/13           |
| Gongwen                  | Temp. & Humid. Chamber              | HSD-500     | 109           | 2021/10/14       | 2022/10/13           |
| HP                       | 6dB Attenuator                      | 8493B       | 2708A 04769   | 2021/12/14       | 2022/12/13           |
| Fluke                    | Multi Meter                         | 45          | 7664009       | 2021/12/14       | 2022/12/13           |
| Manson                   | DC Power Source                     | KPS-6604    | ATCS-205      | NCR              | NCR                  |
| Unknown                  | RF Coaxial Cable                    | No.31       | RF-01         | Each time        | /                    |
| Unknown                  | RF Cable                            | Unknown     | Unknown       | Each time        | /                    |
| Rohde&Schwarz            | Spectrum Analyzer                   | FSV40       | 101949        | 2021/12/13       | 2022/12/12           |

\* Statement of Traceability: Shenzhen Accurate Technology Co., Ltd. attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

## **FCC §1.1307(b)&§2.1093 - RF EXPOSURE INFORMATION**

---

### **Applicable Standard**

FCC§1.1310 and §2.1093.

### **Test Result**

Compliant, please refer to the SAR report: SZNS220215-04501E-SA.

## **FCC§2.1047 - MODULATION CHARACTERISTIC**

---

According to FCC § 2.1047(d), Part 22H & 24E& 27, there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

## **FCC § 2.1046, § 22.913 (a) & § 24.232(c); § 27.50(d)(h)- RF OUTPUT POWER**

### **Applicable Standard**

According to FCC § 2.1046 and § 22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC § 2.1046 and § 24.232 (c), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to § 27.50(d), Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP.

According to § 27.50(h), the maximum EIRP must not exceed 2 Watts (33dBm) for 2496-2690 MHz.

### **Test Procedure**

*Conducted method:*

The RF output of the transmitter was connected to the CMW500 through sufficient attenuation.



### **Test Data**

#### **Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 27.6 °C   |
| <b>Relative Humidity:</b> | 58 %      |
| <b>ATM Pressure:</b>      | 101.0 kPa |

*The testing was performed by Black Ding on 2022-02-19.*

**Conducted Power****Cellular Band (Part 22H)**

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) | ERP(dBm) | Limit (dBm) |
|------|---------|-----------------|----------------------------|----------|-------------|
| GSM  | 128     | 824.2           | 33.10                      | 29.35    | 38.45       |
|      | 190     | 836.6           | 33.00                      | 29.25    | 38.45       |
|      | 251     | 848.8           | 32.80                      | 29.05    | 38.45       |

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | ERP(dBm) |         |         |         | Limit (dBm) |
|------|---------|-----------------|----------------------------|---------|---------|---------|----------|---------|---------|---------|-------------|
|      |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots | 1 slot   | 2 slots | 3 slots | 4 slots |             |
| GPRS | 128     | 824.2           | 33.09                      | 32.05   | 29.98   | 28.95   | 29.34    | 28.30   | 26.23   | 25.20   | 38.45       |
|      | 190     | 836.6           | 32.92                      | 31.91   | 29.83   | 28.76   | 29.17    | 28.16   | 26.08   | 25.01   | 38.45       |
|      | 251     | 848.8           | 32.72                      | 31.77   | 29.74   | 28.58   | 28.97    | 28.02   | 25.99   | 24.83   | 38.45       |

| Mode  | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | ERP(dBm) |         |         |         | Limit (dBm) |
|-------|---------|-----------------|----------------------------|---------|---------|---------|----------|---------|---------|---------|-------------|
|       |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots | 1 slot   | 2 slots | 3 slots | 4 slots |             |
| EGPRS | 128     | 824.2           | 27.01                      | 25.57   | 23.12   | 21.77   | 23.26    | 21.82   | 19.37   | 18.02   | 38.45       |
|       | 190     | 836.6           | 27.20                      | 25.65   | 23.24   | 21.86   | 23.45    | 21.90   | 19.49   | 18.11   | 38.45       |
|       | 251     | 848.8           | 27.32                      | 25.80   | 23.30   | 21.96   | 23.57    | 22.05   | 19.55   | 18.21   | 38.45       |

| Mode           | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |       |       | ERP(dBm) |       |       |
|----------------|-----------|---------------|----------------------------|-------|-------|----------|-------|-------|
|                |           |               | Low                        | Mid   | High  | Low      | Mid   | High  |
| WCDMA (Band 5) | RMC12.2k  |               | 23.58                      | 23.55 | 23.50 | 19.83    | 19.80 | 19.75 |
|                | HSDPA     | 1             | 20.71                      | 20.74 | 21.02 | 16.96    | 16.99 | 17.27 |
|                |           | 2             | 20.66                      | 20.72 | 20.88 | 16.91    | 16.97 | 17.13 |
|                |           | 3             | 20.58                      | 20.74 | 20.97 | 16.83    | 16.99 | 17.22 |
|                |           | 4             | 20.67                      | 20.58 | 20.85 | 16.92    | 16.83 | 17.10 |
|                | HSUPA     | 1             | 22.34                      | 22.21 | 22.18 | 18.59    | 18.46 | 18.43 |
|                |           | 2             | 22.11                      | 22.14 | 22.11 | 18.36    | 18.39 | 18.36 |
|                |           | 3             | 22.14                      | 22.16 | 22.04 | 18.39    | 18.41 | 18.29 |
|                |           | 4             | 22.12                      | 22.34 | 22.13 | 18.37    | 18.59 | 18.38 |
|                |           | 5             | 22.14                      | 22.37 | 22.08 | 18.39    | 18.62 | 18.33 |
|                | HSPA+     | 1             | 22.16                      | 22.23 | 22.09 | 18.41    | 18.48 | 18.34 |

Note: ERP(dBm) = Conducted Power(dBm) + Antenna Gain(dBd)  
 For GSM850 / WCDMA Band5: Antenna Gain = -1.6dBi = -3.75dBd (0dBd=2.15dBd)  
 Limit: ERP ≤ 38.45dBm

**PCS Band (Part 24E)**

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) | EIRP(dBm) | Limit (dBm) |
|------|---------|-----------------|----------------------------|-----------|-------------|
| GSM  | 512     | 1850.2          | 25.90                      | 25.20     | 33          |
|      | 661     | 1880.0          | 26.60                      | 25.90     | 33          |
|      | 810     | 1909.8          | 26.60                      | 25.90     | 33          |

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | EIRP(dBm) |         |         |         | Limit (dBm) |
|------|---------|-----------------|----------------------------|---------|---------|---------|-----------|---------|---------|---------|-------------|
|      |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots | 1 slot    | 2 slots | 3 slots | 4 slots |             |
| GPRS | 512     | 1850.2          | 25.85                      | 24.80   | 22.73   | 21.66   | 25.15     | 24.10   | 22.03   | 20.96   | 33          |
|      | 661     | 1880.0          | 26.02                      | 24.97   | 22.90   | 21.85   | 25.32     | 24.27   | 22.20   | 21.15   | 33          |
|      | 810     | 1909.8          | 25.92                      | 24.89   | 22.78   | 21.78   | 25.22     | 24.19   | 22.08   | 21.08   | 33          |

| Mode  | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | EIRP(dBm) |         |         |         | Limit (dBm) |
|-------|---------|-----------------|----------------------------|---------|---------|---------|-----------|---------|---------|---------|-------------|
|       |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots | 1 slot    | 2 slots | 3 slots | 4 slots |             |
| EGPRS | 512     | 1850.2          | 25.38                      | 24.11   | 22.17   | 21.04   | 24.68     | 23.41   | 21.47   | 20.34   | 33          |
|       | 661     | 1880.0          | 25.29                      | 24.14   | 22.13   | 21.02   | 24.59     | 23.44   | 21.43   | 20.32   | 33          |
|       | 810     | 1909.8          | 25.67                      | 24.54   | 22.53   | 21.39   | 24.97     | 23.84   | 21.83   | 20.69   | 33          |

| Mode           | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |       |       | EIRP(dBm) |       |       |
|----------------|-----------|---------------|----------------------------|-------|-------|-----------|-------|-------|
|                |           |               | Low                        | Mid   | High  | Low       | Mid   | High  |
| WCDMA (Band 2) | RMC12.2k  |               | 17.10                      | 17.07 | 17.17 | 16.40     | 16.37 | 16.47 |
|                | HSDPA     | 1             | 15.12                      | 15.27 | 15.16 | 14.42     | 14.57 | 14.46 |
|                |           | 2             | 15.55                      | 15.36 | 15.33 | 14.85     | 14.66 | 14.63 |
|                |           | 3             | 15.43                      | 15.46 | 15.28 | 14.73     | 14.76 | 14.58 |
|                |           | 4             | 15.42                      | 15.52 | 15.24 | 14.72     | 14.82 | 14.54 |
|                | HSUPA     | 1             | 15.90                      | 15.77 | 15.92 | 15.20     | 15.07 | 15.22 |
|                |           | 2             | 15.88                      | 15.74 | 15.87 | 15.18     | 15.04 | 15.17 |
|                |           | 3             | 15.79                      | 15.63 | 15.69 | 15.09     | 14.93 | 14.99 |
|                |           | 4             | 15.83                      | 15.62 | 15.73 | 15.13     | 14.92 | 15.03 |
|                |           | 5             | 15.67                      | 15.64 | 15.74 | 14.97     | 14.94 | 15.04 |
| HSPA+          | 1         | 15.86         | 15.53                      | 15.78 | 15.16 | 14.83     | 15.08 |       |

Note: EIRP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)  
 For PCS1900 / WCDMA Band2: Antenna Gain = -0.7dBi  
 Limit: EIRP ≤ 33dBm

**AWS Band**

| Mode              | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |       |       | EIRP(dBm) |       |       |
|-------------------|-----------|---------------|----------------------------|-------|-------|-----------|-------|-------|
|                   |           |               | Low                        | Mid   | High  | Low       | Mid   | High  |
| WCDMA<br>(Band 4) | RMC12.2k  |               | 17.82                      | 17.89 | 17.86 | 17.12     | 17.19 | 17.16 |
|                   | HSDPA     | 1             | 15.48                      | 15.17 | 15.07 | 14.78     | 14.47 | 14.37 |
|                   |           | 2             | 15.53                      | 15.22 | 15.46 | 14.83     | 14.52 | 14.76 |
|                   |           | 3             | 15.48                      | 15.32 | 15.23 | 14.78     | 14.62 | 14.53 |
|                   |           | 4             | 15.62                      | 15.34 | 15.26 | 14.92     | 14.64 | 14.56 |
|                   | HSUPA     | 1             | 16.72                      | 16.68 | 16.63 | 16.02     | 15.98 | 15.93 |
|                   |           | 2             | 16.65                      | 16.72 | 16.64 | 15.95     | 16.02 | 15.94 |
|                   |           | 3             | 16.64                      | 16.59 | 16.53 | 15.94     | 15.89 | 15.83 |
|                   |           | 4             | 16.38                      | 16.47 | 16.58 | 15.68     | 15.77 | 15.88 |
|                   |           | 5             | 16.39                      | 16.59 | 16.49 | 15.69     | 15.89 | 15.79 |
|                   | HSPA+     | 1             | 16.58                      | 16.45 | 16.58 | 15.88     | 15.75 | 15.88 |

Note:  $EIRP(dBm) = \text{Conducted Power}(dBm) + \text{Antenna Gain}(dBi)$

For Band4: Antenna Gain = -0.7dBi

Limit:  $EIRP \leq 30dBm$



**LTE Band 2**

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 1.4                | QPSK       | RB1#0                 | 17.23                                   | 17.25 | 17.35 | 16.53     | 16.55 | 16.65 |
|                    |            | RB1#3                 | 17.38                                   | 17.43 | 17.55 | 16.68     | 16.73 | 16.85 |
|                    |            | RB1#5                 | 17.23                                   | 17.23 | 17.35 | 16.53     | 16.53 | 16.65 |
|                    |            | RB3#0                 | 17.37                                   | 17.39 | 17.43 | 16.67     | 16.69 | 16.73 |
|                    |            | RB3#3                 | 17.43                                   | 17.40 | 17.42 | 16.73     | 16.70 | 16.72 |
|                    |            | RB6#0                 | 16.30                                   | 16.32 | 16.38 | 15.60     | 15.62 | 15.68 |
|                    | 16QAM      | RB1#0                 | 16.33                                   | 16.29 | 16.48 | 15.63     | 15.59 | 15.78 |
|                    |            | RB1#3                 | 16.51                                   | 16.50 | 16.67 | 15.81     | 15.80 | 15.97 |
|                    |            | RB1#5                 | 16.34                                   | 16.30 | 16.49 | 15.64     | 15.60 | 15.79 |
|                    |            | RB3#0                 | 16.55                                   | 16.59 | 16.44 | 15.85     | 15.89 | 15.74 |
|                    |            | RB3#3                 | 16.49                                   | 16.63 | 16.46 | 15.79     | 15.93 | 15.76 |
|                    |            | RB6#0                 | 15.29                                   | 15.38 | 15.47 | 14.59     | 14.68 | 14.77 |
| 3.0                | QPSK       | RB1#0                 | 17.30                                   | 17.33 | 17.35 | 16.60     | 16.63 | 16.65 |
|                    |            | RB1#8                 | 17.26                                   | 17.30 | 17.34 | 16.56     | 16.60 | 16.64 |
|                    |            | RB1#14                | 17.27                                   | 17.33 | 17.30 | 16.57     | 16.63 | 16.60 |
|                    |            | RB6#0                 | 16.25                                   | 16.23 | 16.25 | 15.55     | 15.53 | 15.55 |
|                    |            | RB6#9                 | 16.26                                   | 16.19 | 16.29 | 15.56     | 15.49 | 15.59 |
|                    |            | RB15#0                | 16.30                                   | 16.33 | 16.34 | 15.60     | 15.63 | 15.64 |
|                    | 16QAM      | RB1#0                 | 17.01                                   | 16.49 | 16.39 | 16.31     | 15.79 | 15.69 |
|                    |            | RB1#8                 | 16.96                                   | 16.45 | 16.36 | 16.26     | 15.75 | 15.66 |
|                    |            | RB1#14                | 16.95                                   | 16.50 | 16.35 | 16.25     | 15.80 | 15.65 |
|                    |            | RB6#0                 | 15.38                                   | 15.32 | 15.31 | 14.68     | 14.62 | 14.61 |
|                    |            | RB6#9                 | 15.32                                   | 15.35 | 15.29 | 14.62     | 14.65 | 14.59 |
|                    |            | RB15#0                | 15.43                                   | 15.29 | 15.45 | 14.73     | 14.59 | 14.75 |

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 5.0                | QPSK       | RB1#0                 | 17.15                                   | 17.20 | 17.20 | 16.45     | 16.50 | 16.50 |
|                    |            | RB1#13                | 17.32                                   | 17.34 | 17.33 | 16.62     | 16.64 | 16.63 |
|                    |            | RB1#24                | 17.20                                   | 17.26 | 17.25 | 16.50     | 16.56 | 16.55 |
|                    |            | RB15#0                | 16.27                                   | 16.29 | 16.36 | 15.57     | 15.59 | 15.66 |
|                    |            | RB15#10               | 16.23                                   | 16.29 | 16.34 | 15.53     | 15.59 | 15.64 |
|                    |            | RB25#0                | 16.24                                   | 16.29 | 16.31 | 15.54     | 15.59 | 15.61 |
|                    | 16QAM      | RB1#0                 | 16.08                                   | 16.51 | 16.29 | 15.38     | 15.81 | 15.59 |
|                    |            | RB1#13                | 16.23                                   | 16.67 | 16.42 | 15.53     | 15.97 | 15.72 |
|                    |            | RB1#24                | 16.13                                   | 16.56 | 16.37 | 15.43     | 15.86 | 15.67 |
|                    |            | RB15#0                | 15.34                                   | 15.28 | 15.46 | 14.64     | 14.58 | 14.76 |
|                    |            | RB15#10               | 15.34                                   | 15.35 | 15.41 | 14.64     | 14.65 | 14.71 |
|                    |            | RB25#0                | 15.37                                   | 15.35 | 15.38 | 14.67     | 14.65 | 14.68 |
| 10.0               | QPSK       | RB1#0                 | 17.24                                   | 17.27 | 17.28 | 16.54     | 16.57 | 16.58 |
|                    |            | RB1#25                | 17.42                                   | 17.42 | 17.41 | 16.72     | 16.72 | 16.71 |
|                    |            | RB1#49                | 17.26                                   | 17.30 | 17.32 | 16.56     | 16.60 | 16.62 |
|                    |            | RB25#0                | 16.28                                   | 16.32 | 16.39 | 15.58     | 15.62 | 15.69 |
|                    |            | RB25#25               | 16.31                                   | 16.31 | 16.30 | 15.61     | 15.61 | 15.60 |
|                    |            | RB50#0                | 16.34                                   | 16.33 | 16.36 | 15.64     | 15.63 | 15.66 |
|                    | 16QAM      | RB1#0                 | 16.91                                   | 16.47 | 16.28 | 16.21     | 15.77 | 15.58 |
|                    |            | RB1#25                | 17.09                                   | 16.58 | 16.48 | 16.39     | 15.88 | 15.78 |
|                    |            | RB1#49                | 16.93                                   | 16.45 | 16.38 | 16.23     | 15.75 | 15.68 |
|                    |            | RB25#0                | 15.36                                   | 15.37 | 15.54 | 14.66     | 14.67 | 14.84 |
|                    |            | RB25#25               | 15.42                                   | 15.42 | 15.43 | 14.72     | 14.72 | 14.73 |
|                    |            | RB50#0                | 15.40                                   | 15.40 | 15.42 | 14.70     | 14.70 | 14.72 |

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 15.0               | QPSK       | RB1#0                 | 17.11                                   | 17.19 | 17.20 | 16.41     | 16.49 | 16.50 |
|                    |            | RB1#38                | 17.29                                   | 17.30 | 17.33 | 16.59     | 16.60 | 16.63 |
|                    |            | RB1#74                | 17.17                                   | 17.19 | 17.26 | 16.47     | 16.49 | 16.56 |
|                    |            | RB36#0                | 16.21                                   | 16.30 | 16.40 | 15.51     | 15.60 | 15.70 |
|                    |            | RB36#39               | 16.29                                   | 16.32 | 16.30 | 15.59     | 15.62 | 15.60 |
|                    |            | RB75#0                | 16.24                                   | 16.30 | 16.32 | 15.54     | 15.60 | 15.62 |
|                    | 16QAM      | RB1#0                 | 16.82                                   | 16.38 | 16.65 | 16.12     | 15.68 | 15.95 |
|                    |            | RB1#38                | 16.97                                   | 16.44 | 16.77 | 16.27     | 15.74 | 16.07 |
|                    |            | RB1#74                | 16.86                                   | 16.36 | 16.65 | 16.16     | 15.66 | 15.95 |
|                    |            | RB36#0                | 15.25                                   | 15.39 | 15.37 | 14.55     | 14.69 | 14.67 |
|                    |            | RB36#39               | 15.35                                   | 15.37 | 15.31 | 14.65     | 14.67 | 14.61 |
|                    |            | RB75#0                | 15.32                                   | 15.38 | 15.38 | 14.62     | 14.68 | 14.68 |
| 20.0               | QPSK       | RB1#0                 | 17.00                                   | 17.09 | 17.00 | 16.30     | 16.39 | 16.30 |
|                    |            | RB1#50                | 17.46                                   | 17.50 | 17.43 | 16.76     | 16.80 | 16.73 |
|                    |            | RB1#99                | 17.08                                   | 17.09 | 17.07 | 16.38     | 16.39 | 16.37 |
|                    |            | RB50#0                | 16.26                                   | 16.38 | 16.38 | 15.56     | 15.68 | 15.68 |
|                    |            | RB50#50               | 16.33                                   | 16.34 | 16.23 | 15.63     | 15.64 | 15.53 |
|                    |            | RB100#0               | 16.30                                   | 16.38 | 16.33 | 15.60     | 15.68 | 15.63 |
|                    | 16QAM      | RB1#0                 | 16.35                                   | 16.36 | 16.65 | 15.65     | 15.66 | 15.95 |
|                    |            | RB1#50                | 16.83                                   | 16.72 | 17.05 | 16.13     | 16.02 | 16.35 |
|                    |            | RB1#99                | 16.41                                   | 16.31 | 16.67 | 15.71     | 15.61 | 15.97 |
|                    |            | RB50#0                | 15.25                                   | 15.45 | 15.41 | 14.55     | 14.75 | 14.71 |
|                    |            | RB50#50               | 15.38                                   | 15.41 | 15.29 | 14.68     | 14.71 | 14.59 |
|                    |            | RB100#0               | 15.36                                   | 15.44 | 15.41 | 14.66     | 14.74 | 14.71 |

Note: EIRP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)

For Band2: Antenna Gain = -0.7dBi

Limit: EIRP ≤ 33dBm

**LTE Band 4**

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power (dBm) |       |       | EIRP(dBm) |       |       |
|-----------------|------------|-----------------------|--------------------------------------|-------|-------|-----------|-------|-------|
|                 |            |                       | Low                                  | Mid   | High  | Low       | Mid   | High  |
| 1.4             | QPSK       | RB1#0                 | 16.66                                | 16.60 | 16.55 | 15.96     | 15.90 | 15.85 |
|                 |            | RB1#3                 | 16.80                                | 16.75 | 16.78 | 16.10     | 16.05 | 16.08 |
|                 |            | RB1#5                 | 16.63                                | 16.65 | 16.55 | 15.93     | 15.95 | 15.85 |
|                 |            | RB3#0                 | 16.81                                | 16.73 | 16.75 | 16.11     | 16.03 | 16.05 |
|                 |            | RB3#3                 | 16.77                                | 16.71 | 16.81 | 16.07     | 16.01 | 16.11 |
|                 |            | RB6#0                 | 15.70                                | 15.62 | 15.63 | 15.00     | 14.92 | 14.93 |
|                 | 16QAM      | RB1#0                 | 15.68                                | 15.77 | 15.63 | 14.98     | 15.07 | 14.93 |
|                 |            | RB1#3                 | 15.86                                | 15.94 | 15.82 | 15.16     | 15.24 | 15.12 |
|                 |            | RB1#5                 | 15.72                                | 15.74 | 15.70 | 15.02     | 15.04 | 15.00 |
|                 |            | RB3#0                 | 16.13                                | 15.74 | 15.92 | 15.43     | 15.04 | 15.22 |
|                 |            | RB3#3                 | 16.08                                | 15.80 | 15.98 | 15.38     | 15.10 | 15.28 |
|                 |            | RB6#0                 | 14.79                                | 14.73 | 14.65 | 14.09     | 14.03 | 13.95 |
| 3.0             | QPSK       | RB1#0                 | 16.68                                | 16.60 | 16.64 | 15.98     | 15.90 | 15.94 |
|                 |            | RB1#8                 | 16.63                                | 16.68 | 16.64 | 15.93     | 15.98 | 15.94 |
|                 |            | RB1#14                | 16.60                                | 16.66 | 16.63 | 15.90     | 15.96 | 15.93 |
|                 |            | RB6#0                 | 15.64                                | 15.58 | 15.64 | 14.94     | 14.88 | 14.94 |
|                 |            | RB6#9                 | 15.62                                | 15.59 | 15.62 | 14.92     | 14.89 | 14.92 |
|                 |            | RB15#0                | 15.69                                | 15.69 | 15.66 | 14.99     | 14.99 | 14.96 |
|                 | 16QAM      | RB1#0                 | 16.40                                | 15.83 | 15.73 | 15.70     | 15.13 | 15.03 |
|                 |            | RB1#8                 | 16.31                                | 15.83 | 15.74 | 15.61     | 15.13 | 15.04 |
|                 |            | RB1#14                | 16.30                                | 15.85 | 15.69 | 15.60     | 15.15 | 14.99 |
|                 |            | RB6#0                 | 14.74                                | 14.71 | 14.61 | 14.04     | 14.01 | 13.91 |
|                 |            | RB6#9                 | 14.75                                | 14.71 | 14.61 | 14.05     | 14.01 | 13.91 |
|                 |            | RB15#0                | 14.77                                | 14.70 | 14.77 | 14.07     | 14.00 | 14.07 |

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 5.0                | QPSK       | RB1#0                 | 16.58                                   | 16.54 | 16.55 | 15.88     | 15.84 | 15.85 |
|                    |            | RB1#13                | 16.71                                   | 16.68 | 16.71 | 16.01     | 15.98 | 16.01 |
|                    |            | RB1#24                | 16.58                                   | 16.59 | 16.54 | 15.88     | 15.89 | 15.84 |
|                    |            | RB15#0                | 15.71                                   | 15.59 | 15.74 | 15.01     | 14.89 | 15.04 |
|                    |            | RB15#10               | 15.71                                   | 15.71 | 15.67 | 15.01     | 15.01 | 14.97 |
|                    |            | RB25#0                | 15.70                                   | 15.66 | 15.69 | 15.00     | 14.96 | 14.99 |
|                    | 16QAM      | RB1#0                 | 15.54                                   | 15.93 | 15.71 | 14.84     | 15.23 | 15.01 |
|                    |            | RB1#13                | 15.65                                   | 16.03 | 15.79 | 14.95     | 15.33 | 15.09 |
|                    |            | RB1#24                | 15.54                                   | 15.92 | 15.73 | 14.84     | 15.22 | 15.03 |
|                    |            | RB15#0                | 14.80                                   | 14.66 | 14.81 | 14.10     | 13.96 | 14.11 |
|                    |            | RB15#10               | 14.80                                   | 14.75 | 14.75 | 14.10     | 14.05 | 14.05 |
|                    |            | RB25#0                | 14.78                                   | 14.70 | 14.74 | 14.08     | 14.00 | 14.04 |
| 10.0               | QPSK       | RB1#0                 | 16.67                                   | 16.67 | 16.59 | 15.97     | 15.97 | 15.89 |
|                    |            | RB1#25                | 16.85                                   | 16.81 | 16.74 | 16.15     | 16.11 | 16.04 |
|                    |            | RB1#49                | 16.63                                   | 16.66 | 16.63 | 15.93     | 15.96 | 15.93 |
|                    |            | RB25#0                | 15.77                                   | 15.80 | 15.80 | 15.07     | 15.10 | 15.10 |
|                    |            | RB25#25               | 15.81                                   | 15.75 | 15.67 | 15.11     | 15.05 | 14.97 |
|                    |            | RB50#0                | 15.74                                   | 15.79 | 15.77 | 15.04     | 15.09 | 15.07 |
|                    | 16QAM      | RB1#0                 | 16.35                                   | 15.86 | 15.72 | 15.65     | 15.16 | 15.02 |
|                    |            | RB1#25                | 16.52                                   | 16.10 | 15.89 | 15.82     | 15.40 | 15.19 |
|                    |            | RB1#49                | 16.34                                   | 15.86 | 15.71 | 15.64     | 15.16 | 15.01 |
|                    |            | RB25#0                | 14.89                                   | 14.88 | 14.96 | 14.19     | 14.18 | 14.26 |
|                    |            | RB25#25               | 14.91                                   | 14.88 | 14.85 | 14.21     | 14.18 | 14.15 |
|                    |            | RB50#0                | 14.84                                   | 14.80 | 14.84 | 14.14     | 14.10 | 14.14 |

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 15.0               | QPSK       | RB1#0                 | 16.59                                   | 16.66 | 16.64 | 15.89     | 15.96 | 15.94 |
|                    |            | RB1#38                | 16.74                                   | 16.67 | 16.72 | 16.04     | 15.97 | 16.02 |
|                    |            | RB1#74                | 16.63                                   | 16.63 | 16.55 | 15.93     | 15.93 | 15.85 |
|                    |            | RB36#0                | 15.70                                   | 15.70 | 15.72 | 15.00     | 15.00 | 15.02 |
|                    |            | RB36#39               | 15.71                                   | 15.73 | 15.64 | 15.01     | 15.03 | 14.94 |
|                    |            | RB75#0                | 15.70                                   | 15.71 | 15.68 | 15.00     | 15.01 | 14.98 |
|                    | 16QAM      | RB1#0                 | 16.35                                   | 15.88 | 16.12 | 15.65     | 15.18 | 15.42 |
|                    |            | RB1#38                | 16.37                                   | 15.86 | 16.23 | 15.67     | 15.16 | 15.53 |
|                    |            | RB1#74                | 16.35                                   | 15.81 | 16.09 | 15.65     | 15.11 | 15.39 |
|                    |            | RB36#0                | 14.70                                   | 14.77 | 14.68 | 14.00     | 14.07 | 13.98 |
|                    |            | RB36#39               | 14.75                                   | 14.76 | 14.64 | 14.05     | 14.06 | 13.94 |
|                    |            | RB75#0                | 14.79                                   | 14.74 | 14.68 | 14.09     | 14.04 | 13.98 |
| 20.0               | QPSK       | RB1#0                 | 16.48                                   | 16.49 | 16.39 | 15.78     | 15.79 | 15.69 |
|                    |            | RB1#50                | 16.79                                   | 16.79 | 16.72 | 16.09     | 16.09 | 16.02 |
|                    |            | RB1#99                | 16.52                                   | 16.50 | 16.44 | 15.82     | 15.80 | 15.74 |
|                    |            | RB50#0                | 15.80                                   | 15.79 | 15.82 | 15.10     | 15.09 | 15.12 |
|                    |            | RB50#50               | 15.81                                   | 15.80 | 15.67 | 15.11     | 15.10 | 14.97 |
|                    |            | RB100#0               | 15.81                                   | 15.77 | 15.72 | 15.11     | 15.07 | 15.02 |
|                    | 16QAM      | RB1#0                 | 15.83                                   | 15.77 | 16.07 | 15.13     | 15.07 | 15.37 |
|                    |            | RB1#50                | 16.16                                   | 16.09 | 16.48 | 15.46     | 15.39 | 15.78 |
|                    |            | RB1#99                | 15.88                                   | 15.74 | 16.12 | 15.18     | 15.04 | 15.42 |
|                    |            | RB50#0                | 14.83                                   | 14.85 | 14.90 | 14.13     | 14.15 | 14.20 |
|                    |            | RB50#50               | 14.83                                   | 14.84 | 14.72 | 14.13     | 14.14 | 14.02 |
|                    |            | RB100#0               | 14.83                                   | 14.85 | 14.80 | 14.13     | 14.15 | 14.10 |

Note: EIRP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)  
For Band4: Antenna Gain = -0.7dBi  
Limit: EIRP ≤ 30dBm

## LTE Band5

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power (dBm) |       |       | ERP(dBm) |       |       |
|-----------------|------------|-----------------------|--------------------------------------|-------|-------|----------|-------|-------|
|                 |            |                       | Low                                  | Mid   | High  | Low      | Mid   | High  |
| 1.4             | QPSK       | RB1#0                 | 23.32                                | 23.23 | 23.13 | 19.57    | 19.48 | 19.38 |
|                 |            | RB1#3                 | 23.47                                | 23.38 | 23.38 | 19.72    | 19.63 | 19.63 |
|                 |            | RB1#5                 | 23.27                                | 23.22 | 23.18 | 19.52    | 19.47 | 19.43 |
|                 |            | RB3#0                 | 23.41                                | 23.32 | 23.26 | 19.66    | 19.57 | 19.51 |
|                 |            | RB3#3                 | 23.39                                | 23.30 | 23.30 | 19.64    | 19.55 | 19.55 |
|                 |            | RB6#0                 | 22.42                                | 22.32 | 22.25 | 18.67    | 18.57 | 18.50 |
|                 | 16QAM      | RB1#0                 | 22.30                                | 22.38 | 22.18 | 18.55    | 18.63 | 18.43 |
|                 |            | RB1#3                 | 22.48                                | 22.54 | 22.40 | 18.73    | 18.79 | 18.65 |
|                 |            | RB1#5                 | 22.33                                | 22.34 | 22.22 | 18.58    | 18.59 | 18.47 |
|                 |            | RB3#0                 | 22.54                                | 22.24 | 22.40 | 18.79    | 18.49 | 18.65 |
|                 |            | RB3#3                 | 22.54                                | 22.28 | 22.33 | 18.79    | 18.53 | 18.58 |
|                 |            | RB6#0                 | 21.41                                | 21.34 | 21.23 | 17.66    | 17.59 | 17.48 |
| 3.0             | QPSK       | RB1#0                 | 23.34                                | 23.20 | 23.24 | 19.59    | 19.45 | 19.49 |
|                 |            | RB1#8                 | 23.30                                | 23.24 | 23.14 | 19.55    | 19.49 | 19.39 |
|                 |            | RB1#14                | 23.29                                | 23.21 | 23.17 | 19.54    | 19.46 | 19.42 |
|                 |            | RB6#0                 | 22.30                                | 22.20 | 22.16 | 18.55    | 18.45 | 18.41 |
|                 |            | RB6#9                 | 22.27                                | 22.23 | 22.14 | 18.52    | 18.48 | 18.39 |
|                 |            | RB15#0                | 22.33                                | 22.24 | 22.22 | 18.58    | 18.49 | 18.47 |
|                 | 16QAM      | RB1#0                 | 22.86                                | 22.36 | 22.30 | 19.11    | 18.61 | 18.55 |
|                 |            | RB1#8                 | 22.80                                | 22.39 | 22.23 | 19.05    | 18.64 | 18.48 |
|                 |            | RB1#14                | 22.81                                | 22.35 | 22.26 | 19.06    | 18.60 | 18.51 |
|                 |            | RB6#0                 | 21.35                                | 21.18 | 21.13 | 17.60    | 17.43 | 17.38 |
|                 |            | RB6#9                 | 21.38                                | 21.26 | 21.13 | 17.63    | 17.51 | 17.38 |
|                 |            | RB15#0                | 21.33                                | 21.19 | 21.25 | 17.58    | 17.44 | 17.50 |

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power (dBm) |       |       | ERP(dBm) |       |       |
|-----------------|------------|-----------------------|--------------------------------------|-------|-------|----------|-------|-------|
|                 |            |                       | Low                                  | Mid   | High  | Low      | Mid   | High  |
| 5.0             | QPSK       | RB1#0                 | 23.18                                | 23.15 | 23.11 | 19.43    | 19.40 | 19.36 |
|                 |            | RB1#13                | 23.34                                | 23.24 | 23.22 | 19.59    | 19.49 | 19.47 |
|                 |            | RB1#24                | 23.19                                | 23.17 | 23.11 | 19.44    | 19.42 | 19.36 |
|                 |            | RB15#0                | 22.35                                | 22.23 | 22.29 | 18.60    | 18.48 | 18.54 |
|                 |            | RB15#10               | 22.29                                | 22.26 | 22.21 | 18.54    | 18.51 | 18.46 |
|                 |            | RB25#0                | 22.28                                | 22.22 | 22.20 | 18.53    | 18.47 | 18.45 |
|                 | 16QAM      | RB1#0                 | 22.16                                | 22.48 | 22.19 | 18.41    | 18.73 | 18.44 |
|                 |            | RB1#13                | 22.26                                | 22.54 | 22.31 | 18.51    | 18.79 | 18.56 |
|                 |            | RB1#24                | 22.12                                | 22.47 | 22.18 | 18.37    | 18.72 | 18.43 |
|                 |            | RB15#0                | 21.37                                | 21.23 | 21.28 | 17.62    | 17.48 | 17.53 |
|                 |            | RB15#10               | 21.35                                | 21.21 | 21.24 | 17.60    | 17.46 | 17.49 |
|                 |            | RB25#0                | 21.36                                | 21.24 | 21.25 | 17.61    | 17.49 | 17.50 |
| 10.0            | QPSK       | RB1#0                 | 23.30                                | 23.24 | 23.27 | 19.55    | 19.49 | 19.52 |
|                 |            | RB1#25                | 23.39                                | 23.37 | 23.40 | 19.64    | 19.62 | 19.65 |
|                 |            | RB1#49                | 23.23                                | 23.26 | 23.24 | 19.48    | 19.51 | 19.49 |
|                 |            | RB25#0                | 22.35                                | 22.37 | 22.32 | 18.60    | 18.62 | 18.57 |
|                 |            | RB25#25               | 22.30                                | 22.30 | 22.22 | 18.55    | 18.55 | 18.47 |
|                 |            | RB50#0                | 22.31                                | 22.34 | 22.28 | 18.56    | 18.59 | 18.53 |
|                 | 16QAM      | RB1#0                 | 22.83                                | 22.43 | 22.29 | 19.08    | 18.68 | 18.54 |
|                 |            | RB1#25                | 22.94                                | 22.58 | 22.42 | 19.19    | 18.83 | 18.67 |
|                 |            | RB1#49                | 22.78                                | 22.45 | 22.23 | 19.03    | 18.70 | 18.48 |
|                 |            | RB25#0                | 21.46                                | 21.37 | 21.42 | 17.71    | 17.62 | 17.67 |
|                 |            | RB25#25               | 21.36                                | 21.32 | 21.33 | 17.61    | 17.57 | 17.58 |
|                 |            | RB50#0                | 21.35                                | 21.32 | 21.32 | 17.60    | 17.57 | 17.57 |

Note: ERP(dBm) = Conducted Power(dBm) + Antenna Gain(dBd)  
For Band5: Antenna Gain = -1.6dBi = -3.75dBd (0dBd=2.15dBi)  
Limit: ERP ≤ 38.45dBm



**LTE Band 7**

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power(dBm) |       |       | EIRP(dBm) |       |       |
|-----------------|------------|-----------------------|-------------------------------------|-------|-------|-----------|-------|-------|
|                 |            |                       | Low                                 | Mid   | High  | Low       | Mid   | High  |
| 5.0             | QPSK       | RB1#0                 | 15.62                               | 15.29 | 15.26 | 15.22     | 14.89 | 14.86 |
|                 |            | RB1#13                | 15.66                               | 15.38 | 15.36 | 15.26     | 14.98 | 14.96 |
|                 |            | RB1#24                | 15.58                               | 15.34 | 15.26 | 15.18     | 14.94 | 14.86 |
|                 |            | RB15#0                | 14.64                               | 14.32 | 14.33 | 14.24     | 13.92 | 13.93 |
|                 |            | RB15#10               | 14.69                               | 14.39 | 14.32 | 14.29     | 13.99 | 13.92 |
|                 |            | RB25#0                | 14.65                               | 14.34 | 14.31 | 14.25     | 13.94 | 13.91 |
|                 | 16QAM      | RB1#0                 | 14.53                               | 14.58 | 14.35 | 14.13     | 14.18 | 13.95 |
|                 |            | RB1#13                | 14.58                               | 14.64 | 14.48 | 14.18     | 14.24 | 14.08 |
|                 |            | RB1#24                | 14.46                               | 14.61 | 14.41 | 14.06     | 14.21 | 14.01 |
|                 |            | RB15#0                | 13.65                               | 13.32 | 13.37 | 13.25     | 12.92 | 12.97 |
|                 |            | RB15#10               | 13.72                               | 13.36 | 13.33 | 13.32     | 12.96 | 12.93 |
|                 |            | RB25#0                | 13.70                               | 13.34 | 13.38 | 13.30     | 12.94 | 12.98 |
| 10.0            | QPSK       | RB1#0                 | 15.62                               | 15.42 | 15.31 | 15.22     | 15.02 | 14.91 |
|                 |            | RB1#25                | 15.83                               | 15.44 | 15.44 | 15.43     | 15.04 | 15.04 |
|                 |            | RB1#49                | 15.59                               | 15.38 | 15.33 | 15.19     | 14.98 | 14.93 |
|                 |            | RB25#0                | 14.63                               | 14.40 | 14.33 | 14.23     | 14.00 | 13.93 |
|                 |            | RB25#25               | 14.67                               | 14.39 | 14.36 | 14.27     | 13.99 | 13.96 |
|                 |            | RB50#0                | 14.65                               | 14.39 | 14.34 | 14.25     | 13.99 | 13.94 |
|                 | 16QAM      | RB1#0                 | 15.23                               | 14.49 | 14.28 | 14.83     | 14.09 | 13.88 |
|                 |            | RB1#25                | 15.36                               | 14.59 | 14.48 | 14.96     | 14.19 | 14.08 |
|                 |            | RB1#49                | 15.19                               | 14.50 | 14.33 | 14.79     | 14.10 | 13.93 |
|                 |            | RB25#0                | 13.72                               | 13.43 | 13.46 | 13.32     | 13.03 | 13.06 |
|                 |            | RB25#25               | 13.73                               | 13.45 | 13.43 | 13.33     | 13.05 | 13.03 |
|                 |            | RB50#0                | 13.64                               | 13.40 | 13.36 | 13.24     | 13.00 | 12.96 |

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power(dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|--|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                    | Mid   | High  | Low       | Mid   | High  |
| 15.0               | QPSK       | RB1#0                 | 15.55                                  | 15.35 | 15.24 | 15.15     | 14.95 | 14.84 |
|                    |            | RB1#38                | 15.62                                  | 15.37 | 15.34 | 15.22     | 14.97 | 14.94 |
|                    |            | RB1#74                | 15.40                                  | 15.28 | 15.23 | 15.00     | 14.88 | 14.83 |
|                    |            | RB36#0                | 14.62                                  | 14.41 | 14.34 | 14.22     | 14.01 | 13.94 |
|                    |            | RB36#39               | 14.63                                  | 14.36 | 14.37 | 14.23     | 13.96 | 13.97 |
|                    |            | RB75#0                | 14.63                                  | 14.39 | 14.33 | 14.23     | 13.99 | 13.93 |
|                    | 16QAM      | RB1#0                 | 15.20                                  | 14.45 | 14.58 | 14.80     | 14.05 | 14.18 |
|                    |            | RB1#38                | 15.22                                  | 14.48 | 14.72 | 14.82     | 14.08 | 14.32 |
|                    |            | RB1#74                | 15.03                                  | 14.41 | 14.60 | 14.63     | 14.01 | 14.20 |
|                    |            | RB36#0                | 13.64                                  | 13.41 | 13.31 | 13.24     | 13.01 | 12.91 |
|                    |            | RB36#39               | 13.65                                  | 13.38 | 13.31 | 13.25     | 12.98 | 12.91 |
|                    |            | RB75#0                | 13.64                                  | 13.38 | 13.34 | 13.24     | 12.98 | 12.94 |
| 20.0               | QPSK       | RB1#0                 | 15.42                                  | 15.25 | 15.00 | 15.02     | 14.85 | 14.60 |
|                    |            | RB1#50                | 15.77                                  | 15.49 | 15.42 | 15.37     | 15.09 | 15.02 |
|                    |            | RB1#99                | 15.32                                  | 15.21 | 15.06 | 14.92     | 14.81 | 14.66 |
|                    |            | RB50#0                | 14.55                                  | 14.37 | 14.32 | 14.15     | 13.97 | 13.92 |
|                    |            | RB50#50               | 14.62                                  | 14.40 | 14.30 | 14.22     | 14.00 | 13.90 |
|                    |            | RB100#0               | 14.62                                  | 14.43 | 14.37 | 14.22     | 14.03 | 13.97 |
|                    | 16QAM      | RB1#0                 | 14.70                                  | 14.42 | 14.60 | 14.30     | 14.02 | 14.20 |
|                    |            | RB1#50                | 15.06                                  | 14.66 | 14.97 | 14.66     | 14.26 | 14.57 |
|                    |            | RB1#99                | 14.60                                  | 14.37 | 14.67 | 14.20     | 13.97 | 14.27 |
|                    |            | RB50#0                | 13.54                                  | 13.37 | 13.36 | 13.14     | 12.97 | 12.96 |
|                    |            | RB50#50               | 13.64                                  | 13.37 | 13.30 | 13.24     | 12.97 | 12.90 |
|                    |            | RB100#0               | 13.64                                  | 13.44 | 13.35 | 13.24     | 13.04 | 12.95 |

Note: ERP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)

For Band7: Antenna Gain = -0.4dBi

Limit: ERP ≤ 33dBm

**LTE Band 38**

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 5.0                | QPSK       | RB1#0                 | 16.95                                   | 16.96 | 16.98 | 16.55     | 16.56 | 16.58 |
|                    |            | RB1#13                | 17.07                                   | 17.14 | 16.95 | 16.67     | 16.74 | 16.55 |
|                    |            | RB1#24                | 16.99                                   | 16.97 | 16.86 | 16.59     | 16.57 | 16.46 |
|                    |            | RB15#0                | 16.07                                   | 16.04 | 15.87 | 15.67     | 15.64 | 15.47 |
|                    |            | RB15#10               | 16.05                                   | 16.03 | 15.90 | 15.65     | 15.63 | 15.50 |
|                    |            | RB25#0                | 16.07                                   | 16.07 | 15.89 | 15.67     | 15.67 | 15.49 |
|                    | 16QAM      | RB1#0                 | 16.07                                   | 16.27 | 15.89 | 15.67     | 15.87 | 15.49 |
|                    |            | RB1#13                | 16.20                                   | 16.39 | 16.01 | 15.80     | 15.99 | 15.61 |
|                    |            | RB1#24                | 16.10                                   | 16.25 | 15.75 | 15.70     | 15.85 | 15.35 |
|                    |            | RB15#0                | 15.09                                   | 15.12 | 14.79 | 14.69     | 14.72 | 14.39 |
|                    |            | RB15#10               | 15.11                                   | 15.13 | 14.82 | 14.71     | 14.73 | 14.42 |
|                    |            | RB25#0                | 15.14                                   | 15.09 | 14.91 | 14.74     | 14.69 | 14.51 |
| 10.0               | QPSK       | RB1#0                 | 17.02                                   | 17.11 | 17.00 | 16.62     | 16.71 | 16.60 |
|                    |            | RB1#25                | 17.34                                   | 17.41 | 17.23 | 16.94     | 17.01 | 16.83 |
|                    |            | RB1#49                | 17.12                                   | 17.06 | 16.96 | 16.72     | 16.66 | 16.56 |
|                    |            | RB25#0                | 16.12                                   | 16.08 | 15.91 | 15.72     | 15.68 | 15.51 |
|                    |            | RB25#25               | 16.18                                   | 16.14 | 15.96 | 15.78     | 15.74 | 15.56 |
|                    |            | RB50#0                | 16.18                                   | 16.10 | 15.95 | 15.78     | 15.70 | 15.55 |
|                    | 16QAM      | RB1#0                 | 16.30                                   | 16.01 | 16.11 | 15.90     | 15.61 | 15.71 |
|                    |            | RB1#25                | 16.62                                   | 16.35 | 16.38 | 16.22     | 15.95 | 15.98 |
|                    |            | RB1#49                | 16.36                                   | 16.02 | 16.15 | 15.96     | 15.62 | 15.75 |
|                    |            | RB25#0                | 15.14                                   | 15.16 | 14.97 | 14.74     | 14.76 | 14.57 |
|                    |            | RB25#25               | 15.19                                   | 15.22 | 14.98 | 14.79     | 14.82 | 14.58 |
|                    |            | RB50#0                | 15.17                                   | 15.16 | 15.01 | 14.77     | 14.76 | 14.61 |

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power (dBm) |       |       | EIRP(dBm) |       |       |
|-----------------|------------|-----------------------|--------------------------------------|-------|-------|-----------|-------|-------|
|                 |            |                       | Low                                  | Mid   | High  | Low       | Mid   | High  |
| 15.0            | QPSK       | RB1#0                 | 16.96                                | 17.03 | 16.91 | 16.56     | 16.63 | 16.51 |
|                 |            | RB1#38                | 17.09                                | 17.07 | 16.97 | 16.69     | 16.67 | 16.57 |
|                 |            | RB1#74                | 17.03                                | 16.96 | 16.92 | 16.63     | 16.56 | 16.52 |
|                 |            | RB36#0                | 16.09                                | 16.00 | 15.92 | 15.69     | 15.60 | 15.52 |
|                 |            | RB36#39               | 16.14                                | 15.95 | 15.97 | 15.74     | 15.55 | 15.57 |
|                 |            | RB75#0                | 16.11                                | 16.04 | 15.95 | 15.71     | 15.64 | 15.55 |
|                 | 16QAM      | RB1#0                 | 16.20                                | 15.95 | 16.16 | 15.80     | 15.55 | 15.76 |
|                 |            | RB1#38                | 16.31                                | 16.06 | 16.24 | 15.91     | 15.66 | 15.84 |
|                 |            | RB1#74                | 16.27                                | 15.88 | 16.00 | 15.87     | 15.48 | 15.60 |
|                 |            | RB36#0                | 15.07                                | 15.02 | 15.02 | 14.67     | 14.62 | 14.62 |
|                 |            | RB36#39               | 15.10                                | 15.09 | 15.02 | 14.70     | 14.69 | 14.62 |
|                 |            | RB75#0                | 15.05                                | 15.10 | 14.97 | 14.65     | 14.70 | 14.57 |
| 20.0            | QPSK       | RB1#0                 | 16.76                                | 16.82 | 16.87 | 16.36     | 16.42 | 16.47 |
|                 |            | RB1#50                | 17.30                                | 17.26 | 17.32 | 16.90     | 16.86 | 16.92 |
|                 |            | RB1#99                | 16.85                                | 16.76 | 16.74 | 16.45     | 16.36 | 16.34 |
|                 |            | RB50#0                | 16.06                                | 15.96 | 15.89 | 15.66     | 15.56 | 15.49 |
|                 |            | RB50#50               | 16.13                                | 16.02 | 16.00 | 15.73     | 15.62 | 15.60 |
|                 |            | RB100#0               | 16.08                                | 16.07 | 15.98 | 15.68     | 15.67 | 15.58 |
|                 | 16QAM      | RB1#0                 | 15.88                                | 15.80 | 16.10 | 15.48     | 15.40 | 15.70 |
|                 |            | RB1#50                | 16.39                                | 16.30 | 16.55 | 15.99     | 15.90 | 16.15 |
|                 |            | RB1#99                | 15.97                                | 15.80 | 16.06 | 15.57     | 15.40 | 15.66 |
|                 |            | RB50#0                | 15.07                                | 15.10 | 14.94 | 14.67     | 14.70 | 14.54 |
|                 |            | RB50#50               | 15.15                                | 15.17 | 15.04 | 14.75     | 14.77 | 14.64 |
|                 |            | RB100#0               | 15.13                                | 15.09 | 14.96 | 14.73     | 14.69 | 14.56 |

Note: EIRP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)  
For Band38: Antenna Gain = -0.4dBi  
Limit: EIRP ≤ 33dBm

**LTE Band 41**

| Bandwidth<br>(MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output<br>Power (dBm) |       |       | EIRP(dBm) |       |       |
|--------------------|------------|-----------------------|---|-------|-------|-----------|-------|-------|
|                    |            |                       | Low                                     | Mid   | High  | Low       | Mid   | High  |
| 5.0                | QPSK       | RB1#0                 | 16.93                                   | 16.90 | 16.67 | 16.53     | 16.50 | 16.27 |
|                    |            | RB1#13                | 17.05                                   | 17.05 | 16.90 | 16.65     | 16.65 | 16.50 |
|                    |            | RB1#24                | 16.96                                   | 16.90 | 16.82 | 16.56     | 16.50 | 16.42 |
|                    |            | RB15#0                | 15.96                                   | 15.92 | 15.85 | 15.56     | 15.52 | 15.45 |
|                    |            | RB15#10               | 16.03                                   | 15.91 | 15.85 | 15.63     | 15.51 | 15.45 |
|                    |            | RB25#0                | 16.02                                   | 16.00 | 15.84 | 15.62     | 15.60 | 15.44 |
|                    | 16QAM      | RB1#0                 | 16.22                                   | 15.90 | 15.86 | 15.82     | 15.50 | 15.46 |
|                    |            | RB1#13                | 16.28                                   | 16.04 | 16.09 | 15.88     | 15.64 | 15.69 |
|                    |            | RB1#24                | 16.19                                   | 15.89 | 15.95 | 15.79     | 15.49 | 15.55 |
|                    |            | RB15#0                | 15.03                                   | 14.94 | 14.91 | 14.63     | 14.54 | 14.51 |
|                    |            | RB15#10               | 15.06                                   | 14.98 | 14.96 | 14.66     | 14.58 | 14.56 |
|                    |            | RB25#0                | 15.01                                   | 15.06 | 14.97 | 14.61     | 14.66 | 14.57 |
| 10.0               | QPSK       | RB1#0                 | 17.03                                   | 17.11 | 16.88 | 16.63     | 16.71 | 16.48 |
|                    |            | RB1#25                | 17.35                                   | 17.41 | 17.23 | 16.95     | 17.01 | 16.83 |
|                    |            | RB1#49                | 17.06                                   | 17.12 | 16.93 | 16.66     | 16.72 | 16.53 |
|                    |            | RB25#0                | 16.00                                   | 16.12 | 15.86 | 15.60     | 15.72 | 15.46 |
|                    |            | RB25#25               | 15.99                                   | 16.19 | 15.94 | 15.59     | 15.79 | 15.54 |
|                    |            | RB50#0                | 15.99                                   | 16.15 | 15.90 | 15.59     | 15.75 | 15.50 |
|                    | 16QAM      | RB1#0                 | 16.25                                   | 16.06 | 15.99 | 15.85     | 15.66 | 15.59 |
|                    |            | RB1#25                | 16.54                                   | 16.34 | 16.33 | 16.14     | 15.94 | 15.93 |
|                    |            | RB1#49                | 16.24                                   | 16.04 | 16.03 | 15.84     | 15.64 | 15.63 |
|                    |            | RB25#0                | 15.00                                   | 15.19 | 14.95 | 14.60     | 14.79 | 14.55 |
|                    |            | RB25#25               | 15.11                                   | 15.27 | 15.00 | 14.71     | 14.87 | 14.60 |
|                    |            | RB50#0                | 15.06                                   | 15.19 | 14.95 | 14.66     | 14.79 | 14.55 |

| Bandwidth (MHz) | Modulation | RB size/<br>RB Offset | Conducted Average Output Power (dBm) |       |       | EIRP(dBm) |       |       |
|-----------------|------------|-----------------------|--------------------------------------|-------|-------|-----------|-------|-------|
|                 |            |                       | Low                                  | Mid   | High  | Low       | Mid   | High  |
| 15.0            | QPSK       | RB1#0                 | 16.92                                | 16.99 | 16.83 | 16.52     | 16.59 | 16.43 |
|                 |            | RB1#38                | 16.99                                | 17.14 | 16.99 | 16.59     | 16.74 | 16.59 |
|                 |            | RB1#74                | 16.84                                | 17.00 | 16.93 | 16.44     | 16.60 | 16.53 |
|                 |            | RB36#0                | 15.98                                | 16.08 | 15.86 | 15.58     | 15.68 | 15.46 |
|                 |            | RB36#39               | 16.05                                | 16.16 | 15.94 | 15.65     | 15.76 | 15.54 |
|                 |            | RB75#0                | 16.05                                | 16.13 | 15.90 | 15.65     | 15.73 | 15.50 |
|                 | 16QAM      | RB1#0                 | 16.20                                | 15.99 | 16.08 | 15.80     | 15.59 | 15.68 |
|                 |            | RB1#38                | 16.28                                | 16.11 | 16.14 | 15.88     | 15.71 | 15.74 |
|                 |            | RB1#74                | 16.37                                | 15.96 | 16.03 | 15.97     | 15.56 | 15.63 |
|                 |            | RB36#0                | 14.96                                | 15.04 | 14.94 | 14.56     | 14.64 | 14.54 |
|                 |            | RB36#39               | 15.05                                | 15.15 | 15.00 | 14.65     | 14.75 | 14.60 |
|                 |            | RB75#0                | 15.02                                | 15.15 | 14.95 | 14.62     | 14.75 | 14.55 |
| 20.0            | QPSK       | RB1#0                 | 16.74                                | 16.80 | 16.75 | 16.34     | 16.40 | 16.35 |
|                 |            | RB1#50                | 17.31                                | 17.31 | 17.06 | 16.91     | 16.91 | 16.66 |
|                 |            | RB1#99                | 16.83                                | 16.85 | 16.79 | 16.43     | 16.45 | 16.39 |
|                 |            | RB50#0                | 15.98                                | 16.00 | 15.88 | 15.58     | 15.60 | 15.48 |
|                 |            | RB50#50               | 16.05                                | 16.18 | 15.94 | 15.65     | 15.78 | 15.54 |
|                 |            | RB100#0               | 16.04                                | 16.09 | 15.93 | 15.64     | 15.69 | 15.53 |
|                 | 16QAM      | RB1#0                 | 15.88                                | 15.80 | 15.99 | 15.48     | 15.40 | 15.59 |
|                 |            | RB1#50                | 16.44                                | 16.34 | 16.34 | 16.04     | 15.94 | 15.94 |
|                 |            | RB1#99                | 15.95                                | 15.85 | 16.00 | 15.55     | 15.45 | 15.60 |
|                 |            | RB50#0                | 14.96                                | 15.12 | 14.96 | 14.56     | 14.72 | 14.56 |
|                 |            | RB50#50               | 15.06                                | 15.23 | 15.00 | 14.66     | 14.83 | 14.60 |
|                 |            | RB100#0               | 15.02                                | 15.14 | 14.97 | 14.62     | 14.74 | 14.57 |

Note: EIRP(dBm) = Conducted Power(dBm) + Antenna Gain(dBi)  
For Band41: Antenna Gain = -0.4dBi  
Limit: EIRP ≤ 33dBm

**Peak-to-average ratio (PAR)****Cellular Band**

| Mode | Channel | PAR (dB) | Limit(dB) |
|------|---------|----------|-----------|
| GSM  | Low     | 3.56     | 13        |
|      | Middle  | 3.47     | 13        |
|      | High    | 3.59     | 13        |

| Mode  | Channel | PAR (dB) | Limit(dB) |
|-------|---------|----------|-----------|
| EGPRS | Low     | 3.65     | 13        |
|       | Middle  | 3.76     | 13        |
|       | High    | 3.86     | 13        |

| Mode             | Channel | PAR (dB) | Limit (dB) |
|------------------|---------|----------|------------|
| RMC<br>(BPSK)    | Low     | 3.57     | 13         |
|                  | Middle  | 3.68     | 13         |
|                  | High    | 3.45     | 13         |
| HSDPA<br>(16QAM) | Low     | 3.56     | 13         |
|                  | Middle  | 3.56     | 13         |
|                  | High    | 3.58     | 13         |
| HSUPA<br>(BPSK)  | Low     | 3.42     | 13         |
|                  | Middle  | 3.47     | 13         |
|                  | High    | 3.56     | 13         |
| HSPA+            | Low     | 3.45     | 13         |
|                  | Middle  | 3.52     | 13         |
|                  | High    | 3.57     | 13         |

**PCS Band**

| Mode | Channel | PAR (dB) | Limit(dB) |
|------|---------|----------|-----------|
| GSM  | Low     | 3.58     | 13        |
|      | Middle  | 3.56     | 13        |
|      | High    | 3.45     | 13        |

| Mode  | Channel | PAR (dB) | Limit(dB) |
|-------|---------|----------|-----------|
| EGPRS | Low     | 3.56     | 13        |
|       | Middle  | 3.57     | 13        |
|       | High    | 3.52     | 13        |

| Mode             | Channel | PAR (dB) | Limit (dB) |
|------------------|---------|----------|------------|
| RMC<br>(BPSK)    | Low     | 3.47     | 13         |
|                  | Middle  | 3.58     | 13         |
|                  | High    | 3.57     | 13         |
| HSDPA<br>(16QAM) | Low     | 3.52     | 13         |
|                  | Middle  | 3.56     | 13         |
|                  | High    | 3.45     | 13         |
| HSUPA<br>(BPSK)  | Low     | 3.47     | 13         |
|                  | Middle  | 3.46     | 13         |
|                  | High    | 3.52     | 13         |
| HSPA+            | Low     | 3.45     | 13         |
|                  | Middle  | 3.59     | 13         |
|                  | High    | 3.47     | 13         |

#### LTE Band 2 20MHz Bandwidth

| Modulation            | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|-----------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK<br>(1RB Size)    | 5.87             | 5.48                | 5.93              | 13             | Pass   |
| QPSK<br>(100RB Size)  | 5.77             | 5.77                | 5.71              | 13             | Pass   |
| 16QAM<br>(1RB Size)   | 6.31             | 7.24                | 7.18              | 13             | Pass   |
| 16QAM<br>(100RB Size) | 6.70             | 6.57                | 6.60              | 13             | Pass   |

#### LTE Band 4 20MHz Bandwidth

| Modulation            | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|-----------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK<br>(1RB Size)    | 6.12             | 5.71                | 6.41              | 13             | Pass   |
| QPSK<br>(100RB Size)  | 5.80             | 5.90                | 5.83              | 13             | Pass   |
| 16QAM<br>(1RB Size)   | 7.60             | 6.60                | 7.69              | 13             | Pass   |
| 16QAM<br>(100RB Size) | 6.70             | 6.76                | 6.73              | 13             | Pass   |



**LTE Band 5 10MHz Bandwidth**

| Modulation        | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|-------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK (1RB Size)   | 4.13             | 4.07                | 4.23              | 13             | Pass   |
| QPSK (50RB Size)  | 5.38             | 5.45                | 5.45              | 13             | Pass   |
| 16QAM (1RB Size)  | 5.22             | 5.26                | 5.03              | 13             | Pass   |
| 16QAM (50RB Size) | 6.22             | 6.31                | 6.31              | 13             | Pass   |

**LTE Band 7 20MHz Bandwidth**

| Modulation         | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|--------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK (1RB Size)    | 5.64             | 5.61                | 5.80              | 13             | Pass   |
| QPSK (100RB Size)  | 5.51             | 5.61                | 5.58              | 13             | Pass   |
| 16QAM (1RB Size)   | 6.12             | 7.08                | 7.05              | 13             | Pass   |
| 16QAM (100RB Size) | 6.38             | 6.28                | 6.35              | 13             | Pass   |

**LTE Band 38 20MHz Bandwidth**

| Modulation         | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|--------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK (1RB Size)    | 4.17             | 8.40                | 8.56              | 13             | Pass   |
| QPSK (100RB Size)  | 7.56             | 8.11                | 8.72              | 13             | Pass   |
| 16QAM (1RB Size)   | 8.75             | 8.72                | 8.33              | 13             | Pass   |
| 16QAM (100RB Size) | 3.72             | 6.87                | 6.53              | 13             | Pass   |

**LTE Band 41 20MHz Bandwidth**

| Modulation         | Low channel (dB) | Middle channel (dB) | High channel (dB) | PAR Limit (dB) | Result |
|--------------------|------------------|---------------------|-------------------|----------------|--------|
| QPSK (1RB Size)    | 7.37             | 7.79                | 11.38             | 13             | Pass   |
| QPSK (100RB Size)  | 8.01             | 8.11                | 7.63              | 13             | Pass   |
| 16QAM (1RB Size)   | 9.17             | 9.84                | 8.37              | 13             | Pass   |
| 16QAM (100RB Size) | 9.58             | 9.01                | 8.56              | 13             | Pass   |

## FCC §2.1049, §22.917, §22.905 & §24.238&§27.53 - OCCUPIED BANDWIDTH


### Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238, and §27.53.

### Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



### Test Data

#### Environmental Conditions

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 23~27.6°C |
| <b>Relative Humidity:</b> | 54~58 %   |
| <b>ATM Pressure:</b>      | 101.0 kPa |

*The testing was performed by Black Ding from 2022-02-19 to 2022-03-24.*

*EUT operation mode: Transmitting*

**Test Result: Pass**

*Please refer to the following tables and plots.*

**Cellular Band (Part 22H)**

| Mode        | Channel | Frequency (MHz) | 99% Occupied Bandwidth (kHz) | 26 dB Emission Bandwidth (kHz) |
|-------------|---------|-----------------|------------------------------|--------------------------------|
| GSM (GMSK)  | 128     | 824.2           | 246.00                       | 320.17                         |
|             | 190     | 836.6           | 246.00                       | 316.51                         |
|             | 251     | 848.8           | 246.00                       | 318.13                         |
| EGPRS(8PSK) | 128     | 824.2           | 248.00                       | 318.15                         |
|             | 190     | 836.6           | 248.00                       | 315.72                         |
|             | 251     | 848.8           | 248.00                       | 316.18                         |

|       | Frequency (MHz) | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) |
|-------|-----------------|--------------------------|----------------------|
| RMC   | 826.4           | 4.17                     | 4.74                 |
|       | 836.6           | 4.18                     | 4.73                 |
|       | 846.6           | 4.17                     | 4.74                 |
| HSDPA | 826.4           | 4.18                     | 4.71                 |
|       | 836.6           | 4.20                     | 5.77                 |
|       | 846.6           | 4.23                     | 5.05                 |
| HSUPA | 826.4           | 4.17                     | 4.73                 |
|       | 836.6           | 4.20                     | 4.98                 |
|       | 846.6           | 4.18                     | 4.81                 |

**PCS Band (Part 24E)**

| Mode        | Channel | Frequency (MHz) | 99% Occupied Bandwidth (kHz) | 26 dB Emission Bandwidth (kHz) |
|-------------|---------|-----------------|------------------------------|--------------------------------|
| GSM (GMSK)  | 512     | 1850.2          | 243.59                       | 315.71                         |
|             | 661     | 1880.0          | 246.79                       | 314.10                         |
|             | 810     | 1909.8          | 243.59                       | 317.31                         |
| EGPRS(8PSK) | 512     | 1850.2          | 246.79                       | 318.91                         |
|             | 661     | 1880.0          | 246.79                       | 309.29                         |
|             | 810     | 1909.8          | 250.00                       | 322.12                         |


|       | Frequency (MHz) | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) |
|-------|-----------------|--------------------------|----------------------|
| RMC   | 1852.4          | 4.18                     | 4.70                 |
|       | 1880.0          | 4.17                     | 4.73                 |
|       | 1907.6          | 4.20                     | 4.72                 |
| HSDPA | 1852.4          | 4.30                     | 6.49                 |
|       | 1880.0          | 4.30                     | 6.75                 |
|       | 1907.6          | 4.25                     | 7.00                 |
| HSUPA | 1852.4          | 4.34                     | 6.34                 |
|       | 1880.0          | 4.25                     | 5.49                 |
|       | 1907.6          | 4.18                     | 4.74                 |

#### AWS Band (Part 27)

|       | Frequency (MHz) | Occupied Bandwidth (MHz) | 26dB Bandwidth (MHz) |
|-------|-----------------|--------------------------|----------------------|
| RMC   | 1712.4          | 4.18                     | 4.71                 |
|       | 1732.6          | 4.17                     | 4.71                 |
|       | 1752.6          | 4.18                     | 4.71                 |
| HSDPA | 1712.4          | 4.20                     | 4.73                 |
|       | 1732.6          | 4.20                     | 4.73                 |
|       | 1752.6          | 4.18                     | 4.73                 |
| HSUPA | 1712.4          | 4.20                     | 4.71                 |
|       | 1732.6          | 4.20                     | 4.71                 |
|       | 1752.6          | 4.20                     | 4.75                 |


Cellular Band (Part 22H)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, Low channel




Date: 19.FEB.2022 16:39:51

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, Middle channel




Date: 19.FEB.2022 16:38:35

**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, High channel**




Date: 19.FEB.2022 16:37:00

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, Low channel**




Date: 19.FEB.2022 16:41:29

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, Middle channel**




Date: 19.FEB.2022 16:42:48

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, High channel**




Date: 19.FEB.2022 16:44:05

**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Low channel**



Date: 19.FEB.2022 18:52:36


**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Middle channel**



Date: 19.FEB.2022 18:53:35




**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, High channel**




Date: 19.FEB.2022 18:54:47

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Low channel**




Date: 19.FEB.2022 19:37:57

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Middle channel**




Date: 19.FEB.2022 19:39:04

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, High channel**




Date: 19.FEB.2022 19:40:02

**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Low channel**




Date: 19.FEB.2022 19:24:16

**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Middle channel**



Date: 19.FEB.2022 19:25:01


**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, High channel**



Date: 19.FEB.2022 19:27:05


PCS Band (Part 24E)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, Low channel




Date: 19.FEB.2022 17:03:09

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, Middle channel




Date: 19.FEB.2022 17:04:52

**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode, High channel**




Date: 19.FEB.2022 17:06:26

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, Low channel**




Date: 19.FEB.2022 16:56:43

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, Middle channel**




Date: 19.FEB.2022 16:54:55

**26 dB Emissions & 99% Occupied Bandwidth for EGPRS (8PSK) Mode, High channel**




Date: 19.FEB.2022 16:53:48

**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Low channel**



Date: 24.MAR.2022 21:23:30


**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Middle channel**



Date: 19.FEB.2022 18:38:32




**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, High channel**




Date: 19.FEB.2022 18:39:40

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Low channel**




Date: 24.MAR.2022 21:00:53

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Middle channel**




Date: 24.MAR.2022 21:04:27

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, High channel**




Date: 19.FEB.2022 19:34:12

**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Low channel**




Date: 24.MAR.2022 21:16:45

**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Middle channel**



Date: 24.MAR.2022 21:07:25


**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, High channel**



Date: 19.FEB.2022 19:20:24


**AWS Band (Part 27)**

**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Low channel**




Date: 19.FEB.2022 18:48:56

**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, Middle channel**




Date: 19.FEB.2022 18:50:16

**26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode, High channel**




Date: 19.FEB.2022 18:50:57

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Low channel**




Date: 19.FEB.2022 19:35:08

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, Middle channel**




Date: 19.FEB.2022 19:35:45

**26 dB Emissions & 99% Occupied Bandwidth for HSUPA (QPSK) Mode, High channel**




Date: 24.MAR.2022 20:33:58

**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Low channel**



Date: 19.FEB.2022 19:21:19


**26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, Middle channel**



Date: 24.MAR.2022 20:25:38



26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode, High channel



Date: 24.MAR.2022 20:23:32

**LTE Band 2:**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 1.4 MHz   | QPSK       | 1.110       | 1.326          | 1.110          | 1.296          | 1.098        | 1.308          |
|           | 16QAM      | 1.098       | 1.284          | 1.104          | 1.296          | 1.110        | 1.314          |
| 3 MHz     | QPSK       | 2.688       | 2.868          | 2.688          | 2.880          | 2.688        | 2.892          |
|           | 16QAM      | 2.688       | 2.880          | 2.688          | 2.880          | 2.688        | 2.868          |
| 5 MHz     | QPSK       | 4.520       | 4.960          | 4.520          | 4.940          | 4.520        | 4.880          |
|           | 16QAM      | 4.500       | 4.920          | 4.520          | 4.960          | 4.520        | 4.940          |
| 10 MHz    | QPSK       | 8.960       | 9.640          | 8.960          | 9.560          | 8.960        | 9.560          |
|           | 16QAM      | 8.960       | 9.480          | 8.960          | 9.640          | 8.960        | 9.640          |
| 15 MHz    | QPSK       | 13.560      | 15.000         | 13.500         | 14.760         | 13.560       | 14.820         |
|           | 16QAM      | 13.560      | 14.820         | 13.500         | 14.760         | 13.440       | 14.700         |
| 20 MHz    | QPSK       | 18.000      | 19.280         | 18.000         | 19.280         | 17.920       | 19.600         |
|           | 16QAM      | 18.000      | 19.360         | 18.000         | 19.520         | 17.920       | 19.520         |

**LTE Band 4:**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 1.4 MHz   | QPSK       | 1.092       | 1.302          | 1.104          | 1.332          | 1.110        | 1.296          |
|           | 16QAM      | 1.110       | 1.314          | 1.098          | 1.296          | 1.104        | 1.296          |
| 3 MHz     | QPSK       | 2.688       | 2.880          | 2.688          | 2.880          | 2.688        | 2.892          |
|           | 16QAM      | 2.688       | 2.892          | 2.688          | 2.880          | 2.688        | 2.892          |
| 5 MHz     | QPSK       | 4.520       | 4.980          | 4.520          | 4.940          | 4.520        | 4.920          |
|           | 16QAM      | 4.500       | 4.920          | 4.520          | 4.920          | 4.520        | 4.980          |
| 10 MHz    | QPSK       | 8.960       | 9.680          | 8.960          | 9.640          | 8.960        | 9.600          |
|           | 16QAM      | 8.960       | 9.640          | 8.960          | 9.640          | 8.960        | 9.640          |
| 15 MHz    | QPSK       | 13.500      | 14.880         | 13.500         | 14.760         | 13.500       | 14.820         |
|           | 16QAM      | 13.560      | 14.820         | 13.500         | 14.820         | 13.560       | 14.760         |
| 20 MHz    | QPSK       | 18.000      | 19.360         | 18.000         | 19.440         | 17.920       | 19.440         |
|           | 16QAM      | 18.000      | 19.360         | 18.000         | 19.360         | 17.920       | 19.360         |

**LTE Band 5:**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 1.4 MHz   | QPSK       | 1.098       | 1.302          | 1.104          | 1.302          | 1.110        | 1.296          |
|           | 16QAM      | 1.110       | 1.314          | 1.098          | 1.290          | 1.098        | 1.296          |
| 3 MHz     | QPSK       | 2.688       | 2.880          | 2.688          | 2.880          | 2.688        | 2.880          |
|           | 16QAM      | 2.688       | 2.892          | 2.676          | 2.880          | 2.688        | 2.868          |
| 5 MHz     | QPSK       | 4.520       | 4.980          | 4.520          | 4.940          | 4.520        | 4.940          |
|           | 16QAM      | 4.500       | 4.920          | 4.520          | 4.900          | 4.520        | 4.940          |
| 10 MHz    | QPSK       | 8.960       | 9.680          | 8.960          | 9.600          | 8.960        | 9.520          |
|           | 16QAM      | 8.960       | 9.640          | 8.960          | 9.640          | 8.960        | 9.560          |

**LTE Band 7:**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 5 MHz     | QPSK       | 4.520       | 4.960          | 4.520          | 4.940          | 4.500        | 4.940          |
|           | 16QAM      | 4.500       | 4.940          | 4.520          | 4.940          | 4.520        | 4.960          |
| 10 MHz    | QPSK       | 8.960       | 9.720          | 8.960          | 9.560          | 8.960        | 9.600          |
|           | 16QAM      | 8.960       | 9.640          | 9.000          | 9.600          | 8.960        | 9.560          |
| 15 MHz    | QPSK       | 13.560      | 14.820         | 13.500         | 14.700         | 13.500       | 14.940         |
|           | 16QAM      | 13.500      | 14.820         | 13.560         | 14.820         | 13.500       | 14.820         |
| 20 MHz    | QPSK       | 18.000      | 19.200         | 18.000         | 19.360         | 18.000       | 19.440         |
|           | 16QAM      | 17.920      | 19.360         | 18.000         | 19.360         | 18.000       | 19.360         |

**LTE Band 38**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 5 MHz     | QPSK       | 4.520       | 5.260          | 4.520          | 5.080          | 4.500        | 4.980          |
|           | 16QAM      | 4.520       | 4.940          | 4.520          | 4.980          | 4.520        | 5.168          |
| 10 MHz    | QPSK       | 8.960       | 9.640          | 8.960          | 9.680          | 8.960        | 9.720          |
|           | 16QAM      | 8.960       | 9.520          | 8.960          | 9.520          | 8.960        | 10.054         |
| 15 MHz    | QPSK       | 13.560      | 15.660         | 13.500         | 15.836         | 13.560       | 15.433         |
|           | 16QAM      | 13.560      | 16.140         | 13.560         | 16.620         | 13.560       | 15.840         |
| 20 MHz    | QPSK       | 18.000      | 19.520         | 18.000         | 19.520         | 18.000       | 19.520         |
|           | 16QAM      | 18.000      | 19.280         | 18.000         | 20.720         | 18.000       | 19.360         |

**LTE Band 41**

| Bandwidth | Modulation | Low channel |                | Middle channel |                | High channel |                |
|-----------|------------|-------------|----------------|----------------|----------------|--------------|----------------|
|           |            | OBW (MHz)   | 26dB EBW (MHz) | OBW (MHz)      | 26dB EBW (MHz) | OBW (MHz)    | 26dB EBW (MHz) |
| 5 MHz     | QPSK       | 4.520       | 5.240          | 4.520          | 5.300          | 4.500        | 4.940          |
|           | 16QAM      | 4.500       | 4.960          | 4.500          | 4.960          | 4.520        | 5.160          |
| 10 MHz    | QPSK       | 9.000       | 9.600          | 8.960          | 9.720          | 8.960        | 9.840          |
|           | 16QAM      | 9.000       | 9.520          | 8.960          | 9.560          | 8.960        | 10.000         |
| 15 MHz    | QPSK       | 13.560      | 15.540         | 13.560         | 15.360         | 13.500       | 15.540         |
|           | 16QAM      | 13.560      | 16.320         | 13.560         | 16.200         | 13.620       | 16.320         |
| 20 MHz    | QPSK       | 18.000      | 19.520         | 18.000         | 19.680         | 18.000       | 19.920         |
|           | 16QAM      | 18.000      | 19.760         | 18.000         | 20.800         | 18.000       | 19.440         |

The test plots of LTE band please refer to the Appendix A.

## FCC §2.1051, §22.917(a) & §24.238(a)& §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


### Applicable Standard

FCC §2.1051, §22.917(a) & §24.238(a)&§27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

### Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10<sup>th</sup> harmonic.



### Test Data

#### Environmental Conditions

|                           |            |
|---------------------------|------------|
| <b>Temperature:</b>       | 23~27.6 °C |
| <b>Relative Humidity:</b> | 54~58 %    |
| <b>ATM Pressure:</b>      | 101.0 kPa  |

*The testing was performed by Black Ding from 2022-02-19 to 2022-03-24.*


*EUT operation mode: Transmitting*

**Test result: Pass**


*Please refer to the following plots.*

**Cellular Band (Part 22H)**  
**Low Channel:**

**30 MHz – 1 GHz (GSM Mode)**




**1 GHz – 10 GHz (GSM Mode)**




Date: 19.FEB.2022 17:15:34

### 30 MHz – 1 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:48:17


### 1 GHz – 10 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:57:48


Middle Channel:

30 MHz – 1 GHz (GHz GSM Mode)



Date: 19.FEB.2022 17:17:58


1 GHz – 10 GHz (GSM Mode)



Date: 19.FEB.2022 17:15:17




### 30 MHz – 1 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:48:58


### 1 GHz – 10 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:58:06


High Channel:

30 MHz – 1 GHz (GSM Mode)




Date: 19.FEB.2022 17:18:28

1 GHz – 10 GHz (GSM Mode)




Date: 19.FEB.2022 17:15:57

### 30 MHz – 1 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:49:21


### 1 GHz – 10 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:58:16


**PCS Band (Part 24E)  
Low Channel:**

**30 MHz – 1 GHz (GSM Mode)**



Date: 19.FEB.2022 17:09:26


**1 GHz – 2 GHz (GSM Mode)**



Fundamental test


Date: 24.MAR.2022 21:33:32

### 2 GHz – 20 GHz (GSM Mode)




Date: 19.FEB.2022 17:12:12

### 30 MHz – 1 GHz (WCDMA Mode)




Date: 19.FEB.2022 19:46:17

### 1 GHz – 2 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:55:14


### 2 GHz – 20 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:59:17


Middle Channel:

30 MHz – 1 GHz (GSM Mode)




Date: 19.FEB.2022 17:09:48

1 GHz – 2 GHz (GSM Mode)




Date: 19.FEB.2022 17:11:00

### 2 GHz – 20 GHz (GSM Mode)



Date: 19.FEB.2022 17:12:29


### 30 MHz – 1 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:46:35




### 1 GHz – 2GHz (WCDMA Mode)



Date: 19.FEB.2022 19:55:44


### 2 GHz – 20GHz (WCDMA Mode)



Date: 19.FEB.2022 19:59:11


High Channel:

30 MHz – 1 GHz (GSM Mode)




Date: 19.FEB.2022 17:10:00

1 GHz – 2 GHz (GSM Mode)




Date: 19.FEB.2022 17:10:31

### 2 GHz– 20 GHz (GSM Mode)




Date: 19.FEB.2022 17:12:41

### 30 MHz – 1 GHz (WCDMA Mode)




Date: 19.FEB.2022 19:46:48

### 1 GHz – 2 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:56:02


### 2GHz – 20 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:58:37


**AWS Band (Part 27)  
Low Channel:**

**30 MHz – 1 GHz (WCDMA Mode)**




Date: 19.FEB.2022 19:47:21

**1 GHz – 2 GHz (WCDMA Mode)**



Date: 19.FEB.2022 19:57:25


### 2 GHz – 20 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:59:48


### Middle Channel

### 30 MHz – 1 GHz (WCDMA Mode)




Date: 19.FEB.2022 19:47:36

### 1 GHz – 2 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:56:50


### 2 GHz – 20 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:59:53


High Channel:

30 MHz – 1 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:47:48


1 GHz – 2 GHz (WCDMA Mode)



Date: 19.FEB.2022 19:56:26



### 2 GHz – 20 GHz (WCDMA Mode)



Date: 19.FEB.2022 20:00:09

The test plots of LTE band please refer to theAppendix B.

## **FCC § 2.1053; § 22.917 (a); § 24.238 (a); §27.53- SPURIOUS RADIATED EMISSIONS**

### **Applicable Standard**

FCC § 2.1053, §22.917(a)& § 24.238(a) & § 27.53.

### **Test Procedure**

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

### **Test Data**

#### **Environmental Conditions**

|                           |                |
|---------------------------|----------------|
| <b>Temperature:</b>       | 21~25°C        |
| <b>Relative Humidity:</b> | 47~52 %        |
| <b>ATM Pressure:</b>      | 100.3~101.0kPa |

*The testing was performed by Chao Mo from 2022-02-23 to 2022-02-26.*

*Test mode: Transmitting (Pre-scan in the X,Y and Z axes of orientation, the worst case Z-axis of orientation was recorded)*

*The worst case is as below:*

**30MHz-10GHz:****Cellular Band (Part 22H)**

| Frequency (MHz) | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| GSM850          |                        |                  |            |             |                         |                      |             |             |
| Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -71.69                 | 87               | 1.4        | H           | 2.8                     | -68.87               | -13         | -55.87      |
| 385.37          | -71.65                 | 160              | 1.0        | V           | 5.2                     | -66.45               | -13         | -53.45      |
| 1648.4          | -42.90                 | 255              | 1.9        | H           | 3.5                     | -39.40               | -13         | -26.40      |
| 1648.4          | -46.40                 | 72               | 1.9        | V           | 3.1                     | -43.30               | -13         | -30.30      |
| 2472.6          | -36.90                 | 22               | 1.4        | H           | 6.6                     | -30.30               | -13         | -17.30      |
| 2472.6          | -40.90                 | 67               | 1.1        | V           | 5.8                     | -35.10               | -13         | -22.10      |
| 3296.8          | -47.40                 | 78               | 1.7        | H           | 6.4                     | -41.00               | -13         | -28.00      |
| 3296.8          | -47.80                 | 239              | 1.5        | V           | 5.7                     | -42.10               | -13         | -29.10      |
| Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.02                 | 23               | 1.6        | H           | 2.8                     | -67.20               | -13         | -54.20      |
| 385.37          | -71.39                 | 301              | 1.4        | V           | 5.2                     | -66.19               | -13         | -53.19      |
| 1673.2          | -33.90                 | 317              | 1.2        | H           | 3.8                     | -30.10               | -13         | -17.10      |
| 1673.2          | -38.50                 | 107              | 1.3        | V           | 3.1                     | -35.40               | -13         | -22.40      |
| 2509.8          | -24.70                 | 356              | 1.5        | H           | 6.2                     | -18.50               | -13         | -5.50       |
| 2509.8          | -31.50                 | 315              | 1.9        | V           | 5.5                     | -26.00               | -13         | -13.00      |
| 3346.4          | -50.10                 | 57               | 2.1        | H           | 6.6                     | -43.50               | -13         | -30.50      |
| 3346.4          | -48.90                 | 96               | 2.0        | V           | 5.4                     | -43.50               | -13         | -30.50      |
| High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -69.90                 | 106              | 1.6        | H           | 2.8                     | -67.08               | -13         | -54.08      |
| 385.37          | -70.90                 | 95               | 2.1        | V           | 5.2                     | -65.70               | -13         | -52.70      |
| 1697.6          | -34.20                 | 106              | 2.0        | H           | 4.1                     | -30.10               | -13         | -17.10      |
| 1697.6          | -38.50                 | 111              | 2.2        | V           | 3.1                     | -35.40               | -13         | -22.40      |
| 2546.4          | -24.60                 | 235              | 2.0        | H           | 6.1                     | -18.50               | -13         | -5.50       |
| 2546.4          | -31.80                 | 68               | 2.2        | V           | 5.8                     | -26.00               | -13         | -13.00      |
| 3395.2          | -49.90                 | 338              | 1.9        | H           | 6.2                     | -43.70               | -13         | -30.70      |
| 3395.2          | -48.80                 | 0                | 1.9        | V           | 5.4                     | -43.40               | -13         | -30.40      |

| Frequency (MHz) | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| WCDMA Band 5    |                        |                  |            |             |                         |                      |             |             |
| Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -69.97                 | 129              | 1.7        | H           | 2.8                     | -67.15               | -13         | -54.15      |
| 385.37          | -71.83                 | 107              | 1.5        | V           | 5.2                     | -66.63               | -13         | -53.63      |
| 1652.8          | -56.40                 | 7                | 1.7        | H           | 3.5                     | -52.90               | -13         | -39.90      |
| 1652.8          | -57.20                 | 209              | 1.8        | V           | 3.1                     | -54.10               | -13         | -41.10      |
| 2479.2          | -58.10                 | 283              | 1.5        | H           | 6.5                     | -51.60               | -13         | -38.60      |
| 2479.2          | -56.40                 | 257              | 1.3        | V           | 5.7                     | -50.70               | -13         | -37.70      |
| 3305.6          | -52.60                 | 192              | 2.1        | H           | 6.4                     | -46.20               | -13         | -33.20      |
| 3305.6          | -51.60                 | 336              | 1.8        | V           | 5.7                     | -45.90               | -13         | -32.90      |
| Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.38                 | 246              | 1.9        | H           | 2.8                     | -67.56               | -13         | -54.56      |
| 385.37          | -70.46                 | 198              | 1.5        | V           | 5.2                     | -65.26               | -13         | -52.26      |
| 1673.2          | -57.10                 | 14               | 1.3        | H           | 3.8                     | -53.30               | -13         | -40.30      |
| 1673.2          | -56.50                 | 211              | 1.9        | V           | 3.1                     | -53.40               | -13         | -40.40      |
| 2509.8          | -57.10                 | 186              | 1.3        | H           | 6.2                     | -50.90               | -13         | -37.90      |
| 2509.8          | -55.90                 | 188              | 1.7        | V           | 5.6                     | -50.30               | -13         | -37.30      |
| 3346.4          | -53.20                 | 159              | 1.5        | H           | 6.6                     | -46.60               | -13         | -33.60      |
| 3346.4          | -51.40                 | 134              | 1.3        | V           | 5.4                     | -46.00               | -13         | -33.00      |
| High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.74                 | 339              | 1.5        | H           | 2.8                     | -67.92               | -13         | -54.92      |
| 385.37          | -70.47                 | 269              | 1.5        | V           | 5.2                     | -65.27               | -13         | -52.27      |
| 1693.2          | -58.40                 | 204              | 1.5        | H           | 4.0                     | -54.40               | -13         | -41.40      |
| 1693.2          | -57.10                 | 235              | 2.1        | V           | 3.1                     | -54.00               | -13         | -41.00      |
| 2539.8          | -57.70                 | 109              | 1.8        | H           | 6.1                     | -51.60               | -13         | -38.60      |
| 2539.8          | -55.90                 | 222              | 1.5        | V           | 5.7                     | -50.20               | -13         | -37.20      |
| 3386.4          | -52.50                 | 265              | 2.1        | H           | 6.3                     | -46.20               | -13         | -33.20      |
| 3386.4          | -51.80                 | 225              | 1.6        | V           | 5.4                     | -46.40               | -13         | -33.40      |

**30MHz-20GHz:****PCS Band (Part 24E)**

| Frequency (MHz) | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| GSM 1900        |                        |                  |            |             |                         |                      |             |             |
| Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -71.75                 | 313              | 1.5        | H           | 2.8                     | -68.93               | -13         | -55.93      |
| 385.37          | -70.24                 | 282              | 1.9        | V           | 5.2                     | -65.04               | -13         | -52.04      |
| 3700.4          | -55.00                 | 227              | 1.8        | H           | 8.1                     | -46.90               | -13         | -33.90      |
| 3700.4          | -54.00                 | 249              | 2.0        | V           | 7.6                     | -46.40               | -13         | -33.40      |
| 5550.6          | -47.70                 | 95               | 1.6        | H           | 9.6                     | -38.10               | -13         | -25.10      |
| 5550.6          | -45.00                 | 311              | 1.2        | V           | 9.1                     | -35.90               | -13         | -22.90      |
| Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.30                 | 200              | 2.1        | H           | 2.8                     | -67.48               | -13         | -54.48      |
| 385.37          | -70.43                 | 33               | 2.2        | V           | 5.2                     | -65.23               | -13         | -52.23      |
| 3760.0          | -55.80                 | 162              | 1.5        | H           | 8.8                     | -47.00               | -13         | -34.00      |
| 3760.0          | -55.20                 | 98               | 1.3        | V           | 8.0                     | -47.20               | -13         | -34.20      |
| 5640.0          | -48.40                 | 340              | 2.2        | H           | 10.1                    | -38.30               | -13         | -25.30      |
| 5640.0          | -45.50                 | 130              | 2.1        | V           | 9.4                     | -36.10               | -13         | -23.10      |
| High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.63                 | 68               | 1.5        | H           | 2.8                     | -67.81               | -13         | -54.81      |
| 385.37          | -70.58                 | 174              | 1.3        | V           | 5.2                     | -65.38               | -13         | -52.38      |
| 3819.6          | -56.30                 | 355              | 1.1        | H           | 8.7                     | -47.60               | -13         | -34.60      |
| 3819.6          | -55.10                 | 61               | 1.7        | V           | 8.0                     | -47.10               | -13         | -34.10      |
| 5729.4          | -49.70                 | 100              | 1.4        | H           | 10.6                    | -39.10               | -13         | -26.10      |
| 5729.4          | -46.60                 | 319              | 1.4        | V           | 10.2                    | -36.40               | -13         | -23.40      |

| Frequency (MHz) | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| WCDMA Band 2    |                        |                  |            |             |                         |                      |             |             |
| Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.45                 | 283              | 1.6        | H           | 2.8                     | -67.63               | -13         | -54.63      |
| 385.37          | -72.19                 | 325              | 1.9        | V           | 5.2                     | -66.99               | -13         | -53.99      |
| 3704.8          | -52.10                 | 159              | 1.2        | H           | 8.2                     | -43.90               | -13         | -30.90      |
| 3704.8          | -52.70                 | 299              | 2.0        | V           | 7.6                     | -45.10               | -13         | -32.10      |
| 5557.2          | -48.10                 | 162              | 2.1        | H           | 9.7                     | -38.40               | -13         | -25.40      |
| 5557.2          | -46.10                 | 14               | 2.1        | V           | 9.1                     | -37.00               | -13         | -24.00      |
| Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -69.88                 | 254              | 2.0        | H           | 2.8                     | -67.06               | -13         | -54.06      |
| 385.37          | -71.72                 | 132              | 1.0        | V           | 5.2                     | -66.52               | -13         | -53.52      |
| 3760.0          | -52.80                 | 313              | 1.9        | H           | 8.8                     | -44.00               | -13         | -31.00      |
| 3760.0          | -53.50                 | 147              | 1.3        | V           | 8.0                     | -45.50               | -13         | -32.50      |
| 5640.0          | -48.80                 | 229              | 1.1        | H           | 10.1                    | -38.70               | -13         | -25.70      |
| 5640.0          | -45.90                 | 5                | 2.1        | V           | 9.4                     | -36.50               | -13         | -23.50      |
| High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.16                 | 146              | 1.6        | H           | 2.8                     | -67.34               | -13         | -54.34      |
| 385.37          | -71.35                 | 167              | 1.8        | V           | 5.2                     | -66.15               | -13         | -53.15      |
| 3815.2          | -53.30                 | 25               | 1.8        | H           | 8.7                     | -44.60               | -13         | -31.60      |
| 3815.2          | -54.00                 | 129              | 1.6        | V           | 7.9                     | -46.10               | -13         | -33.10      |
| 5722.8          | -53.60                 | 10               | 1.9        | H           | 10.6                    | -43.00               | -13         | -30.00      |
| 5722.8          | -49.80                 | 65               | 1.2        | V           | 10.1                    | -39.70               | -13         | -26.70      |

**30MHz-20GHz:****AWS Band (Part 27E)**

| Frequency (MHz) | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| WCDMA Band 4    |                        |                  |            |             |                         |                      |             |             |
| Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -69.94                 | 133              | 1.2        | H           | 2.8                     | -67.12               | -13         | -54.12      |
| 385.37          | -71.21                 | 284              | 2.2        | V           | 5.2                     | -66.01               | -13         | -53.01      |
| 3465.2          | -52.40                 | 334              | 1.4        | H           | 7.0                     | -45.40               | -13         | -32.40      |
| 3465.2          | -52.20                 | 132              | 1.3        | V           | 6.2                     | -46.00               | -13         | -33.00      |
| 5197.8          | -55.70                 | 121              | 1.4        | H           | 10.3                    | -45.40               | -13         | -32.40      |
| 5197.8          | -54.50                 | 209              | 1.1        | V           | 9.8                     | -44.70               | -13         | -31.70      |
| Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -69.94                 | 133              | 1.2        | H           | 2.8                     | -67.12               | -13         | -54.12      |
| 385.37          | -71.21                 | 284              | 2.2        | V           | 5.2                     | -66.01               | -13         | -53.01      |
| 3465.2          | -52.40                 | 334              | 1.4        | H           | 7.0                     | -45.40               | -13         | -32.40      |
| 3465.2          | -52.20                 | 132              | 1.3        | V           | 6.2                     | -46.00               | -13         | -33.00      |
| 5197.8          | -55.70                 | 121              | 1.4        | H           | 10.3                    | -45.40               | -13         | -32.40      |
| 5197.8          | -54.50                 | 209              | 1.1        | V           | 9.8                     | -44.70               | -13         | -31.70      |
| High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37          | -70.81                 | 82               | 1.4        | H           | 2.8                     | -67.99               | -13         | -54.99      |
| 385.37          | -72.18                 | 135              | 1.8        | V           | 5.2                     | -66.98               | -13         | -53.98      |
| 3505.2          | -53.20                 | 256              | 1.9        | H           | 7.8                     | -45.40               | -13         | -32.40      |
| 3505.2          | -53.00                 | 279              | 2.1        | V           | 6.5                     | -46.50               | -13         | -33.50      |
| 5257.8          | -54.20                 | 260              | 2.2        | H           | 9.4                     | -44.80               | -13         | -31.80      |
| 5257.8          | -53.00                 | 108              | 1.3        | V           | 9.0                     | -44.00               | -13         | -31.00      |

**LTE Band:** (Pre-scan with all the bandwidth, and worst case as below)

| Frequency (MHz)                   | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                   |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 2                            |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 30MHz-20GHz |                        |                  |            |             |                         |                      |             |             |
| 1.4MHz bandwidth, Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.18                 | 105              | 2.2        | H           | 2.8                     | -67.36               | -13         | -54.36      |
| 385.37                            | -70.80                 | 37               | 2.2        | V           | 5.2                     | -65.60               | -13         | -52.60      |
| 3701.4                            | -49.40                 | 187              | 1.9        | H           | 8.1                     | -41.30               | -13         | -28.30      |
| 3701.4                            | -48.00                 | 298              | 1.9        | V           | 7.6                     | -40.40               | -13         | -27.40      |
| 5552.1                            | -43.50                 | 83               | 1.5        | H           | 9.6                     | -33.90               | -13         | -20.90      |
| 5552.1                            | -39.90                 | 29               | 1.3        | V           | 9.1                     | -30.80               | -13         | -17.80      |
| 1.4MHz bandwidth, Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -71.42                 | 97               | 1.6        | H           | 2.8                     | -68.60               | -13         | -55.60      |
| 385.37                            | -70.92                 | 206              | 1.1        | V           | 5.2                     | -65.72               | -13         | -52.72      |
| 3760.0                            | -48.70                 | 138              | 1.4        | H           | 8.8                     | -39.90               | -13         | -26.90      |
| 3760.0                            | -47.10                 | 79               | 1.3        | V           | 8.0                     | -39.10               | -13         | -26.10      |
| 5640.0                            | -39.80                 | 73               | 1.6        | H           | 10.1                    | -29.70               | -13         | -16.70      |
| 5640.0                            | -35.00                 | 28               | 1.1        | V           | 9.4                     | -25.60               | -13         | -12.60      |
| 1.4MHz bandwidth, High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.77                 | 125              | 1.0        | H           | 2.8                     | -67.95               | -13         | -54.95      |
| 385.37                            | -71.63                 | 207              | 1.4        | V           | 5.2                     | -66.43               | -13         | -53.43      |
| 3818.6                            | -48.30                 | 162              | 1.0        | H           | 8.7                     | -39.60               | -13         | -26.60      |
| 3818.6                            | -46.70                 | 125              | 1.9        | V           | 7.9                     | -38.80               | -13         | -25.80      |
| 5727.9                            | -39.40                 | 212              | 1.9        | H           | 10.6                    | -28.80               | -13         | -15.80      |
| 5727.9                            | -33.90                 | 253              | 1.8        | V           | 10.2                    | -23.70               | -13         | -10.70      |



| Frequency (MHz)                   | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                   |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 4                            |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 30MHz-20GHz |                        |                  |            |             |                         |                      |             |             |
| 1.4MHz bandwidth, Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.06                 | 202              | 2.0        | H           | 2.8                     | -67.24               | -13         | -54.24      |
| 385.37                            | -71.40                 | 31               | 2.1        | V           | 5.2                     | -66.20               | -13         | -53.20      |
| 3421.4                            | -49.70                 | 354              | 1.5        | H           | 6.4                     | -43.30               | -13         | -30.30      |
| 3421.4                            | -50.20                 | 144              | 1.2        | V           | 5.7                     | -44.50               | -13         | -31.50      |
| 5132.1                            | -50.00                 | 152              | 2.1        | H           | 11.3                    | -38.70               | -13         | -25.70      |
| 5132.1                            | -39.40                 | 67               | 1.8        | V           | 10.8                    | -28.60               | -13         | -15.60      |
| 1.4MHz bandwidth, Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.56                 | 308              | 2.2        | H           | 2.8                     | -67.74               | -13         | -54.74      |
| 385.37                            | -70.98                 | 51               | 1.5        | V           | 5.2                     | -65.78               | -13         | -52.78      |
| 3465.0                            | -47.50                 | 239              | 1.3        | H           | 7.0                     | -40.50               | -13         | -27.50      |
| 3465.0                            | -50.30                 | 280              | 1.4        | V           | 6.2                     | -44.10               | -13         | -31.10      |
| 5197.5                            | -44.00                 | 224              | 1.8        | H           | 10.4                    | -33.60               | -13         | -20.60      |
| 5197.5                            | -37.00                 | 20               | 1.6        | V           | 9.8                     | -27.20               | -13         | -14.20      |
| 1.4MHz bandwidth, High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.10                 | 35               | 1.1        | H           | 2.8                     | -67.28               | -13         | -54.28      |
| 385.37                            | -70.82                 | 74               | 1.2        | V           | 5.2                     | -65.62               | -13         | -52.62      |
| 3508.6                            | -46.70                 | 86               | 1.0        | H           | 7.8                     | -38.90               | -13         | -25.90      |
| 3508.6                            | -50.00                 | 127              | 1.0        | V           | 6.6                     | -43.40               | -13         | -30.40      |
| 5262.9                            | -42.40                 | 217              | 2.2        | H           | 9.5                     | -32.90               | -13         | -19.90      |
| 5262.9                            | -40.20                 | 224              | 1.7        | V           | 8.9                     | -31.30               | -13         | -18.30      |

| Frequency (MHz)                   | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                   |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 5                            |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 30MHz-10GHz |                        |                  |            |             |                         |                      |             |             |
| 1.4MHz bandwidth, Low Channel     |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -70.59                 | 179              | 1.6        | H           | 2.8                     | -67.77               | -13         | -54.77      |
| 385.37                            | -70.50                 | 99               | 2.1        | V           | 5.2                     | -65.30               | -13         | -52.30      |
| 1649.4                            | -56.60                 | 323              | 2.2        | H           | 3.5                     | -53.10               | -13         | -40.10      |
| 1649.4                            | -56.10                 | 306              | 1.2        | V           | 3.1                     | -53.00               | -13         | -40.00      |
| 2474.1                            | -52.10                 | 110              | 2.0        | H           | 6.6                     | -45.50               | -13         | -32.50      |
| 2474.1                            | -52.30                 | 55               | 1.5        | V           | 5.8                     | -46.50               | -13         | -33.50      |
| 3298.8                            | -47.50                 | 262              | 1.2        | H           | 6.4                     | -41.10               | -13         | -28.10      |
| 3298.8                            | -46.60                 | 327              | 1.2        | V           | 5.7                     | -40.90               | -13         | -27.90      |
| 1.4MHz bandwidth, Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -69.86                 | 50               | 1.3        | H           | 2.8                     | -67.04               | -13         | -54.04      |
| 385.37                            | -70.53                 | 39               | 1.4        | V           | 5.2                     | -65.33               | -13         | -52.33      |
| 1673.0                            | -51.00                 | 118              | 1.6        | H           | 3.8                     | -47.20               | -13         | -34.20      |
| 1673.0                            | -50.50                 | 225              | 2.1        | V           | 3.1                     | -47.40               | -13         | -34.40      |
| 2509.5                            | -48.70                 | 280              | 1.9        | H           | 6.2                     | -42.50               | -13         | -29.50      |
| 2509.5                            | -51.20                 | 52               | 1.8        | V           | 5.6                     | -45.60               | -13         | -32.60      |
| 3346.0                            | -48.90                 | 284              | 2.2        | H           | 6.6                     | -42.30               | -13         | -29.30      |
| 3346.0                            | -45.90                 | 312              | 1.6        | V           | 5.4                     | -40.50               | -13         | -27.50      |
| 1.4MHz bandwidth, High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37                            | -69.92                 | 31               | 1.4        | H           | 2.8                     | -67.10               | -13         | -54.10      |
| 385.37                            | -70.71                 | 99               | 2.1        | V           | 5.2                     | -65.51               | -13         | -52.51      |
| 1696.6                            | -50.60                 | 33               | 1.8        | H           | 4.1                     | -46.50               | -13         | -33.50      |
| 1696.6                            | -51.30                 | 214              | 1.1        | V           | 3.1                     | -48.20               | -13         | -35.20      |
| 2544.9                            | -54.50                 | 151              | 1.3        | H           | 6.1                     | -48.40               | -13         | -35.40      |
| 2544.9                            | -54.30                 | 158              | 2.0        | V           | 5.8                     | -48.50               | -13         | -35.50      |
| 3393.2                            | -50.20                 | 287              | 2.1        | H           | 6.3                     | -43.90               | -13         | -30.90      |
| 3393.2                            | -48.20                 | 263              | 1.0        | V           | 5.4                     | -42.80               | -13         | -29.80      |

| Frequency (MHz)                     | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-------------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                     |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 7                              |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 30MHz-26.5GHz |                        |                  |            |             |                         |                      |             |             |
| 5MHz bandwidth, Low Channel         |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -69.90                 | 100              | 1.1        | H           | 2.8                     | -67.08               | -25         | -42.08      |
| 385.37                              | -70.45                 | 302              | 1.1        | V           | 5.2                     | -65.25               | -25         | -40.25      |
| 5005.0                              | -51.10                 | 342              | 1.5        | H           | 10.8                    | -40.30               | -25         | -15.30      |
| 5005.0                              | -46.90                 | 238              | 1.0        | V           | 10.2                    | -36.70               | -25         | -11.70      |
| 7507.5                              | -52.80                 | 212              | 1.8        | H           | 20.3                    | -32.50               | -25         | -7.50       |
| 7507.5                              | -50.20                 | 104              | 1.5        | V           | 20.1                    | -30.10               | -25         | -5.10       |
| 5MHz bandwidth, Middle Channel      |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -70.23                 | 167              | 1.9        | H           | 2.8                     | -67.41               | -25         | -42.41      |
| 385.37                              | -70.57                 | 165              | 1.8        | V           | 5.2                     | -65.37               | -25         | -40.37      |
| 5070.0                              | -51.80                 | 229              | 1.4        | H           | 11.1                    | -40.70               | -25         | -15.70      |
| 5070.0                              | -48.50                 | 97               | 1.4        | V           | 10.8                    | -37.70               | -25         | -12.70      |
| 7605.0                              | -56.40                 | 335              | 1.6        | H           | 21.2                    | -35.20               | -25         | -10.20      |
| 7605.0                              | -52.20                 | 183              | 1.6        | V           | 20.1                    | -32.10               | -25         | -7.10       |
| 5MHz bandwidth, High Channel        |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -70.73                 | 110              | 1.5        | H           | 2.8                     | -67.91               | -25         | -42.91      |
| 385.37                              | -71.35                 | 94               | 2.1        | V           | 5.2                     | -66.15               | -25         | -41.15      |
| 5135.0                              | -53.20                 | 264              | 1.7        | H           | 11.3                    | -41.90               | -25         | -16.90      |
| 5135.0                              | -48.60                 | 220              | 1.2        | V           | 10.8                    | -37.80               | -25         | -12.80      |
| 7702.5                              | -55.50                 | 48               | 1.6        | H           | 21.2                    | -34.30               | -25         | -9.30       |
| 7702.5                              | -54.40                 | 332              | 2.0        | V           | 21.0                    | -33.40               | -25         | -8.40       |

| Frequency (MHz)                     | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|-------------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                     |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 38                             |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 30MHz-26.5GHz |                        |                  |            |             |                         |                      |             |             |
| 5MHz, Low Channel                   |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -70.00                 | 253              | 1.5        | H           | 2.8                     | -67.18               | -25         | -42.18      |
| 385.37                              | -72.04                 | 135              | 1.9        | V           | 5.2                     | -66.84               | -25         | -41.84      |
| 5145.0                              | -51.90                 | 19               | 2.1        | H           | 11.4                    | -40.50               | -25         | -15.50      |
| 5145.0                              | -50.80                 | 234              | 2.2        | V           | 10.7                    | -40.10               | -25         | -15.10      |
| 7717.5                              | -55.40                 | 140              | 2.0        | H           | 20.5                    | -34.90               | -25         | -9.90       |
| 7717.5                              | -55.30                 | 285              | 1.2        | V           | 20.3                    | -35.00               | -25         | -10.00      |
| 5MHz, Middle Channel                |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -69.92                 | 1                | 2.2        | H           | 2.8                     | -67.10               | -25         | -42.10      |
| 385.37                              | -71.62                 | 44               | 2.1        | V           | 5.2                     | -66.42               | -25         | -41.42      |
| 5190.0                              | -51.30                 | 328              | 1.4        | H           | 10.5                    | -40.80               | -25         | -15.80      |
| 5190.0                              | -50.00                 | 79               | 1.6        | V           | 10.0                    | -40.00               | -25         | -15.00      |
| 7785.0                              | -49.80                 | 236              | 2.1        | H           | 18.3                    | -31.50               | -25         | -6.50       |
| 7785.0                              | -50.40                 | 262              | 2.0        | V           | 18.0                    | -32.40               | -25         | -7.40       |
| 5MHz, High Channel                  |                        |                  |            |             |                         |                      |             |             |
| 385.37                              | -71.07                 | 90               | 1.1        | H           | 2.8                     | -68.25               | -25         | -43.25      |
| 385.37                              | -72.05                 | 354              | 1.3        | V           | 5.2                     | -66.85               | -25         | -41.85      |
| 5235.0                              | -48.80                 | 337              | 1.2        | H           | 9.7                     | -39.10               | -25         | -14.10      |
| 5235.0                              | -47.60                 | 270              | 2.0        | V           | 9.2                     | -38.40               | -25         | -13.40      |
| 7852.5                              | -51.20                 | 66               | 1.8        | H           | 18.2                    | -33.00               | -25         | -8.00       |
| 7852.5                              | -49.40                 | 129              | 1.7        | V           | 17.6                    | -31.80               | -25         | -6.80       |

| Frequency (MHz)                 | Receiver Reading (dBm) | Turntable Degree | Rx Antenna |             | Substituted Factor (dB) | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|---------------------------------|------------------------|------------------|------------|-------------|-------------------------|----------------------|-------------|-------------|
|                                 |                        |                  | Height (m) | Polar (H/V) |                         |                      |             |             |
| Band 41                         |                        |                  |            |             |                         |                      |             |             |
| Test frequency range: 1-26.5GHz |                        |                  |            |             |                         |                      |             |             |
| 5MHz, Low Channel               |                        |                  |            |             |                         |                      |             |             |
| 385.37                          | -71.18                 | 117              | 1.6        | H           | 2.8                     | -68.36               | -25         | -43.36      |
| 385.37                          | -70.33                 | 284              | 1.9        | V           | 5.2                     | -65.13               | -25         | -40.13      |
| 5075.0                          | -51.40                 | 142              | 2.0        | H           | 11.2                    | -40.20               | -25         | -15.20      |
| 5075.0                          | -47.40                 | 238              | 1.3        | V           | 10.8                    | -36.60               | -25         | -11.60      |
| 7612.5                          | -56.80                 | 115              | 1.1        | H           | 21.2                    | -35.60               | -25         | -10.60      |
| 7612.5                          | -53.40                 | 118              | 1.2        | V           | 20.2                    | -33.20               | -25         | -8.20       |
| 5MHz bandwidth, Middle Channel  |                        |                  |            |             |                         |                      |             |             |
| 385.37                          | -70.43                 | 220              | 2.0        | H           | 2.8                     | -67.61               | -25         | -42.61      |
| 385.37                          | -71.13                 | 271              | 2.1        | V           | 5.2                     | -65.93               | -25         | -40.93      |
| 5190.0                          | -51.40                 | 196              | 1.1        | H           | 10.5                    | -40.90               | -25         | -15.90      |
| 5190.0                          | -50.00                 | 21               | 1.7        | V           | 10.0                    | -40.00               | -25         | -15.00      |
| 7785.0                          | -49.50                 | 139              | 2.1        | H           | 18.3                    | -31.20               | -25         | -6.20       |
| 7785.0                          | -50.60                 | 24               | 1.7        | V           | 18.0                    | -32.60               | -25         | -7.60       |
| 5MHz bandwidth, High Channel    |                        |                  |            |             |                         |                      |             |             |
| 385.37                          | -70.13                 | 351              | 1.5        | H           | 2.8                     | -67.31               | -25         | -42.31      |
| 385.37                          | -70.81                 | 33               | 1.7        | V           | 5.2                     | -65.61               | -25         | -40.61      |
| 5305.0                          | -41.50                 | 35               | 2.1        | H           | 9.6                     | -31.90               | -25         | -6.90       |
| 5305.0                          | -42.80                 | 56               | 2.0        | V           | 8.8                     | -34.00               | -25         | -9.00       |
| 7957.5                          | -53.70                 | 323              | 1.8        | H           | 18.9                    | -34.80               | -25         | -9.80       |
| 7957.5                          | -52.80                 | 62               | 1.3        | V           | 18.5                    | -34.30               | -25         | -9.30       |

**Note:**

Absolute Level = Reading Level + Substituted Factor

Substituted Factor contains: SG Level - Cable loss+ Antenna Gain

Margin = Limit- Absolute Level

## **FCC§ 22.917 (a);§ 24.238 (a); §27.53 (h)(m) - BAND EDGES**

### **Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

### **Test Procedure**

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency



### **Test Data**

#### **Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 23~27.6°C |
| <b>Relative Humidity:</b> | 46~58 %   |
| <b>ATM Pressure:</b>      | 101.0 kPa |


*The testing was performed by Black Ding from 2022-02-19 to 2022-03-24.*

*EUT operation mode: Transmitting (Worst case)*

#### **Test Result: Pass**


*Please refer to the following plots.*

### Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 19.FEB.2022 16:34:56

### Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 19.FEB.2022 16:35:52

### Cellular Band, Left Band Edge for EGPRS (8PSK) Mode



Date: 19.FEB.2022 16:50:09


### Cellular Band, Right Band Edge for EGPRS (8PSK) Mode



Date: 24.MAR.2022 19:57:40




### Cellular Band, Left Band Edge for RMC (BPSK) Mode




Date: 19.FEB.2022 18:56:33

### Cellular Band, Right Band Edge for RMC (BPSK) Mode




Date: 19.FEB.2022 18:56:05

### Cellular Band, Left Band Edge for HSDPA(16QAM) Mode




Date: 19.FEB.2022 19:02:16

### Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 19.FEB.2022 19:03:06

### Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 19.FEB.2022 19:41:32

### Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 19.FEB.2022 19:41:10

**PCS Band, Left Band Edge for GSM (GMSK) Mode**




Date: 19.FEB.2022 17:08:33

**PCS Band, Right Band Edge for GSM (GMSK) Mode**




Date: 24.MAR.2022 20:07:05

### PCS Band, Left Band Edge for EGPRS (8PSK) Mode




Date: 19.FEB.2022 16:51:57

### PCS Band, Right Band Edge for EGPRS (8PSK) Mode




Date: 19.FEB.2022 16:52:33

### PCS Band, Left Band Edge for RMC (BPSK) Mode




Date: 24.MAR.2022 21:28:31

### PCS Band, Right Band Edge for RMC (BPSK) Mode




Date: 19.FEB.2022 18:58:54

### PCS Band, Left Band Edge for HSDPA(16QAM) Mode




Date: 19.FEB.2022 19:00:28

### PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 19.FEB.2022 19:00:02

### PCS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 19.FEB.2022 19:43:45


### PCS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 19.FEB.2022 19:44:03




### AWS Band, Left Band Edge for RMC (BPSK) Mode




Date: 19.FEB.2022 18:57:36

### AWS Band, Right Band Edge for RMC (BPSK) Mode




Date: 19.FEB.2022 18:57:12

### AWS Band, Left Band Edge for HSDPA(16QAM) Mode




Date: 19.FEB.2022 19:00:47

### AWS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 24.MAR.2022 20:18:27

### AWS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 19.FEB.2022 19:43:21

### AWS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 24.MAR.2022 20:47:36

The test plots of LTE bands please refer to the Appendix C.

## **FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY**

### **Applicable Standard**

FCC § 2.1055, §22.355, §24.235&§27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

| Frequency Range (MHz) | Base, fixed (ppm) | Mobile ≤ 3 watts (ppm) | Mobile > 3 watts (ppm) |
|-----------------------|-------------------|------------------------|------------------------|
| 25 to 50              | 20.0              | 20.0                   | 50.0                   |
| 50 to 450             | 5.0               | 5.0                    | 50.0                   |
| 450 to 512            | 2.5               | 5.0                    | 5.0                    |
| 821 to 896            | 1.5               | 2.5                    | 2.5                    |
| 928 to 929.           | 5.0               | N/A                    | N/A                    |
| 929 to 960.           | 1.5               | N/A                    | N/A                    |
| 2110 to 2220          | 10.0              | N/A                    | N/A                    |


According to §24.235&§27.54, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

### **Test Procedure**

**Frequency Stability vs. Temperature:** The equipment under test was connected to an external AC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The AC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

**Frequency Stability vs. Voltage:** For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 27.6 °C   |
| <b>Relative Humidity:</b> | 58 %      |
| <b>ATM Pressure:</b>      | 101.0 kPa |

The testing was performed by Black Ding on 2022-02-19.

EUT operation mode: Transmitting

**Test Result: Pass**

Please refer to the following tables.

**Cellular Band (Part 22H)****GSM Mode**

| Middle Channel, $f_0=836.6\text{MHz}$ |                                     |                      |                       |             |
|---------------------------------------|-------------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                      | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                   | N.V.                                | -5                   | -0.0060               | 2.5         |
| -20                                   |                                     | -4                   | -0.0048               | 2.5         |
| -10                                   |                                     | 2                    | 0.0024                | 2.5         |
| 0                                     |                                     | 6                    | 0.0072                | 2.5         |
| 10                                    |                                     | -3                   | -0.0036               | 2.5         |
| 20                                    |                                     | 3                    | 0.0036                | 2.5         |
| 30                                    |                                     | 6                    | 0.0072                | 2.5         |
| 40                                    |                                     | 7                    | 0.0084                | 2.5         |
| 50                                    |                                     | 8                    | 0.0096                | 2.5         |
| 20                                    | L.V.                                | 4                    | 0.0048                | 2.5         |
|                                       | H.V.                                | -2                   | -0.0024               | 2.5         |

**EDGE Mode**

| <b>Middle Channel, <math>f_0=836.6\text{MHz}</math></b> |  |                             |                              |                    |
|---|--|-----------------------------|------------------------------|--------------------|
| <b>Temperature (°C)</b>                                 | <b>Voltage Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Limit (ppm)</b> |
| -30   | N.V.                                     | -4                          | -0.0048                      | 2.5                |
| -20   |  | 3                           | 0.0036                       | 2.5                |
| -10   |  | -7                          | -0.0084                      | 2.5                |
| 0   |  | -8                          | -0.0096                      | 2.5                |
| 10  |  | 6                           | 0.0072                       | 2.5                |
| 20  |  | -4                          | -0.0048                      | 2.5                |
| 30  |  | 7                           | 0.0084                       | 2.5                |
| 40  |  | -6                          | -0.0072                      | 2.5                |
| 50  |  | 5                           | 0.0060                       | 2.5                |
| 20  | L.V.                                     | 4                           | 0.0048                       | 2.5                |
|   | H.V.                                     | 6                           | 0.0072                       | 2.5                |

**WCDMA Mode**

| <b>Middle Channel, <math>f_0=836.6\text{MHz}</math></b> |  |                             |                              |                    |
|---|--|-----------------------------|------------------------------|--------------------|
| <b>Temperature (°C)</b>                                 | <b>Voltage Supplied (V<sub>DC</sub>)</b> | <b>Frequency Error (Hz)</b> | <b>Frequency Error (ppm)</b> | <b>Limit (ppm)</b> |
| -30   | N.V.                                     | -11.02                      | -0.0132                      | 2.5                |
| -20   |  | -9.54                       | -0.0114                      | 2.5                |
| -10   |  | -11.03                      | -0.0132                      | 2.5                |
| 0   |  | -10.41                      | -0.0124                      | 2.5                |
| 10  |  | -9.02                       | -0.0108                      | 2.5                |
| 20  |  | -12.06                      | -0.0144                      | 2.5                |
| 30  |  | -7.86                       | -0.0094                      | 2.5                |
| 40  |  | -9.22                       | -0.0110                      | 2.5                |
| 50  |  | -10.12                      | -0.0121                      | 2.5                |
| 20  |  | L.V.                        | -9.38                        | -0.0112            |
|   | H.V.                                     | -10.55                      | -0.0126                      | 2.5                |

**PCS Band (Part 24E)  
GSM Mode**

| Middle Channel, $f_0 = 1880.0$ MHz |                                     |                      |                       |        |
|------------------------------------|-------------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                   | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                                | N.V.                                | -6                   | -0.0032               | pass   |
| -20                                |                                     | 8                    | 0.0043                | pass   |
| -10                                |                                     | 7                    | 0.0037                | pass   |
| 0                                  |                                     | 8                    | 0.0043                | pass   |
| 10                                 |                                     | -4                   | -0.0021               | pass   |
| 20                                 |                                     | 33                   | 0.0176                | pass   |
| 30                                 |                                     | -6                   | -0.0032               | pass   |
| 40                                 |                                     | -7                   | -0.0037               | pass   |
| 50                                 |                                     | 8                    | 0.0043                | pass   |
| 20                                 | L.V.                                | 10                   | 0.0053                | pass   |
|                                    | H.V.                                | 8                    | 0.0043                | pass   |

**EDGE Mode**

| Middle Channel, $f_0 = 1880.0$ MHz |                                     |                      |                       |        |
|------------------------------------|-------------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                   | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                                | N.V.                                | -5                   | -0.0027               | pass   |
| -20                                |                                     | -7                   | -0.0037               | pass   |
| -10                                |                                     | 5                    | 0.0027                | pass   |
| 0                                  |                                     | 3                    | 0.0016                | pass   |
| 10                                 |                                     | -4                   | -0.0021               | pass   |
| 20                                 |                                     | 27                   | 0.0144                | pass   |
| 30                                 |                                     | -3                   | -0.0016               | pass   |
| 40                                 |                                     | 8                    | 0.0043                | pass   |
| 50                                 |                                     | 9                    | 0.0048                | pass   |
| 20                                 | L.V.                                | 3                    | 0.0016                | pass   |
|                                    | H.V.                                | 6                    | 0.0032                | pass   |

## WCDMA Mode

| Middle Channel, $f_0 = 1880.0$ MHz |                                     |                      |                       |         |
|------------------------------------|-------------------------------------|----------------------|-----------------------|---------|
| Temperature (°C)                   | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result  |
| -30                                | N.V.                                | -11.25               | -0.0060               | pass    |
| -20                                |                                     | -13.22               | -0.0070               | pass    |
| -10                                |                                     | -10.25               | -0.0055               | pass    |
| 0                                  |                                     | -8.22                | -0.0044               | pass    |
| 10                                 |                                     | -9.17                | -0.0049               | pass    |
| 20                                 |                                     | -8.74                | -0.0046               | pass    |
| 30                                 |                                     | -5.36                | -0.0029               | pass    |
| 40                                 |                                     | -6.68                | -0.0036               | pass    |
| 50                                 |                                     | -7.35                | -0.0039               | pass    |
| 20                                 |                                     | L.V.                 | -11.22                | -0.0060 |
|                                    | H.V.                                | -10.21               | -0.0054               | pass    |

## AWS Band (Part 27)

| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| -30              | N.V.                              | 1710.0558            | 1754.9768            | 1710                       | 1755                       |
| -20              |                                   | 1710.0436            | 1754.9789            | 1710                       | 1755                       |
| -10              |                                   | 1710.0227            | 1754.9754            | 1710                       | 1755                       |
| 0                |                                   | 1710.0215            | 1754.9767            | 1710                       | 1755                       |
| 10               |                                   | 1710.0172            | 1754.9786            | 1710                       | 1755                       |
| 20               |                                   | 1710.0149            | 1754.9778            | 1710                       | 1755                       |
| 30               |                                   | 1710.0136            | 1754.9787            | 1710                       | 1755                       |
| 40               |                                   | 1710.0124            | 1754.9776            | 1710                       | 1755                       |
| 50               |                                   | 1710.0127            | 1754.9789            | 1710                       | 1755                       |
| 20               |                                   | L.V.                 | 1710.0139            | 1754.9765                  | 1710                       |
|                  | H.V.                              | 1710.0145            | 1754.9757            | 1710                       | 1755                       |



**LTE:**  
**QPSK:**  
**Band 2:**

| 10.0 MHz Middle Channel, $f_0=1880\text{MHz}$ |                                     |                      |                       |         |
|---|-------------------------------------|----------------------|-----------------------|---------|
| Temperature (°C)                              | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result  |
| -30   | N.V.                                | -8.40                | -0.0045               | pass    |
| -20   |                                     | -9.97                | -0.0053               | pass    |
| -10   |                                     | -6.13                | -0.0033               | pass    |
| 0   |                                     | 6.17                 | 0.0033                | pass    |
| 10  |                                     | 7.92                 | 0.0042                | pass    |
| 20  |                                     | 6.46                 | 0.0034                | pass    |
| 30  |                                     | -6.52                | -0.0035               | pass    |
| 40  |                                     | 7.18                 | 0.0038                | pass    |
| 50  |                                     | -9.69                | -0.0052               | pass    |
| 20  |                                     | L.V.                 | -8.17                 | -0.0043 |
|   | H.V.                                | -7.05                | -0.0038               | pass    |

**Band 4:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 1710.3367            | 1754.8782            | 1710                       | 1755                       |
| -20              |                                   | 1710.3272            | 1754.8767            | 1710                       | 1755                       |
| -10              |                                   | 1710.2345            | 1754.8752            | 1710                       | 1755                       |
| 0                |                                   | 1710.2247            | 1754.8749            | 1710                       | 1755                       |
| 10               |                                   | 1710.2568            | 1754.8737            | 1710                       | 1755                       |
| 20               |                                   | 1710.3346            | 1754.8759            | 1710                       | 1755                       |
| 30               |                                   | 1710.3467            | 1754.8746            | 1710                       | 1755                       |
| 40               |                                   | 1710.3152            | 1754.8729            | 1710                       | 1755                       |
| 50               |                                   | 1710.2265            | 1754.8756            | 1710                       | 1755                       |
| 20               |                                   | L.V.                 | 1710.2249            | 1754.8757                  | 1710                       |
|                  | H.V.                              | 1710.2256            | 1754.8759            | 1710                       | 1755                       |

**Band 5:**

| 10.0 MHz Middle Channel, $f_0=836.5\text{MHz}$ |                               |                      |                       |             |
|--|-------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                               | Voltage Supplied ( $V_{DC}$ ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30  | N.V.                          | -7.40                | -0.0088               | 2.5         |
| -20  |                               | -6.97                | -0.0083               | 2.5         |
| -10  |                               | -5.50                | -0.0066               | 2.5         |
| 0  |                               | 6.06                 | 0.0072                | 2.5         |
| 10   |                               | 9.80                 | 0.0117                | 2.5         |
| 20   |                               | 5.03                 | 0.0060                | 2.5         |
| 30   |                               | -6.62                | -0.0079               | 2.5         |
| 40   |                               | -8.73                | -0.0104               | 2.5         |
| 50   |                               | -7.05                | -0.0084               | 2.5         |
| 20   |                               | L.V.                 | 8.99                  | 0.0107      |
|  | H.V.                          | -7.17                | -0.0086               | 2.5         |

**Band 7:**

| 10 MHz Bandwidth |                             |             |             |                   |                   |
|------------------|-----------------------------|-------------|-------------|-------------------|-------------------|
| Temperature (°C) | Power Supplied ( $V_{DC}$ ) | $F_L$ (MHz) | $F_H$ (MHz) | $F_L$ Limit (MHz) | $F_H$ Limit (MHz) |
| -30              | N.V.                        | 2500.1967   | 2569.9876   | 2500              | 2570              |
| -20              |                             | 2500.1956   | 2569.9867   | 2500              | 2570              |
| -10              |                             | 2500.1839   | 2569.9855   | 2500              | 2570              |
| 0                |                             | 2500.1862   | 2569.9787   | 2500              | 2570              |
| 10               |                             | 2500.1929   | 2569.9862   | 2500              | 2570              |
| 20               |                             | 2500.1844   | 2569.9676   | 2500              | 2570              |
| 30               |                             | 2500.1766   | 2569.9582   | 2500              | 2570              |
| 40               |                             | 2500.1658   | 2569.9835   | 2500              | 2570              |
| 50               |                             | 2500.1562   | 2569.9827   | 2500              | 2570              |
| 20               |                             | L.V.        | 2500.1445   | 2569.9729         | 2500              |
|                  | H.V.                        | 2500.1568   | 2569.9663   | 2500              | 2570              |

**Band 38:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 2570.8354            | 2619.9852            | 2570                       | 2620                       |
| -20              |                                   | 2570.8172            | 2619.8767            | 2570                       | 2620                       |
| -10              |                                   | 2570.7246            | 2619.7653            | 2570                       | 2620                       |
| 0                |                                   | 2570.6158            | 2619.6568            | 2570                       | 2620                       |
| 10               |                                   | 2570.5144            | 2619.5447            | 2570                       | 2620                       |
| 20               |                                   | 2570.3959            | 2619.4357            | 2570                       | 2620                       |
| 30               |                                   | 2570.2872            | 2619.3247            | 2570                       | 2620                       |
| 40               |                                   | 2570.1746            | 2619.2159            | 2570                       | 2620                       |
| 50               |                                   | 2570.1655            | 2619.1368            | 2570                       | 2620                       |
| 20               | L.V.                              | 2570.1549            | 2619.1254            | 2570                       | 2620                       |
|                  | H.V.                              | 2570.1356            | 2619.1159            | 2570                       | 2620                       |

**Band 41:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 2535.9758            | 2654.9866            | 2535                       | 2655                       |
| -20              |                                   | 2535.8689            | 2654.8857            | 2535                       | 2655                       |
| -10              |                                   | 2535.7566            | 2654.7746            | 2535                       | 2655                       |
| 0                |                                   | 2535.6448            | 2654.6659            | 2535                       | 2655                       |
| 10               |                                   | 2535.5352            | 2654.5553            | 2535                       | 2655                       |
| 20               |                                   | 2535.4267            | 2654.4464            | 2535                       | 2655                       |
| 30               |                                   | 2535.3145            | 2654.3343            | 2535                       | 2655                       |
| 40               |                                   | 2535.2159            | 2654.2256            | 2535                       | 2655                       |
| 50               |                                   | 2535.2937            | 2654.1769            | 2535                       | 2655                       |
| 20               |                                   | L.V.                 | 2535.8655            | 2654.0159                  | 2535                       |
|                  | H.V.                              | 2535.8537            | 2654.0254            | 2535                       | 2655                       |

Note: the applicant declared the operating frequency range is 2535-2655MHz.

**16QAM:****Band 2:**

| 10.0 MHz Middle Channel, $f_0=1880\text{MHz}$ |                                     |                      |                       |        |
|---|-------------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                              | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30   | N.V.                                | -4.69                | -0.0025               | pass   |
| -20   |                                     | -6.68                | -0.0036               | pass   |
| -10   |                                     | 9.77                 | 0.0052                | pass   |
| 0   |                                     | -7.62                | -0.0041               | pass   |
| 10  |                                     | -9.91                | -0.0053               | pass   |
| 20  |                                     | -9.82                | -0.0052               | pass   |
| 30  |                                     | -6.68                | -0.0036               | pass   |
| 40  |                                     | -8.85                | -0.0047               | pass   |
| 50  |                                     | 5.67                 | 0.0030                | pass   |
| 20  |                                     | L.V.                 | 6.05                  | 0.0032 |
|   | H.V.                                | 7.52                 | 0.0040                | pass   |

**Band 4:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 1710.2767            | 1754.7659            | 1710                       | 1755                       |
| -20              |                                   | 1710.2766            | 1754.7567            | 1710                       | 1755                       |
| -10              |                                   | 1710.2758            | 1754.7658            | 1710                       | 1755                       |
| 0                |                                   | 1710.2646            | 1754.7456            | 1710                       | 1755                       |
| 10               |                                   | 1710.2646            | 1754.7434            | 1710                       | 1755                       |
| 20               |                                   | 1710.2657            | 1754.7875            | 1710                       | 1755                       |
| 30               |                                   | 1710.2545            | 1754.7657            | 1710                       | 1755                       |
| 40               |                                   | 1710.2572            | 1754.7648            | 1710                       | 1755                       |
| 50               |                                   | 1710.2666            | 1754.7754            | 1710                       | 1755                       |
| 20               |                                   | L.V.                 | 1710.2648            | 1754.7564                  | 1710                       |
|                  | H.V.                              | 1710.2658            | 1754.7567            | 1710                       | 1755                       |

**Band 5:**

| 10.0 MHz Middle Channel, $f_0=836.5\text{MHz}$ |                                     |                      |                       |             |
|--|-------------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                               | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30  | N.V.                                | -6.05                | -0.0072               | 2.5         |
| -20  |                                     | 8.10                 | 0.0097                | 2.5         |
| -10  |                                     | -8.59                | -0.0103               | 2.5         |
| 0  |                                     | 9.33                 | 0.0112                | 2.5         |
| 10   |                                     | -6.94                | -0.0083               | 2.5         |
| 20   |                                     | 7.54                 | 0.0090                | 2.5         |
| 30   |                                     | 6.43                 | 0.0077                | 2.5         |
| 40   |                                     | -6.17                | -0.0074               | 2.5         |
| 50   |                                     | -6.44                | -0.0077               | 2.5         |
| 20   |                                     | L.V.                 | 6.34                  | 0.0076      |
|  | H.V.                                | -6.89                | -0.0082               | 2.5         |

**Band 7:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 2500.7487            | 2569.8568            | 2500                       | 2570                       |
| -20              |                                   | 2500.7375            | 2569.8537            | 2500                       | 2570                       |
| -10              |                                   | 2500.7366            | 2569.8424            | 2500                       | 2570                       |
| 0                |                                   | 2500.7243            | 2569.8529            | 2500                       | 2570                       |
| 10               |                                   | 2500.6384            | 2569.8256            | 2500                       | 2570                       |
| 20               |                                   | 2500.6252            | 2569.7876            | 2500                       | 2570                       |
| 30               |                                   | 2500.6339            | 2569.7855            | 2500                       | 2570                       |
| 40               |                                   | 2500.6345            | 2569.8471            | 2500                       | 2570                       |
| 50               |                                   | 2500.6329            | 2569.8458            | 2500                       | 2570                       |
| 20               |                                   | L.V.                 | 2500.6237            | 2569.8356                  | 2500                       |
|                  | H.V.                              | 2500.5426            | 2569.8287            | 2500                       | 2570                       |

**Band 38:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 2570.9867            | 2619.9828            | 2570                       | 2620                       |
| -20              |                                   | 2570.8952            | 2619.8737            | 2570                       | 2620                       |
| -10              |                                   | 2570.7825            | 2619.7666            | 2570                       | 2620                       |
| 0                |                                   | 2570.6744            | 2619.6549            | 2570                       | 2620                       |
| 10               |                                   | 2570.5637            | 2619.5487            | 2570                       | 2620                       |
| 20               |                                   | 2570.4565            | 2619.4356            | 2570                       | 2620                       |
| 30               |                                   | 2570.3455            | 2619.3295            | 2570                       | 2620                       |
| 40               |                                   | 2570.2376            | 2619.2157            | 2570                       | 2620                       |
| 50               |                                   | 2570.1282            | 2619.1156            | 2570                       | 2620                       |
| 20               | L.V.                              | 2570.2175            | 2619.8766            | 2570                       | 2620                       |
|                  | H.V.                              | 2570.2137            | 2619.7657            | 2570                       | 2620                       |

**Band 41:**

| 10 MHz Bandwidth |                                   |                      |                      |                            |                            |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
| -30              | N.V.                              | 2535.9459            | 2654.9662            | 2535                       | 2655                       |
| -20              |                                   | 2535.8442            | 2654.8574            | 2535                       | 2655                       |
| -10              |                                   | 2535.7364            | 2654.7484            | 2535                       | 2655                       |
| 0                |                                   | 2535.6267            | 2654.6375            | 2535                       | 2655                       |
| 10               |                                   | 2535.5168            | 2654.5264            | 2535                       | 2655                       |
| 20               |                                   | 2535.4174            | 2654.4557            | 2535                       | 2655                       |
| 30               |                                   | 2535.2969            | 2654.3566            | 2535                       | 2655                       |
| 40               |                                   | 2535.1874            | 2654.1872            | 2535                       | 2655                       |
| 50               |                                   | 2535.1832            | 2654.1875            | 2535                       | 2655                       |
| 20               |                                   | L.V.                 | 2535.1647            | 2654.0766                  | 2535                       |
|                  | H.V.                              | 2535.0566            | 2654.0347            | 2535                       | 2655                       |

Note: the applicant declared the operating frequency range is 2535-2655MHz.

\*\*\*\*\* END OF REPORT \*\*\*\*\*