



#### **Test Data**

## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.337	30	Pass
NVNT	BLE	2442	Ant1	-2.888	30	Pass
NVNT	BLE	2480	Ant1	-3.143	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.25	0.5	Pass
NVNT	BLE	2442	Ant1	1.202	0.5	Pass
NVNT	BLE	2480	Ant1	1.155	0.5	Pass














## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.083194025	
NVNT	BLE	2442	Ant1	2.081435345	
NVNT	BLE	2480	Ant1	2.079719572	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-21.968	8	Pass
NVNT	BLE	2442	Ant1	-21.564	8	Pass
NVNT	BLE	2480	Ant1	-21.859	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-46.13	-20	Pass
NVNT	BLE	2480	Ant1	-46.41	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-40.87	-20	Pass
NVNT	BLE	2442	Ant1	-41.67	-20	Pass
NVNT	BLE	2480	Ant1	-40.43	-20	Pass



