




#### **Test Data**

# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.56	30	Pass
NVNT	BLE	2442	Ant1	-2.505	30	Pass
NVNT	BLE	2480	Ant1	-3.341	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.683	0.5	Pass
NVNT	BLE	2442	Ant1	0.684	0.5	Pass
NVNT	BLE	2480	Ant1	0.683	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.053	
NVNT	BLE	2442	Ant1	1.054	
NVNT	BLE	2480	Ant1	1.054	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.901	8	Pass
NVNT	BLE	2442	Ant1	-8.858	8	Pass
NVNT	BLE	2480	Ant1	-9.756	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-43.88	-20	Pass
NVNT	BLE	2480	Ant1	-43.71	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-36.46	-20	Pass
NVNT	BLE	2442	Ant1	-37.24	-20	Pass
NVNT	BLE	2480	Ant1	-36.34	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

Jan 31, 2023 .... 10:36:31 AM



