
Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-5.49	0	-5.49	30	Pass
NVNT	BLE	2442	Ant1	-4.497	0	-4.497	30	Pass
NVNT	BLE	2480	Ant1	-4.963	0	-4.963	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.661	0.5	Pass
NVNT	BLE	2442	Ant1	0.681	0.5	Pass
NVNT	BLE	2480	Ant1	0.658	0.5	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZE2112067 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366



Spectru Occupi	um Analı ed BW	yzer 1			-							
R R	SIGHT	Input: F Couplir Align: A	ng: DC	Input Z: Corr CCo Freq Ref	orr	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq Avg Hold: 50 Radio Std: N		Z		
1 Grapi	h		V				Ref LvI Offset 2	.81 dB		Mk	r3 2.48032	20000 GHz
	Div 10.0	dB					Ref Value 22.81				-1	10.89 dBm
Log 12.8												
2.81						2^{2}			3			
-7.19 -						Je w						
-17.2 -												
-37.2			Carlo Carlo Carlos Carl								And the second s	·····
-47.2												
-57.2 -67.2												
	2.4800						#Video BW 300.	00 kH 2				Span 2 MHz
	2.4800 3W 100.						#video Bvv 300.				Sweep 1.33 n	os (10001 pts)
2 Metri	cs		•									
		-										
		Oco	cupied Ba	ndwidth 1.0538	MHz				Total Power		1.11 dBm	
		Tra	nsmit Free			-8.736 kHz			% of OBW Powe	ar	99.00 %	
			B Bandwid			658.4 kHz			x dB	51	-6.00 dB	
	5	6	2	Feb 15 8:15:0	, 2022 00 AM							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.026113481
NVNT	BLE	2442	Ant1	1.024563217
NVNT	BLE	2480	Ant1	1.016880322











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-11.712	8	Pass
NVNT	BLE	2442	Ant1	-10.624	8	Pass
NVNT	BLE	2480	Ant1	-11.476	8	Pass












Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-50.81	-20	Pass
NVNT	BLE	2480	Ant1	-50.84	-20	Pass







Report No.: JYTSZB-R12-2102932





Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.84	-20	Pass
NVNT	BLE	2442	Ant1	-45.36	-20	Pass
NVNT	BLE	2480	Ant1	-44.64	-20	Pass





Page 17 of 19







