



Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-6.277	0	-6.277	30	Pass
NVNT	BLE	2442	Ant1	-6.325	0	-6.325	30	Pass
NVNT	BLE	2480	Ant1	-5.37	0	-5.37	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	1.175	0.5	Pass
NVNT	BLE	2442	Ant1	1.15	0.5	Pass
NVNT	BLE	2480	Ant1	1.173	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.087552306	
NVNT	BLE	2442	Ant1	2.088376924	
NVNT	BLE	2480	Ant1	2.087873834	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-25.008	8	Pass
NVNT	BLE	2442	Ant1	-25.033	8	Pass
NVNT	BLE	2480	Ant1	-24.071	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.71	-20	Pass
NVNT	BLE	2480	Ant1	-50.05	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-41.21	-20	Pass
NVNT	BLE	2442	Ant1	-41.26	-20	Pass
NVNT	BLE	2480	Ant1	-42.24	-20	Pass





Tel: +86-755-23118282, Fax: +86-755-23116366







