



#### **Test Data**


## **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-6.276	0	-6.276	30	Pass
NVNT	BLE	2442	Ant1	-6.309	0	-6.309	30	Pass
NVNT	BLE	2480	Ant1	-4.881	0	-4.881	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.686	0.5	Pass
NVNT	BLE	2442	Ant1	0.686	0.5	Pass
NVNT	BLE	2480	Ant1	0.684	0.5	Pass













## **Occupied Channel Bandwidth**

Condition Mode		Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.053510058	
NVNT	BLE	2442	Ant1	1.055809201	
NVNT	BLE	2480	Ant1	1.055801247	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-12.121	8	Pass
NVNT	BLE	2442	Ant1	-12.683	8	Pass
NVNT	BLE	2480	Ant1	-11.251	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-47.3	-20	Pass
NVNT	BLE	2480	Ant1	-47.59	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-40.7	-20	Pass
NVNT	BLE	2442	Ant1	-40.58	-20	Pass
NVNT	BLE	2480	Ant1	-41.35	-20	Pass











