




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-5.452	30	Pass
NVNT	BLE	2442	Ant6	-3.896	30	Pass
NVNT	BLE	2480	Ant6	-5.314	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	1.158	0.5	Pass
NVNT	BLE	2442	Ant6	1.164	0.5	Pass
NVNT	BLE	2480	Ant6	1.156	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant6	2.07	
NVNT	BLE	2442	Ant6	2.065	
NVNT	BLE	2480	Ant6	2.069	

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2303005














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-22.749	8	Pass
NVNT	BLE	2442	Ant6	-21.262	8	Pass
NVNT	BLE	2480	Ant6	-22.651	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-50.25	-20	Pass
NVNT	BLE	2480	Ant6	-49.66	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-42.15	-20	Pass
NVNT	BLE	2442	Ant6	-43.96	-20	Pass
NVNT	BLE	2480	Ant6	-41.86	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant6 Ref

-53.43 dBm -55.05 dBm

-53.88 dBm

-48.87 dBm

N N

3 N 4 N 5 N

5.006 GHz 7.442 GHz 9.586 GHz

26.209 GHz

Mar 15, 2023 4:39:03 PM



