

#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-5.406	30	Pass
NVNT	BLE	2442	Ant1	-3.832	30	Pass
NVNT	BLE	2480	Ant1	-4.647	30	Pass











#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.258	0.5	Pass
NVNT	BLE	2442	Ant1	1.167	0.5	Pass
NVNT	BLE	2480	Ant1	1.253	0.5	Pass











### **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	2.068	
NVNT	BLE	2442	Ant1	2.067	
NVNT	BLE	2480	Ant1	2.07	












# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-22.684	8	Pass
NVNT	BLE	2442	Ant1	-21.151	8	Pass
NVNT	BLE	2480	Ant1	-21.974	8	Pass











#### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-49.87	-20	Pass
NVNT	BLE	2480	Ant1	-50.06	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-41.79	-20	Pass
NVNT	BLE	2442	Ant1	-43.74	-20	Pass
NVNT	BLE	2480	Ant1	-43.43	-20	Pass



