

Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-5.463	30	Pass
NVNT	BLE	2442	Ant6	-3.884	30	Pass
NVNT	BLE	2480	Ant6	-5.327	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant6	0.687	0.5	Pass
NVNT	BLE	2442	Ant6	0.685	0.5	Pass
NVNT	BLE	2480	Ant6	0.686	0.5	Pass







Spectru Occupie	um Analy ed BW	/zer 1		-								
REYS	SIGHT ⊶	Input: RF Coupling Align: Au	: DC	Input Z: Corr CCo Freq Ref	orr	Atten: 30 dB	Trig: Free Rı Gate: Off #IF Gain: Lo	A	Center Freq: 2.480000 wg Hold: 1000/1000 Radio Std: None	0000 GHz		
1 Graph	ı		v				Ref LvI Offs	et 2.60	dB		Mkr3 2.4803	40000 GHz
	Div 10.0	dB					Ref Value 22					-15.16 dBm
Log 12.6												
2.60								1				
-7.40						<u>}</u>		¥		↓ ³		
-17.4												
-37.4												
-47.4											·	
-57.4 -67.4												
	2.48000				<u> </u>		-10 (Color - 10) 4 (0
	2.48000 3W 100.0						#Video BW 3	SUU.UU K	HZ		Sweep 1.33	Span 2 MHz ms (10001 pts)
2 Metric	cs		v									
		•										
		Occi	ipied Bar	1.0578	MHz				Total Po	wer	-2.59 dBm	
		Tran	smit Freq			-3.064 kHz			% of OB	W Power	99.00 %	
			Bandwid			685.9 kHz			x dB		-6.00 dB	
	5]?	Mar 15 4:20:4	, 2023 3 PM							



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant6	1.056
NVNT	BLE	2442	Ant6	1.056
NVNT	BLE	2480	Ant6	1.055











Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant6	-11.921	8	Pass
NVNT	BLE	2442	Ant6	-10.327	8	Pass
NVNT	BLE	2480	Ant6	-11.772	8	Pass













Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-46.49	-20	Pass
NVNT	BLE	2480	Ant6	-47	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant6	-40.73	-20	Pass
NVNT	BLE	2442	Ant6	-42.77	-20	Pass
NVNT	BLE	2480	Ant6	-41.09	-20	Pass











