


Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.843	0	-3.843	30	Pass
NVNT	BLE	2442	Ant1	-3.12	0	-3.12	30	Pass
NVNT	BLE	2480	Ant1	-5.038	0	-5.038	30	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202036 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community,Xinqiao Street, Bao'an District, Shenzhen, Guangdong,People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 2 of 19







-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	1.18	0.5	Pass
NVNT	BLE	2442	Ant1	1.178	0.5	Pass
NVNT	BLE	2480	Ant1	1.178	0.5	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202036 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 5 of 19



Spectr	rum Analy bied BW	zer 1		• +							
KEY R	SIGHT .≁	Input: Rf Coupling Align: Au	J: DC	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Fre Avg Hold: Radio Std:		GHz		
1 Grap			v			Ref LvI Offset 2			М	kr3 2.4805	
	/Div 10.0	dB				Ref Value 22.81	dBm			-	12.32 dBm
Log 12.8											
2.81								<u> </u>			
-7.19					02			3			
-17.2					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~				~		
-27.2											
-37.2		- m	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	2.00							n
-47.2											and the second s
-57.2 -67.2											
	r 2.48000					#Video BW 300.	00 kHz			C	Span 5 MHz
#Res	BW 100.0	JU KHZ								Sweep 1.33	ms (10001 pts)
2 Metr	ics		•								
		Öcci	upied Band	dwidth 2.0704 MHz				Total Power		1 QE dDre	
										1.85 dBm	
			smit Freq		5.447 kHz			% of OBW Po	ower	99.00 %	
		x dB	Bandwidt	h	1.178 MHz			x dB		-6.00 dB	
	5		2	Mar 04, 2022 7:58:07 PM	$\square \triangle$						



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	2.087725016
NVNT	BLE	2442	Ant1	2.088161753
NVNT	BLE	2480	Ant1	2.091777793





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202036 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 8 of 19








Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-22.452	8	Pass
NVNT	BLE	2442	Ant1	-21.771	8	Pass
NVNT	BLE	2480	Ant1	-23.659	8	Pass












Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51	-20	Pass
NVNT	BLE	2480	Ant1	-48.87	-20	Pass












Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.11	-20	Pass
NVNT	BLE	2442	Ant1	-43.77	-20	Pass
NVNT	BLE	2480	Ant1	-41.99	-20	Pass





JianYan Testing Group Shenzhen Co., Ltd. Project No.: JYTSZR2202036 No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366 Page 17 of 19







