

## Feature

- ※ High gain
- ※ Omani-directional
- ※ Wide bandwidth

## Application

※GSM850/900/DCS/PCS/WCDMA B1/B2/B4/B5/B8

LTE B1/B2/B3/B4/B5/B7/B8/B12/B17/B20/B28/B38/B40/B41/B42/B66

NR N1/N3/N5/N7/N8/N12/N20/N28/N38/N40/N41/N66/N77/N78


Name and address of the antenna manufacturer	Model number of the antenna
<p style="text-align: center;">SHENZHEN STRONGPOWER COMMUNICATION CO.,LTD</p> <p>Room 502, building w2-a, gaoxinnan 4th Road, South District, high tech park, Nanshan District, Shenzhen</p>	<p>RQ-X6720-ANT0&amp;ANT12-XX-XX  RQ-X6720-ANT1-XX-XX  RQ-X6720-ANT2-XX-XX  RQ-X6720-ANT3-XX-XX  RQ-X6720-ANT4-XX-XX  RQ-X6720-ANT5-XX-XX  RQ-X6720-ANT6-XX-XX  RQ-X6720-ANT7-XX-XX  (XX:Version-Date)</p>

TYPE	
Transmitter Frequency	GSM 850/WCDMA B5/LTE B5 NR n5: 824 – 849 MHz
	GSM 900/WCDMA B8/LTE B8 NR n8: 880 – 915 MHz

		DCS /WCDMA B4/LTE B3/B4/B66 NR n3/n66: 1710 - 1785 MHz
		PCS/WCDMA B2/LTE B2:1850-1910MHz
		WCDMA B1/LTE B1 NR n1: 1920 - 1980MHz
		LTE B7 NR n7:2496-2565MHz
		LTE B40 NR n40:2300-2400MHz
		LTE B38/B41 NR n38/n41:2565-2645MHz
		LTE B20 NR n20:832-862MHz
		LTE B12/B17/B28 NR n12/n28:710-755MHz
		LTE B42 NR n77/n78:3300-4200MHz
Receiver Frequency		GSM 850/WCDMA B5/LTE B5 NR n5: 869 - 894 MHz
		GSM 900/WCDMA B8/LTE B8 NR n8: 925 - 960 MHz
		DCS/LTE B3/B66 NR n3/n66: 1805 - 1880 MHz
		WCDMA 4/LTE B4 NR n4: 2110-2155 MHz
		PCS/WCDMA B2/LTE B2:1930-1990MHz
		WCDMA B1/LTE B1 NR n1: 2110 - 2170MHz
		LTE B7 NR n7:2620-2690MHz
		LTE B40 NR n40:2300-2400MHz
		LTE B38/41 NR n38/n41:2565-2645MHz
		LTE B20 NR n20:791-821MHz
		LTE B12/B17/B28 NR n12/n28:758-803MHz
LTE B42 NR n77/n78:3300-4200MHz		
RF-Output Power (E.I.R.P)		GSM850/900: 32+/-2dBm
		DCS/PCS: 30+/-2dBm
		LTE B1/B2/B3/ B4/B5 /B7/B8/B17/B20/B28/B38/B40/B41/B66: 23+/-2dBm
		WCDMA B1/B2/B4/B5/ B8: 23+/-2dBm
Antenna Gain	ANT0	GPS_L1: -0.56dBi
		LTE B42 & NR n77/n78: -2.92dBi
	ANT2	WIFI-2.4G & BT: -4.27dBi
		LTE B42 & NR n77/n78: -6.6dBi
	ANT3	GSM 850/WCDMA B5/LTE B5 NR n5: -8.52dBi
		GSM 900/WCDMA B8/LTE B8 NR n8: -7.95dBi
		DCS/LTE B3/ NR n3:-8.74dBi
		PCS/WCDMA B2 / LTE B2: -3.38dBi


		WCDMA B1/LTE B1 NR n1: -3.03dBi
		LTE B7/B38/B41 NR n7/n38/n41: -9.92dBi
		LTE B40 NR n40: -4.95dBi
		LTE B20 NR n20: -8.75dBi
		LTE B12/B17/B28 NR n12/n28: -9.24dBi
	ANT4	LTE B40 NR n40: -2.77dBi
	ANT4	LTE B7/B38/B41 NR n7/n38/n41: -4.2dBi
	ANT4	LTE B42 & NR n77/n78: -4.25dBi
	ANT5	WCDMA B2 / LTE B1/B2/B3: -8.78dBi
	ANT5	LTE B4/B66: -11.44dBi
	ANT5	B7/B38/B40/B41: -7.74dBi
	ANT6	LTE B42 & NR n77/n78: -5.17dBi
	ANT7	GSM 850/WCDMA B5/LTE B5 NR n5: -5.68dBi
	ANT7	GSM 900/WCDMA B8/LTE B8 NR n8: -6.82dBi
	ANT7	DCS /WCDMA B4/LTE B3/B4/B66 NR n3/n66: -3.04dBi
	ANT7	PCS: -3.18dBi
	ANT7	WCDMA B1/LTE B1 NR n1: -2.93dBi
	ANT7	LTE B7/B38/B41 NR n7/n38/n41: -3.09dBi
	ANT7	LTE B40 NR n40: -1.29dBi
	ANT7	LTE B20 NR n20: -6.01dBi
	ANT7	LTE B12/B17/B28 NR n12/n28: -7.06dBi
	ANT12	WIFI-2.4G & BT: -1.62dBi
	ANT12	WIFI-5G: -3.73dBi
	Antenna type	RF (PIFA) NFC/ WPT (Coil)

Antenna profile




※ Antenna Gain


ANT0



GPS & n77/n78 Phi=0deg




GPS & n77/n78 Phi=90deg




GPS & n77/n78 Theta=90deg

※ Antenna Gain


ANT2



WIFI-2.4G & n77/n78 Phi=0deg




WiFi-2.4G & n77/n78 Phi=90deg




WiFi-2.4G & n77/n78 Theta=90deg

※ Antenna Gain

ANT3




900/WCDMA B1/B4/B8/ LTE B1/4/8/66 NR n1/n8/n66  $\Phi=0^\circ$




900/WCDMA B1/B4/B8/ LTE B1/4/8/66 NR n1/n8/n66  $\Phi=90^\circ$







900/WCDMA B1/B4/B8/ LTE B1/4/8/66 NR n1/n8/n66 Theta=90deg




1900/WCDMA B2/ LTE B2/12/17/38 NR n12/n38 Phi=0deg




1900/WCDMA B2/ LTE B2/12/17/38 NR n12/n38 Phi=90deg




1900/WCDMA B2/ LTE B2/12/17/38 NR n12/n38 Theta=90deg




850/WCDMA B5/LTE B5 NR n5 Phi=0deg




850/WCDMA B5/LTE B5 NR n5 Phi=90deg




850/WCDMA B5/ LTE B5 NR n5 Theta=90deg




1800/ LTE B3/B20/B28 NR n3/n20/n28 Phi=0deg




1800/ LTE B3/B20/B28 NR n3/n20/n28 Phi=90deg




1800/ LTE B3/B20/B28 NR n3/n20/n28 Theta=90deg



LTE B7/B40/B41 NR n7/n40/n41 Phi=0deg




LTE B7/B40/B41 NR n7/n40/n41 Phi=90deg




LTE B7/B40/B41 NR n7/n40/n41 Theta=90deg

※ Antenna Gain


ANT4



LTE B7/B38/B40/B41/B42 NR n7/n38/n40/n41/n77/n78 Phi=0deg



LTE B7/B38/B40/B41/B42 NR n7/n38/n40/n41/n77/n78 Phi=90deg




LTE B7/B38/B40/B41/B42 NR n7/n38/n40/n41/n77/n78 Theta=90deg


※ Antenna Gain

ANT5







LTE B1/B2/B3  $\Phi=0^\circ$




LTE B1/B2/B3  $\Phi=90^\circ$




LTE B1/B2/B3 Theta=90deg




LTE B7/B38/B40/B41 Phi=0deg




LTE B7/B38/B40/B41  $\Phi=90^\circ$




LTE B7/B38/B40/B41  $\Theta=90^\circ$



LTE B4/B66  $\Phi=0^\circ$




LTE B4/B66  $\Phi=90^\circ$




LTE B4/B66 Theta=90deg

※ Antenna Gain


ANT6



LTE B42 NR n77/n78 Phi=0deg




LTE B42 NR n77/n78 Phi=90deg




LTE B42 NR n77/n78 Theta=90deg

※ Antenna Gain


ANT7




850/WCDMA B8/ LTE B8/38/41 NR n8/n38/n41 Phi=0deg



850/WCDMA B8/ LTE B8/38/41 NR n8/n38/n41 Phi=90deg




850/WCDMA B8/ LTE B8/38/41 NR n8/n38/n41 Theta=90deg




LTE B12/17/28 NR n12/n28 Phi=0deg







LTE B12/17/28 NR n12/n28 Phi=90deg





LTE B12/17/28 NR n12/n28 Theta=90deg




850TX/WCDMA B5/LTE B5/B20/B40 NR n5/n20/n40 Phi=0deg




850TX/WCDMA B5/LTE B5/B20/B40 NR n5/n20/n40 Phi=90deg







900TX/DCS1800/LTE B3 NR n3 Phi=90deg




900TX/DCS1800/LTE B3 NR n3 Theta=90deg




900RX/PCS1900/WCDMA B2/LTE B2 Phi=0deg




900RX/PCS1900/WCDMA B2/LTE B2 Phi=90deg




900RX/PCS1900/WCDMA B2/LTE B2 Theta=90deg




WCDMA B4/LTE B4/B7/B66 NR n7/n66 Phi=0deg




WCDMA B4/LTE B4/B7/B66 NR n7/n66 Phi=90deg



WCDMA B4/LTE B4/B7/B66 NR n7/n66 Theta=90deg




WCDMA B1/LTE B1 NR n1 Phi=0deg



WCDMA B1/LTE B1 NR n1 Phi=90deg







WCDMA B1/LTE B1 NR n1 Theta=90deg

※ Antenna Gain


ANT12



WIFI-2.4G & 5G Phi=0deg



WIFI-2.4G & 5G Phi=90deg



WIFI-2.4G & 5G Theta=90deg

PREPARED BY	CHECKEDBY	APPROVAL BY	S.R.NO	
			DATE:	2024/06/02