

TABLE OF CONTENTS

1 Conducted output power for EN-DC	2
2 Frequency stability for EN-DC	4
3 Peak-to-Average Ratio for EN-DC	6
4 Occupied bandwidth for EN-DC	38
5 Band edge for EN-DC	49
6 Out-of-band emissions for EN-DC	59

1 Conducted output power for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band2	15	5	18625	1@0	QPSK	9.00			
n7	15	5	500500	1@0	DFT_BPSK	23.47			
Sum	15					23.62	19	26	PASS
Band2	15	5	18900	8@0	QPSK	9.22			
n7	15	5	507000	12@6	DFT_BPSK	23.41			
Sum	15					23.57	19	26	PASS
Band2	15	5	18900	8@0	QPSK	9.20			
n7	15	5	507000	12@6	DFT_QPSK	23.36			
Sum	15					23.52	19	26	PASS
Band2	15	5	19175	1@17	QPSK	8.69			
n7	15	5	513500	1@24	DFT_BPSK	21.86			
Sum	15					22.06	19	26	PASS
Band2	15	5	19175	8@17	QPSK	9.27			
n7	15	5	513500	12@6	DFT_BPSK	23.38			
Sum	15					23.54	19	26	PASS
Band2	15	5	19175	1@17	QPSK	8.75			
n7	15	5	513500	1@24	DFT_QPSK	22.86			
Sum	15					23.02	19	26	PASS
Band2	15	5	19175	8@17	QPSK	9.26			
n7	15	5	513500	12@6	DFT_QPSK	23.39			
Sum	15					23.55	19	26	PASS
Band2	15	20	18700	1@0	QPSK	8.24			
n7	15	20	502000	1@0	DFT_BPSK	23.00			
Sum	15					23.14	19	26	PASS
Band2	15	20	18900	18@0	QPSK	9.15			
n7	15	20	507000	50@25	DFT_BPSK	23.40			
Sum	15					23.56	19	26	PASS
Band2	15	20	18900	18@0	QPSK	9.16			
n7	15	20	507000	50@25	DFT_QPSK	23.43			
Sum	15					23.58	19	26	PASS
Band2	15	20	19100	1@72	QPSK	8.49			
n7	15	20	512000	1@105	DFT_BPSK	22.73			
Sum	15					22.89	19	26	PASS
Band2	15	20	19100	18@72	QPSK	8.91			
n7	15	20	512000	50@25	DFT_BPSK	23.14			
Sum	15					23.30	19	26	PASS
Band2	15	20	19100	1@72	QPSK	8.43			
n7	15	20	512000	1@105	DFT_QPSK	22.82			
Sum	15					22.97	19	26	PASS

X6720B WSCT-A2LA-R&E240700032A

Band2	15	20	19100	18@72	QPSK	8.91			
n7	15	20	512000	50@25	DFT_QPSK	23.19			
Sum	15					23.34	19	26	PASS

2 Frequency stability for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n7	15	5	500500	12@6	DFT_BPSK	-36.46	-0.01457	-2.5	2.5	PASS
n7	15	5	500500	1@1	DFT_BPSK	-22.95	-0.00917	-2.5	2.5	PASS
n7	15	5	500500	1@23	DFT_BPSK	-22.87	-0.00914	-2.5	2.5	PASS
n7	15	5	500500	12@6	DFT_QPSK	-21.48	-0.00858	-2.5	2.5	PASS
n7	15	5	500500	1@1	DFT_QPSK	-23.22	-0.00928	-2.5	2.5	PASS
n7	15	5	500500	1@23	DFT_QPSK	-15.28	-0.00611	-2.5	2.5	PASS
n7	15	5	507000	12@6	DFT_BPSK	-14.24	-0.00562	-2.5	2.5	PASS
n7	15	5	507000	1@1	DFT_BPSK	-12.76	-0.00503	-2.5	2.5	PASS
n7	15	5	507000	1@23	DFT_BPSK	-8.39	-0.00331	-2.5	2.5	PASS
n7	15	5	507000	12@6	DFT_QPSK	-9.99	-0.00394	-2.5	2.5	PASS
n7	15	5	507000	1@1	DFT_QPSK	-8.74	-0.00345	-2.5	2.5	PASS
n7	15	5	507000	1@23	DFT_QPSK	-9.43	-0.00372	-2.5	2.5	PASS
n7	15	5	513500	12@6	DFT_BPSK	-14.35	-0.00559	-2.5	2.5	PASS
n7	15	5	513500	1@1	DFT_BPSK	-16.33	-0.00636	-2.5	2.5	PASS
n7	15	5	513500	1@23	DFT_BPSK	-9.39	-0.00366	-2.5	2.5	PASS
n7	15	5	513500	12@6	DFT_QPSK	-8.80	-0.00343	-2.5	2.5	PASS
n7	15	5	513500	1@1	DFT_QPSK	-6.95	-0.00271	-2.5	2.5	PASS
n7	15	5	513500	1@23	DFT_QPSK	-7.43	-0.00289	-2.5	2.5	PASS
n7	15	15	501500	36@18	DFT_BPSK	-13.39	-0.00534	-2.5	2.5	PASS
n7	15	15	501500	1@1	DFT_BPSK	-10.41	-0.00415	-2.5	2.5	PASS
n7	15	15	501500	1@77	DFT_BPSK	-4.53	-0.00181	-2.5	2.5	PASS
n7	15	15	501500	36@18	DFT_QPSK	-0.82	-0.00033	-2.5	2.5	PASS
n7	15	15	501500	1@1	DFT_QPSK	-3.54	-0.00141	-2.5	2.5	PASS
n7	15	15	501500	1@77	DFT_QPSK	-8.57	-0.00342	-2.5	2.5	PASS
n7	15	15	507000	36@18	DFT_BPSK	-11.14	-0.00439	-2.5	2.5	PASS
n7	15	15	507000	1@1	DFT_BPSK	-9.19	-0.00363	-2.5	2.5	PASS
n7	15	15	507000	1@77	DFT_BPSK	-9.49	-0.00374	-2.5	2.5	PASS
n7	15	15	507000	36@18	DFT_QPSK	-6.12	-0.00241	-2.5	2.5	PASS
n7	15	15	507000	1@1	DFT_QPSK	-2.53	-0.00100	-2.5	2.5	PASS
n7	15	15	507000	1@77	DFT_QPSK	-7.63	-0.00301	-2.5	2.5	PASS
n7	15	15	512500	36@18	DFT_BPSK	-18.05	-0.00704	-2.5	2.5	PASS
n7	15	15	512500	1@1	DFT_BPSK	-19.15	-0.00747	-2.5	2.5	PASS
n7	15	15	512500	1@77	DFT_BPSK	-15.03	-0.00587	-2.5	2.5	PASS
n7	15	15	512500	36@18	DFT_QPSK	-13.03	-0.00508	-2.5	2.5	PASS
n7	15	15	512500	1@1	DFT_QPSK	-13.44	-0.00524	-2.5	2.5	PASS
n7	15	15	512500	1@77	DFT_QPSK	-11.02	-0.00430	-2.5	2.5	PASS
n7	15	20	502000	50@25	DFT_BPSK	-7.58	-0.00302	-2.5	2.5	PASS
n7	15	20	502000	1@1	DFT_BPSK	-2.88	-0.00115	-2.5	2.5	PASS
n7	15	20	502000	1@104	DFT_BPSK	-1.22	-0.00049	-2.5	2.5	PASS


n7	15	20	502000	50@25	DFT_QPSK	-8.21	-0.00327	-2.5	2.5	PASS
n7	15	20	502000	1@1	DFT_QPSK	-8.37	-0.00333	-2.5	2.5	PASS
n7	15	20	502000	1@104	DFT_QPSK	-8.30	-0.00331	-2.5	2.5	PASS
n7	15	20	507000	50@25	DFT_BPSK	-12.04	-0.00475	-2.5	2.5	PASS
n7	15	20	507000	1@1	DFT_BPSK	-7.91	-0.00312	-2.5	2.5	PASS
n7	15	20	507000	1@104	DFT_BPSK	-5.63	-0.00222	-2.5	2.5	PASS
n7	15	20	507000	50@25	DFT_QPSK	-5.82	-0.00230	-2.5	2.5	PASS
n7	15	20	507000	1@1	DFT_QPSK	-7.15	-0.00282	-2.5	2.5	PASS
n7	15	20	507000	1@104	DFT_QPSK	-2.91	-0.00115	-2.5	2.5	PASS
n7	15	20	512000	50@25	DFT_BPSK	-13.57	-0.00530	-2.5	2.5	PASS
n7	15	20	512000	1@1	DFT_BPSK	-8.38	-0.00327	-2.5	2.5	PASS
n7	15	20	512000	1@104	DFT_BPSK	-7.04	-0.00275	-2.5	2.5	PASS
n7	15	20	512000	50@25	DFT_QPSK	-13.19	-0.00515	-2.5	2.5	PASS
n7	15	20	512000	1@1	DFT_QPSK	-8.44	-0.00330	-2.5	2.5	PASS
n7	15	20	512000	1@104	DFT_QPSK	-7.65	-0.00299	-2.5	2.5	PASS

3 Peak-to-Average Ratio for EN-DC


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n7	15	5	500500	25@0	DFT_BPSK	4.34	13	PASS
n7	15	5	500500	25@0	DFT_QPSK	5.36	13	PASS
n7	15	5	500500	25@0	DFT_QAM16	5.94	13	PASS
n7	15	5	500500	25@0	DFT_QAM64	5.95	13	PASS
n7	15	5	500500	25@0	DFT_QAM256	6.31	13	PASS
n7	15	5	507000	25@0	DFT_BPSK	4.43	13	PASS
n7	15	5	507000	25@0	DFT_QPSK	5.52	13	PASS
n7	15	5	507000	25@0	DFT_QAM16	5.90	13	PASS
n7	15	5	507000	25@0	DFT_QAM64	6.13	13	PASS
n7	15	5	507000	25@0	DFT_QAM256	6.51	13	PASS
n7	15	5	513500	25@0	DFT_BPSK	4.79	13	PASS
n7	15	5	513500	25@0	DFT_QPSK	5.39	13	PASS
n7	15	5	513500	25@0	DFT_QAM16	5.59	13	PASS
n7	15	5	513500	25@0	DFT_QAM64	5.82	13	PASS
n7	15	5	513500	25@0	DFT_QAM256	6.26	13	PASS
n7	15	10	501000	50@0	DFT_BPSK	4.74	13	PASS
n7	15	10	501000	50@0	DFT_QPSK	5.42	13	PASS
n7	15	10	501000	50@0	DFT_QAM16	5.92	13	PASS
n7	15	10	501000	50@0	DFT_QAM64	6.05	13	PASS
n7	15	10	501000	50@0	DFT_QAM256	6.28	13	PASS
n7	15	10	507000	50@0	DFT_BPSK	4.37	13	PASS
n7	15	10	507000	50@0	DFT_QPSK	5.41	13	PASS
n7	15	10	507000	50@0	DFT_QAM16	5.93	13	PASS
n7	15	10	507000	50@0	DFT_QAM64	6.05	13	PASS
n7	15	10	507000	50@0	DFT_QAM256	6.30	13	PASS
n7	15	10	513000	50@0	DFT_BPSK	5.33	13	PASS
n7	15	10	513000	50@0	DFT_QPSK	5.46	13	PASS
n7	15	10	513000	50@0	DFT_QAM16	5.92	13	PASS
n7	15	10	513000	50@0	DFT_QAM64	6.03	13	PASS
n7	15	10	513000	50@0	DFT_QAM256	6.24	13	PASS
n7	15	15	501500	75@0	DFT_BPSK	4.46	13	PASS
n7	15	15	501500	75@0	DFT_QPSK	5.48	13	PASS
n7	15	15	501500	75@0	DFT_QAM16	5.83	13	PASS
n7	15	15	501500	75@0	DFT_QAM64	6.05	13	PASS
n7	15	15	501500	75@0	DFT_QAM256	6.37	13	PASS
n7	15	15	507000	75@0	DFT_BPSK	4.46	13	PASS
n7	15	15	507000	75@0	DFT_QPSK	5.47	13	PASS
n7	15	15	507000	75@0	DFT_QAM16	6.07	13	PASS
n7	15	15	507000	75@0	DFT_QAM64	6.17	13	PASS
n7	15	15	507000	75@0	DFT_QAM256	6.47	13	PASS

n7	15	15	512500	75@0	DFT_BPSK	4.39	13	PASS
n7	15	15	512500	75@0	DFT_QPSK	5.42	13	PASS
n7	15	15	512500	75@0	DFT_QAM16	5.92	13	PASS
n7	15	15	512500	75@0	DFT_QAM64	6.06	13	PASS
n7	15	15	512500	75@0	DFT_QAM256	6.30	13	PASS
n7	15	20	502000	100@0	DFT_BPSK	4.42	13	PASS
n7	15	20	502000	100@0	DFT_QPSK	5.44	13	PASS
n7	15	20	502000	100@0	DFT_QAM16	6.04	13	PASS
n7	15	20	502000	100@0	DFT_QAM64	6.10	13	PASS
n7	15	20	502000	100@0	DFT_QAM256	6.47	13	PASS
n7	15	20	507000	100@0	DFT_BPSK	4.38	13	PASS
n7	15	20	507000	100@0	DFT_QPSK	5.48	13	PASS
n7	15	20	507000	100@0	DFT_QAM16	5.94	13	PASS
n7	15	20	507000	100@0	DFT_QAM64	6.14	13	PASS
n7	15	20	507000	100@0	DFT_QAM256	6.42	13	PASS
n7	15	20	512000	100@0	DFT_BPSK	5.82	13	PASS
n7	15	20	512000	100@0	DFT_QPSK	5.94	13	PASS
n7	15	20	512000	100@0	DFT_QAM16	6.15	13	PASS
n7	15	20	512000	100@0	DFT_QAM64	6.15	13	PASS
n7	15	20	512000	100@0	DFT_QAM256	6.41	13	PASS


n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=513000 RB=50 @0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=512000 RB=100 @0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=500500 RB=25 @0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25 @0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=513500 RB=25 @0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=513000 RB=50 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=502000 RB=100 @0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100 @0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=512000 RB=100 @0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=500500 RB=25 @0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25 @0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=513500 RB=25 @0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=512000 RB=100 @0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=500500 RB=25 @0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25 @0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=513500 RB=25 @0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50 @0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50 @0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50 @0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0



n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0



4 Occupied bandwidth for EN-DC

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n7	15	5	507000	25@0	DFT_BPSK	4.440	4.610	PASS
n7	15	5	507000	25@0	DFT_QPSK	4.440	4.610	PASS
n7	15	5	507000	25@0	DFT_QAM16	4.450	4.620	PASS
n7	15	5	507000	25@0	DFT_QAM64	4.470	4.650	PASS
n7	15	5	507000	25@0	DFT_QAM256	4.460	4.620	PASS
n7	15	10	507000	50@0	DFT_BPSK	9.180	9.100	PASS
n7	15	10	507000	50@0	DFT_QPSK	9.190	9.100	PASS
n7	15	10	507000	50@0	DFT_QAM16	9.220	9.110	PASS
n7	15	10	507000	50@0	DFT_QAM64	9.190	9.080	PASS
n7	15	10	507000	50@0	DFT_QAM256	9.150	9.130	PASS
n7	15	15	507000	75@0	DFT_BPSK	14.000	13.700	PASS
n7	15	15	507000	75@0	DFT_QPSK	13.970	13.630	PASS
n7	15	15	507000	75@0	DFT_QAM16	13.920	13.670	PASS
n7	15	15	507000	75@0	DFT_QAM64	14.030	13.610	PASS
n7	15	15	507000	75@0	DFT_QAM256	14.040	13.650	PASS
n7	15	20	507000	100@0	DFT_BPSK	18.670	18.180	PASS
n7	15	20	507000	100@0	DFT_QPSK	18.670	18.170	PASS
n7	15	20	507000	100@0	DFT_QAM16	18.670	18.120	PASS
n7	15	20	507000	100@0	DFT_QAM64	18.800	18.160	PASS
n7	15	20	507000	100@0	DFT_QAM256	18.700	18.160	PASS

n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0

Measurement
 Duplex: FDD Port: RFI01 Freq: 2535 MHz EIP: 17 dBm Measuring Acquiring
 NR UE Power: 14 dBm DL BLER: - %
 Avg: 2/2

Occupied Bandwidth
 Amplitude (dBm) vs Frequency (GHz) plot showing a signal between 2.530 and 2.540 GHz.

Pass/Fail	Pass
OBW	9.176 MHz
Tx Freq Err	0.00 Hz
X dB BW	9.10 MHz
Total Power	14.48 dBm

Configuration
 UL RMC Quick Config: DFT-s-OFDM-Pi2BPSK
 UL RB Allocation Type: Contiguous
 UL RB Allocation: Custom Start/Count: 0 50
 UL MCS/Table: 0 - Pi/2 BPSK MCS Table: 64 QAM
 UL Waveform: Pi/2 BPSK DFT-s-OFDM ON
 Additional Spectrum Emission: ON NS_01
 P-Max: OFF p-NR-FR1: 20
 MAC Padding: DL Off UL On

Ready BSE:CONFig:NR5G[Selected]:SCHeduling:UL:QCONfig Copy 2024-07-05 15:09:53

n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0

Measurement
 Duplex: FDD Port: RFI01 Freq: 2535 MHz EIP: 18 dBm Measuring Acquiring
 NR UE Power: 15 dBm DL BLER: - %
 Avg: 2/2

Occupied Bandwidth
 Amplitude (dBm) vs Frequency (GHz) plot showing a signal between 2.529 and 2.541 GHz.

Pass/Fail	Pass
OBW	14.005 MHz
Tx Freq Err	0.00 Hz
X dB BW	13.70 MHz
Total Power	14.49 dBm

Configuration
 UL RMC Quick Config: DFT-s-OFDM-Pi2BPSK
 UL RB Allocation Type: Contiguous
 UL RB Allocation: Custom Start/Count: 0 75
 UL MCS/Table: 0 - Pi/2 BPSK MCS Table: 64 QAM
 UL Waveform: Pi/2 BPSK DFT-s-OFDM ON
 Additional Spectrum Emission: ON NS_01
 P-Max: OFF p-NR-FR1: 20
 MAC Padding: DL Off UL On

Ready BSE:CONFig:NR5G[Selected]:SCHeduling:UL:QCONfig Copy 2024-07-05 15:10:24

n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0



n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0

KEYSIGHT Keysight RF Application (2.0.50.10261)

LTE1: Band B1, ARFCN/Freq D: 300, 2140.00 MHz, U: 18300, 1950.00 MHz, Cell Power -57.22 dBm/BW, CLPC All Up Bits, CONNECTED

NR1: Band N7, DL BW 20 MHz, Low Mid High, ARFCN/Freq D: 531000, 2655.00 MHz, U: 507000, 2535.00 MHz, Cell Power -43.73 dBm/BW, CLPC All Up Bits, CONNECTED

Test Case: 6.2B.1.3 FR1 ENDC UE Maximum Output Power

Measurement: NR UE Power: 14 dBm DL BLER: - %

Duplex: FDD, Port: RFI01, Freq: 2535 MHz, EIP: 18 dBm, Measuring Acquiring

Occupied Bandwidth Graph: Amplitude (dBm) vs Frequency (GHz)

Pass/Fail	Pass
OBW	18.697 MHz
Tx Freq Err	0.00 Hz
X dB BW	18.16 MHz
Total Power	13.51 dBm

UL RMC Quick Config: DFT-s-OFDM-256QAM

UL RB Allocation Type: Contiguous

UL RB Allocation: Custom, Start/Count 0 100

UL MCS/Table: 20 - 256QAM, MCS Table 256 QAM

UL Waveform: DFT-s-OFDM, Pi/2 BPSK OFF

Additional Spectrum Emission: ON NS_01

P-Max: OFF, p-NR-FR1: 20

MAC Padding: DL Off, UL On

2024-07-05 15:11:15

n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0

KEYSIGHT Keysight RF Application (2.0.50.10261)

LTE1: Band B1, ARFCN/Freq D: 300, 2140.00 MHz, U: 18300, 1950.00 MHz, Cell Power -57.22 dBm/BW, CLPC All Up Bits, CONNECTED

NR1: Band N7, DL BW 5 MHz, Low Mid High, ARFCN/Freq D: 531000, 2655.00 MHz, U: 507000, 2535.00 MHz, Cell Power -51.27 dBm/BW, CLPC All Up Bits, CONNECTED

Test Case: 6.2B.1.3 FR1 ENDC UE Maximum Output Power

Measurement: NR UE Power: 14 dBm DL BLER: - %

Duplex: FDD, Port: RFI01, Freq: 2535 MHz, EIP: 17 dBm, Measuring Acquiring

Occupied Bandwidth Graph: Amplitude (dBm) vs Frequency (GHz)

Pass/Fail	Pass
OBW	4.456 MHz
Tx Freq Err	0.00 Hz
X dB BW	4.62 MHz
Total Power	13.51 dBm

UL RMC Quick Config: DFT-s-OFDM-256QAM

UL RB Allocation Type: Contiguous

UL RB Allocation: Custom, Start/Count 0 25

UL MCS/Table: 20 - 256QAM, MCS Table 256 QAM

UL Waveform: DFT-s-OFDM, Pi/2 BPSK OFF

Additional Spectrum Emission: ON NS_01

P-Max: OFF, p-NR-FR1: 20

MAC Padding: DL Off, UL On

2024-07-05 15:09:42

n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0



n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75@0

