

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	88
5 Band edge for NR FR1	117
6 Out-of-band emissions for NR FR1	125

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	26.23	-2.92	23.31	30.00	Pass
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	25.06	-2.92	22.14	30.00	Pass
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	24.30	-2.92	21.38	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	26.16	-2.92	23.24	30.00	Pass
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	26.22	-2.92	23.30	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM16	25.26	-2.92	22.34	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM64	23.54	-2.92	20.62	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	DFT_QAM256	21.71	-2.92	18.79	30.00	Pass
n78(3700-3800)	30	10	647000	1@1	CP_QPSK	21.78	-2.92	18.86	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	26.00	-2.92	23.08	30.00	Pass
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	24.88	-2.92	21.96	30.00	Pass
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	25.88	-2.92	22.96	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	23.11	-2.92	20.19	30.00	Pass
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	26.09	-2.92	23.17	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM16	24.93	-2.92	22.01	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM64	23.89	-2.92	20.97	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	DFT_QAM256	21.50	-2.92	18.58	30.00	Pass
n78(3700-3800)	30	10	650000	1@1	CP_QPSK	24.76	-2.92	21.84	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	25.74	-2.92	22.82	30.00	Pass
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	24.83	-2.92	21.91	30.00	Pass
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	22.82	-2.92	19.90	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	26.08	-2.92	23.16	30.00	Pass
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	26.16	-2.92	23.24	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM16	24.58	-2.92	21.66	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM64	23.31	-2.92	20.39	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	DFT_QAM256	21.53	-2.92	18.61	30.00	Pass
n78(3700-3800)	30	10	653000	1@1	CP_QPSK	24.39	-2.92	21.47	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	25.92	-2.92	23.00	30.00	Pass
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	24.96	-2.92	22.04	30.00	Pass
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	26.02	-2.92	23.10	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	26.03	-2.92	23.11	30.00	Pass
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	24.17	-2.92	21.25	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM16	25.00	-2.92	22.08	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM64	23.78	-2.92	20.86	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	DFT_QAM256	21.40	-2.92	18.48	30.00	Pass
n78(3700-3800)	30	50	648334	1@1	CP_QPSK	22.61	-2.92	19.69	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	25.81	-2.92	22.89	30.00	Pass

X6720B WSCT-A2LA-R&E240700032A

n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	24.89	-2.92	21.97	30.00	Pass
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	25.89	-2.92	22.97	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	25.76	-2.92	22.84	30.00	Pass
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	25.84	-2.92	22.92	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM16	23.28	-2.92	20.36	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM64	23.35	-2.92	20.43	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	DFT_QAM256	21.50	-2.92	18.58	30.00	Pass
n78(3700-3800)	30	50	650000	1@1	CP_QPSK	24.54	-2.92	21.62	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	25.75	-2.92	22.83	30.00	Pass
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	24.91	-2.92	21.99	30.00	Pass
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	25.95	-2.92	23.03	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	25.77	-2.92	22.85	30.00	Pass
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	25.85	-2.92	22.93	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM16	22.95	-2.92	20.03	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM64	23.62	-2.92	20.70	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	DFT_QAM256	21.31	-2.92	18.39	30.00	Pass
n78(3700-3800)	30	50	651666	1@1	CP_QPSK	23.43	-2.92	20.51	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	25.97	-2.92	23.05	30.00	Pass
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	24.87	-2.92	21.95	30.00	Pass
n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	22.93	-2.92	20.01	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	25.96	-2.92	23.04	30.00	Pass
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	26.15	-2.92	23.23	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM16	25.26	-2.92	22.34	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM64	20.65	-2.92	17.73	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	DFT_QAM256	21.54	-2.92	18.62	30.00	Pass
n78(3700-3800)	30	100	650000	1@1	CP_QPSK	24.28	-2.92	21.36	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n78(3700-3800)	30	10	647000	12@6	DFT_BPSK	-10.90	-0.00294	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_BPSK	-8.93	-0.00241	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_BPSK	-12.17	-0.00328	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	12@6	DFT_QPSK	-8.72	-0.00235	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@1	DFT_QPSK	-11.38	-0.00307	-2.5	2.5	PASS
n78(3700-3800)	30	10	647000	1@22	DFT_QPSK	-9.98	-0.00269	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_BPSK	-9.62	-0.00257	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_BPSK	-10.30	-0.00275	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_BPSK	-10.55	-0.00281	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	12@6	DFT_QPSK	-13.30	-0.00355	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@1	DFT_QPSK	-9.05	-0.00241	-2.5	2.5	PASS
n78(3700-3800)	30	10	650000	1@22	DFT_QPSK	-9.88	-0.00263	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_BPSK	-9.01	-0.00237	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_BPSK	-11.17	-0.00294	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_BPSK	-11.28	-0.00297	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	12@6	DFT_QPSK	-9.60	-0.00253	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@1	DFT_QPSK	-8.60	-0.00227	-2.5	2.5	PASS
n78(3700-3800)	30	10	653000	1@22	DFT_QPSK	-8.25	-0.00217	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_BPSK	-11.81	-0.00317	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_BPSK	-11.97	-0.00321	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_BPSK	-10.40	-0.00279	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	64@32	DFT_QPSK	-10.93	-0.00293	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@1	DFT_QPSK	-10.91	-0.00293	-2.5	2.5	PASS
n78(3700-3800)	30	50	648334	1@131	DFT_QPSK	-10.24	-0.00275	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_BPSK	-10.74	-0.00286	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_BPSK	-10.29	-0.00274	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_BPSK	-13.77	-0.00367	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	64@32	DFT_QPSK	-10.82	-0.00289	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@1	DFT_QPSK	-8.96	-0.00239	-2.5	2.5	PASS
n78(3700-3800)	30	50	650000	1@131	DFT_QPSK	-11.78	-0.00314	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_BPSK	-11.18	-0.00296	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_BPSK	-10.74	-0.00285	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_BPSK	-10.73	-0.00284	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	64@32	DFT_QPSK	-9.55	-0.00253	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@1	DFT_QPSK	-10.80	-0.00286	-2.5	2.5	PASS
n78(3700-3800)	30	50	651666	1@131	DFT_QPSK	-7.81	-0.00207	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	135@67	DFT_BPSK	-11.45	-0.00305	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_BPSK	-11.47	-0.00306	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_BPSK	-10.59	-0.00282	-2.5	2.5	PASS

X6720B WSCT-A2LA-R&E240700032A

n78(3700-3800)	30	100	650000	135@67	DFT_QPSK	-11.14	-0.00297	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@1	DFT_QPSK	-11.04	-0.00294	-2.5	2.5	PASS
n78(3700-3800)	30	100	650000	1@271	DFT_QPSK	-8.66	-0.00231	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n78(3700-3800)	30	10	647000	24@0	DFT_BPSK	4.12	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QPSK	5.46	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM16	6.15	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM64	6.71	13	PASS
n78(3700-3800)	30	10	647000	24@0	DFT_QAM256	6.78	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_BPSK	4.29	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QPSK	5.19	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM16	6.15	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM64	6.50	13	PASS
n78(3700-3800)	30	10	650000	24@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_BPSK	4.30	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QPSK	5.14	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM16	6.12	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM64	6.28	13	PASS
n78(3700-3800)	30	10	653000	24@0	DFT_QAM256	6.68	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_BPSK	4.14	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM16	6.41	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM64	6.44	13	PASS
n78(3700-3800)	30	15	647168	36@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_BPSK	4.19	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM16	6.03	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM64	6.39	13	PASS
n78(3700-3800)	30	15	650000	36@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_BPSK	4.34	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QPSK	5.41	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM16	5.93	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM64	6.19	13	PASS
n78(3700-3800)	30	15	652832	36@0	DFT_QAM256	6.71	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_BPSK	4.25	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QPSK	5.42	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM16	6.12	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM64	6.23	13	PASS
n78(3700-3800)	30	20	647334	50@0	DFT_QAM256	6.64	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_BPSK	4.48	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QPSK	5.38	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM16	6.22	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM64	6.38	13	PASS
n78(3700-3800)	30	20	650000	50@0	DFT_QAM256	6.68	13	PASS

n78(3700-3800)	30	20	652666	50@0	DFT_BPSK	4.60	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QPSK	5.38	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM16	6.19	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM64	6.30	13	PASS
n78(3700-3800)	30	20	652666	50@0	DFT_QAM256	6.55	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_BPSK	4.29	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QPSK	5.60	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM16	6.46	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM64	6.62	13	PASS
n78(3700-3800)	30	30	647668	75@0	DFT_QAM256	6.85	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_BPSK	4.39	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QPSK	5.45	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM16	6.11	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM64	6.60	13	PASS
n78(3700-3800)	30	30	650000	75@0	DFT_QAM256	6.54	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_BPSK	4.17	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QPSK	5.48	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM16	6.21	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM64	6.63	13	PASS
n78(3700-3800)	30	30	652332	75@0	DFT_QAM256	6.56	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_BPSK	5.50	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QPSK	5.78	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM16	6.56	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM64	6.89	13	PASS
n78(3700-3800)	30	40	648000	100@0	DFT_QAM256	6.96	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_BPSK	4.48	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QPSK	5.74	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM16	6.60	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM64	6.81	13	PASS
n78(3700-3800)	30	40	650000	100@0	DFT_QAM256	6.93	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_BPSK	4.54	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QPSK	5.93	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM16	6.55	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM64	6.78	13	PASS
n78(3700-3800)	30	40	652000	100@0	DFT_QAM256	7.03	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_BPSK	5.91	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QPSK	6.47	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM16	7.12	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM64	6.96	13	PASS
n78(3700-3800)	30	50	648334	128@0	DFT_QAM256	7.28	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_BPSK	6.14	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QPSK	6.51	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM16	7.20	13	PASS
n78(3700-3800)	30	50	650000	128@0	DFT_QAM64	7.21	13	PASS


n78(3700-3800)	30	50	650000	128@0	DFT_QAM256	7.23	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_BPSK	5.26	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QPSK	6.50	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM16	7.13	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM64	7.01	13	PASS
n78(3700-3800)	30	50	651666	128@0	DFT_QAM256	7.47	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_BPSK	6.49	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QPSK	6.89	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM16	7.32	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM64	7.40	13	PASS
n78(3700-3800)	30	60	648668	162@0	DFT_QAM256	7.64	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_BPSK	7.33	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QPSK	7.49	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM16	7.48	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM64	7.62	13	PASS
n78(3700-3800)	30	60	650000	162@0	DFT_QAM256	7.59	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_BPSK	5.60	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QPSK	6.75	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM16	7.45	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM64	7.55	13	PASS
n78(3700-3800)	30	60	651332	162@0	DFT_QAM256	7.55	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_BPSK	5.87	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QPSK	6.91	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM16	7.61	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM64	7.64	13	PASS
n78(3700-3800)	30	70	649000	180@0	DFT_QAM256	7.57	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_BPSK	5.95	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QPSK	6.96	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM16	7.48	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM64	7.61	13	PASS
n78(3700-3800)	30	70	650000	180@0	DFT_QAM256	7.76	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_BPSK	5.68	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QPSK	6.88	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM16	7.27	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM64	7.45	13	PASS
n78(3700-3800)	30	70	651000	180@0	DFT_QAM256	7.54	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_BPSK	6.14	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QPSK	7.17	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM16	7.55	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM64	7.66	13	PASS
n78(3700-3800)	30	80	649334	216@0	DFT_QAM256	7.67	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_BPSK	7.15	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QPSK	7.23	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM16	7.63	13	PASS

n78(3700-3800)	30	80	650000	216@0	DFT_QAM64	7.80	13	PASS
n78(3700-3800)	30	80	650000	216@0	DFT_QAM256	7.92	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_BPSK	6.00	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QPSK	7.16	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM16	7.48	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM64	7.80	13	PASS
n78(3700-3800)	30	80	650666	216@0	DFT_QAM256	7.87	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_BPSK	6.51	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QPSK	7.40	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM16	7.63	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM64	7.75	13	PASS
n78(3700-3800)	30	90	649668	240@0	DFT_QAM256	7.94	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_BPSK	6.28	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QPSK	7.09	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM16	7.59	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM64	7.71	13	PASS
n78(3700-3800)	30	90	650000	240@0	DFT_QAM256	7.85	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_BPSK	6.56	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QPSK	7.18	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM16	7.80	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM64	7.56	13	PASS
n78(3700-3800)	30	90	650332	240@0	DFT_QAM256	7.94	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_BPSK	6.42	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QPSK	7.33	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM16	7.76	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM64	7.92	13	PASS
n78(3700-3800)	30	100	650000	270@0	DFT_QAM256	8.05	13	PASS


n78(3700-3800) SCS=30kHz DFT_BPSK BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=647000 RB=24 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=650000 RB=24 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=10MHz Channel=653000 RB=24 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=647168 RB=36 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=650000 RB=36 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=15MHz Channel=652832 RB=36 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=647334 RB=50 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=650000 RB=50 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=20MHz Channel=652666 RB=50 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=647668 RB=75 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=650000 RB=75 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=30MHz Channel=652332 RB=75 @0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=650000 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=60MHz Channel=651332 RB=162@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_BPSK BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=650000 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=30MHz Channel=652332 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=650000 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=50MHz Channel=651666 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=648668 RB=162@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=650000 RB=162 @0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=60MHz Channel=651332 RB=162 @0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=649000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=650000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=70MHz Channel=651000 RB=180@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=649334 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650000 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=80MHz Channel=650666 RB=216@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=649668 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650000 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM16 BW=90MHz Channel=650332 RB=240@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=100MHz Channel=650000 RB=270@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=647000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=650000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=10MHz Channel=653000 RB=24@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=647168 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=650000 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=15MHz Channel=652832 RB=36@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=647334 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=650000 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=20MHz Channel=652666 RB=50@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=647668 RB=75@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=650000 RB=75 @0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=30MHz Channel=652332 RB=75 @0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=648000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=650000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=40MHz Channel=652000 RB=100@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=648334 RB=128@0




n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=650000 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=50MHz Channel=651666 RB=128@0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=648668 RB=162 @0



n78(3700-3800) SCS=30kHz DFT_QAM256 BW=60MHz Channel=650000 RB=162 @0