




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-5.054	30	Pass
NVNT	BLE	2442	Ant1	-4.345	30	Pass
NVNT	BLE	2480	Ant1	-4.317	30	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.663	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366





Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.034531293	
NVNT	BLE	2442	Ant1	1.030607937	
NVNT	BLE	2480	Ant1	1.030719098	

Project No.: JYTSZR2204126














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-11.659	8	Pass
NVNT	BLE	2442	Ant1	-10.719	8	Pass
NVNT	BLE	2480	Ant1	-10.721	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366







Band Edge

	Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
	NVNT	BLE	2402	Ant1	-50.13	-20	Pass
Ī	NVNT	BLE	2480	Ant1	-51.17	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.52	-20	Pass
NVNT	BLE	2442	Ant1	-45.37	-20	Pass
NVNT	BLE	2480	Ant1	-45.65	-20	Pass







