


#### **Test Data**


### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	-3.9	0	-3.9	30	Pass
NVNT	BLE	2442	Ant1	-3.267	0	-3.267	30	Pass
NVNT	BLE	2480	Ant1	-5.713	0	-5.713	30	Pass











#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.661	0.5	Pass
NVNT	BLE	2442	Ant1	0.667	0.5	Pass
NVNT	BLE	2480	Ant1	0.664	0.5	Pass











# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.0434908	
NVNT	BLE	2442	Ant1	1.040519602	
NVNT	BLE	2480	Ant1	1.042580775	












# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-20.017	8	Pass
NVNT	BLE	2442	Ant1	-19.495	8	Pass
NVNT	BLE	2480	Ant1	-21.961	8	Pass










Tel: +86-755-23118282, Fax: +86-755-23116366




### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.85	-20	Pass
NVNT	BLE	2480	Ant1	-50.02	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-46.14	-20	Pass
NVNT	BLE	2442	Ant1	-46.4	-20	Pass
NVNT	BLE	2480	Ant1	-43.78	-20	Pass







