



#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-3.908	30	Pass
NVNT	BLE	2442	Ant2	-3.131	30	Pass
NVNT	BLE	2480	Ant2	-2.835	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant2	0.661	0.5	Pass
NVNT	BLE	2442	Ant2	0.661	0.5	Pass
NVNT	BLE	2480	Ant2	0.663	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant2	1.039613088	
NVNT	BLE	2442	Ant2	1.042524622	
NVNT	BLE	2480	Ant2	1.039860348	














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-19.955	8	Pass
NVNT	BLE	2442	Ant2	-19.459	8	Pass
NVNT	BLE	2480	Ant2	-19.069	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-47.06	-20	Pass
NVNT	BLE	2480	Ant2	-48.31	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-41.96	-20	Pass
NVNT	BLE	2442	Ant2	-41.44	-20	Pass
NVNT	BLE	2480	Ant2	-43.25	-20	Pass











