


#### **Test Data**

## **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-3.669	30	Pass
NVNT	BLE	2442	Ant2	-3.21	30	Pass
NVNT	BLE	2480	Ant2	-2.865	30	Pass











### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant2	0.909	0.5	Pass
NVNT	BLE	2442	Ant2	1.362	0.5	Pass
NVNT	BLE	2480	Ant2	1.207	0.5	Pass







Spectru Occupie		zer 1		• +							
RL	IGHT ↔	Input: RF Coupling: Align: Aut	DC	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Frec Avg Hold: 1 Radio Std: I		z		
1 Graph		,	/			Ref LvI Offset	2.81 dB		Mk	r3 2.48058	
Scale/E	Div 10.0	dB				Ref Value 22.8	1 dBm				12.71 dBm
Log 12.8											
2.81					A 2	$\uparrow$		3			
-17.2					Junnan 2	M. M. Marine	whynn	WMMMA			
-27.2 — -37.2 —			0		Y				M	0.0	
-47.2	and the	mm	$\sim \sim $	mon				<b>'</b>	- Www.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Mr.
-57.2	v <sup>, •</sup>										, <del>n 1</del> 412
Center	2 48000	0 GHz			↓	#Video BW 300	00 kHz	ļ			Span 5 MHz
#Res B										Sweep 1.33 r	ns (10001 pts)
2 Metric	s	٦	,								
		Occu	pied Band	width							
				2.0390 MHz				Total Power		0.53 dBm	
			smit Freq E Bandwidth		14.609 kHz			% of OBW Powe x dB	er	99.00 % -6.00 dB	
		X GB	Danuwiqtr		1.207 MHz			Xub		-0.00 dB	
	5		]?	Jun 17, 2022 3:44:02 PM							




## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant2	2.080775036
NVNT	BLE	2442	Ant2	2.07367059
NVNT	BLE	2480	Ant2	2.083238394













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant2	-22.348	8	Pass
NVNT	BLE	2442	Ant2	-21.907	8	Pass
NVNT	BLE	2480	Ant2	-21.532	8	Pass











## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-45.13	-20	Pass
NVNT	BLE	2480	Ant2	-48.02	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant2	-39.96	-20	Pass
NVNT	BLE	2442	Ant2	-42.42	-20	Pass
NVNT	BLE	2480	Ant2	-42.43	-20	Pass



