




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.769	30	Pass
NVNT	BLE	2442	Ant1	-1.916	30	Pass
NVNT	BLE	2480	Ant1	-2.142	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.659	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.025884502	
NVNT	BLE	2442	Ant1	1.025157134	
NVNT	BLE	2480	Ant1	1.02715342	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.386	8	Pass
NVNT	BLE	2442	Ant1	-8.406	8	Pass
NVNT	BLE	2480	Ant1	-8.683	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.62	-20	Pass
NVNT	BLE	2480	Ant1	-47.49	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-37.46	-20	Pass
NVNT	BLE	2442	Ant1	-40.52	-20	Pass
NVNT	BLE	2480	Ant1	-39.35	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-3.058 dBm -46.04 dBm -47.59 dBm -47.50 dBm

-42.75 dBm

Function

Function Width

Trace

Mode

N N Scale

Function Value

5.024 GHz 7.271 GHz 9.793 GHz 23.677 GHz

Aug 05, 2022 5:57:15 PM



