




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.81	30	Pass
NVNT	BLE	2442	Ant1	-1.97	30	Pass
NVNT	BLE	2480	Ant1	-2.182	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.683	0.5	Pass
NVNT	BLE	2442	Ant1	0.68	0.5	Pass
NVNT	BLE	2480	Ant1	0.681	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.055395608	
NVNT	BLE	2442	Ant1	1.0554761	
NVNT	BLE	2480	Ant1	1.056790196	













Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-10.24	8	Pass
NVNT	BLE	2442	Ant1	-8.403	8	Pass
NVNT	BLE	2480	Ant1	-8.613	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.82	-20	Pass
NVNT	BLE	2480	Ant1	-44.3	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-35	-20	Pass
NVNT	BLE	2442	Ant1	-36.89	-20	Pass
NVNT	BLE	2480	Ant1	-36.7	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant1 Ref

-5.425 dBm

-45.57 dBm -46.99 dBm -46.73 dBm

-42.36 dBm

Function

Function Width

5 Marker Table

Mode

N N N Trace

Scale

Function Value

2.452 GHz

5.074 GHz 7.196 GHz 9.768 GHz

25.000 GHz

Aug 05, 2022 5:41:51 PM



