




#### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-2.594	30	Pass
NVNT	BLE	2442	Ant1	-1.869	30	Pass
NVNT	BLE	2480	Ant1	-1.089	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.663	0.5	Pass
NVNT	BLE	2442	Ant1	0.662	0.5	Pass
NVNT	BLE	2480	Ant1	0.662	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.043351808	
NVNT	BLE	2442	Ant1	1.04271279	
NVNT	BLE	2480	Ant1	1.042782844	

Project No.: JYTSZR2207003














# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-19.194	8	Pass
NVNT	BLE	2442	Ant1	-18.118	8	Pass
NVNT	BLE	2480	Ant1	-17.402	8	Pass















## **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-44.67	-20	Pass
NVNT	BLE	2480	Ant1	-45.64	-20	Pass













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-38.98	-20	Pass
NVNT	BLE	2442	Ant1	-40.76	-20	Pass
NVNT	BLE	2480	Ant1	-41.28	-20	Pass











