




Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.162	30	Pass
NVNT	BLE	2442	Ant1	-2.182	30	Pass
NVNT	BLE	2480	Ant1	-3.206	30	Pass













-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.661	0.5	Pass
NVNT	BLE	2442	Ant1	0.661	0.5	Pass
NVNT	BLE	2480	Ant1	0.663	0.5	Pass














Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.041752356	
NVNT	BLE	2442	Ant1	1.042199887	
NVNT	BLE	2480	Ant1	1.04305011	














Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-19.409	8	Pass
NVNT	BLE	2442	Ant1	-18.469	8	Pass
NVNT	BLE	2480	Ant1	-19.516	8	Pass














Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-45.14	-20	Pass
NVNT	BLE	2480	Ant1	-46.39	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-40.3	-20	Pass
NVNT	BLE	2442	Ant1	-40.86	-20	Pass
NVNT	BLE	2480	Ant1	-39.7	-20	Pass









Stop 25.00 GHz Sweep ~2.49 s (1001 pts) Start 30 MHz #Res BW 100 kHz 5 Marker Table Trace Scale Function **Function Width** Function Value Mode 2.452 GHz -3.586 dBm 4.874 GHz 7.171 GHz 9.818 GHz -47.47 dBm -49.34 dBm -47.91 dBm N N 3 4 5 6 N 20.031 GHz -43.34 dBm Sep 27, 2022 9:39:45 PM

Tx. Spurious NVNT BLE 2480MHz Ant1 Ref



