

Test Data


Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.38	30	Pass
NVNT	BLE	2442	Ant1	-2.765	30	Pass
NVNT	BLE	2480	Ant1	-2.665	30	Pass











-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.662	0.5	Pass
NVNT	BLE	2442	Ant1	0.663	0.5	Pass
NVNT	BLE	2480	Ant1	0.658	0.5	Pass







Spectru Occupie	ed BW		• +						
R R	ight ⊶	Input: RF Coupling: DC Align: Auto	Input Ζ: 50 Ω Corr CCorr Freq Ref: Int (S)	Atten: 30 dB	Trig: Free Run Gate: Off #IF Gain: Low	Center Freq: 2 Avg Hold: 500/ Radio Std: Nor			
1 Graph		· •			Ref LvI Offset 2			Mkr3 2.48032	
Scale/L	Div 10.0	dB			Ref Value 22.81	dBm			-9.03 dBm
Log 12.8 2.81 -7.19				2			<u></u>		
-17.2 — -27.2 —					وكالتكر				
-37.2 -47.2 -57.2									
-67.2									
Center #Res B					#Video BW 300.	00 kHz		Sweep 1.33 n	Span 2 MHz ns (10001 pts)
2 Metric	s	•							
		Occupied Ba							
			1.0483 MHz				otal Power	3.52 dBm	
		Transmit Fre x dB Bandwi		-4.637 kHz 658.2 kHz			of OBW Power dB	99.00 % -6.00 dB	
	5		? Jul 21, 2022 8:50:22 AM						




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.043980143
NVNT	BLE	2442	Ant1	1.041979446
NVNT	BLE	2480	Ant1	1.04660237












Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-19.628	8	Pass
NVNT	BLE	2442	Ant1	-19.069	8	Pass
NVNT	BLE	2480	Ant1	-19.032	8	Pass











Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-48.48	-20	Pass
NVNT	BLE	2480	Ant1	-49.33	-20	Pass











Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.04	-20	Pass
NVNT	BLE	2442	Ant1	-44.3	-20	Pass
NVNT	BLE	2480	Ant1	-44.4	-20	Pass











