




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-3.936	30	Pass
NVNT	BLE	2442	Ant1	-3.197	30	Pass
NVNT	BLE	2480	Ant1	-3	30	Pass

Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366














-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.68	0.5	Pass
NVNT	BLE	2442	Ant1	0.687	0.5	Pass
NVNT	BLE	2480	Ant1	0.69	0.5	Pass

Project No.: JYTSZR2212069













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.048	
NVNT	BLE	2442	Ant1	1.048	
NVNT	BLE	2480	Ant1	1.048	

No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China. Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2212069















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-18.853	8	Pass
NVNT	BLE	2442	Ant1	-18.115	8	Pass
NVNT	BLE	2480	Ant1	-18.001	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-42.46	-20	Pass
NVNT	BLE	2480	Ant1	-43.6	-20	Pass













Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-37.17	-20	Pass
NVNT	BLE	2442	Ant1	-37.38	-20	Pass
NVNT	BLE	2480	Ant1	-37.97	-20	Pass

Project No.: JYTSZR2212069







