




Test Data

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant5	-4.309	30	Pass
NVNT	BLE	2442	Ant5	-2.732	30	Pass
NVNT	BLE	2480	Ant5	-3.688	30	Pass














-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant5	0.686	0.5	Pass
NVNT	BLE	2442	Ant5	0.685	0.5	Pass
NVNT	BLE	2480	Ant5	0.694	0.5	Pass













Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant5	1.045	
NVNT	BLE	2442	Ant5	1.045	
NVNT	BLE	2480	Ant5	1.046	















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant5	-19.386	8	Pass
NVNT	BLE	2442	Ant5	-17.804	8	Pass
NVNT	BLE	2480	Ant5	-18.767	8	Pass















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant5	-51.33	-20	Pass
NVNT	BLE	2480	Ant5	-51.31	-20	Pass














Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant5	-44.03	-20	Pass
NVNT	BLE	2442	Ant5	-45.64	-20	Pass
NVNT	BLE	2480	Ant5	-44.84	-20	Pass









Tx. Spurious NVNT BLE 2480MHz Ant5 Ref

-4.987 dBm

-52.50 dBm -54.50 dBm

-53.61 dBm

-49.21 dBm

Function

Function Width

Trace

Mode

N N

3 N 4 N 5 N Scale

Function Value

2.452 GHz

4.999 GHz 7.146 GHz 9.818 GHz

23.851 GHz

Mar 14, 2023 5:37:04 PM



